

An
Bord
Pleanála

Board Direction
BD-010651-22
ABP-311786-21

The submissions on this file and the Inspector's report were considered at a Board meeting held on 09/05/2022.

The Board decided to refuse permission, generally in accordance with the Inspector's recommendation, for the following reasons and considerations.

1.0 Reasons and Considerations


1. Having regard to the location of the site within an Area Under Strong Urban Influence in accordance with the Sustainable Rural Housing Guidelines for Planning Authorities published by the Department of the Environment, Heritage and Local Government 2005, National Policy Objective 19 of the National Planning Framework (February 2018) which, for rural areas under urban influence, seeks to facilitate the provision of single housing in the countryside based on the core consideration of demonstrable economic or social need to live in a rural area, having regard to the viability of smaller towns and rural settlements, the Board could not be satisfied on the basis of the information on the file that the applicant comes within the scope of either economic or social housing need criteria as set out in the overarching National Guidelines.

The proposed development, in absence of any identified local based need for the house at this location, would result in a haphazard and unsustainable form of development in an unserviced area, would contribute to the encroachment of random rural development in the area and would militate against the preservation of the rural environment and the efficient provision of public services and infrastructure

and undermine the settlement strategy set out in the development plan. The proposed development would, therefore, be contrary to the proper planning and sustainable development of the area.

2. Notwithstanding the proposal to use a proprietary wastewater treatment system on site, the Board had regard to the proliferation of domestic wastewater treatment systems in this rural area, the high level of the water table on site and to the Sustainable Rural Housing Guidelines for Planning Authorities published by the Department of Environment, Heritage and Local Government 2005 which recommend, in un-sewered rural areas, avoiding sites where it is inherently difficult to provide and maintain wastewater treatment and disposal facilities. The Board could not be satisfied, on the basis of the information on the file, that the impact of the proposed development in conjunction with existing wastewater treatment systems in the area would not give rise to a risk of groundwater pollution. The proposed development would, therefore, be contrary to the proper planning and sustainable development of the area.

Board Member


Terry Ó Niadh

Date: 09/05/2022