

An
Coimisiún
Pleanála

Direction
CD-020644-25
ABP-322286-25

The submissions on this file and the Inspector's report were considered at a Board meeting held on 11/09/2025.

The Board decided to treat this case under section 40(2) of the Building Control Regulations 1997, as amended. The Board also decided, based on the Reasons and Considerations set out below that the building control authority be directed, as follows:

To REMOVE condition number 1


Reasons and Considerations

Having regard to the presented design of the residential development and the compliance report, to the submissions made in connection with the Fire Safety Certificate application and the appeal, and to the report and recommendation of the reporting inspector, it is considered that it has been demonstrated by the first party appellant in the fire safety application and appeal that the ground level car park does not require sprinkler protection to meet the requirements of Part B of Technical Guidance Document B - Fire Safety 2006 (reprinted 2020) [TGD: Part B]] and the submitted technical compliance report otherwise details proposals for sprinkler coverage (category 2), in accordance with BS 9251:2021, proposed to the open plan apartments and common corridors (but not the ground level car park). Therefore, condition number 1 as originally attached by the Building Control Authority to the fire safety certificate is not necessary to meet the guidance set out in TGD: Part B or

accordingly to demonstrate compliance with Part B of the Second Schedule to the Building Regulations 1997, as amended.

Planning

Commissioner:


Paul Caprani

Date: 11/09/2025