

ESB Engineering & Major Projects
c/o Brendan Allen
One Dublin Airport Central
Dublin Airport
Cloghran
Co. Dublin
K67 XF72

Date: 25 January 2023

Re: Proposed 299MW Open Cycle Gas Turbine (OCGT) Facility and associated grid connections.
Land to the east of existing Dublin Bay Power Station, Pigeon House Road, Dublin 4

Dear Sir / Madam,

Please be advised that following consideration of the issues raised at the above consultation and having regard to the scale and nature of the proposed development An Bord Pleanála has concluded that the proposed development does not come within the scope of section 37A(1) or 182A of the Planning and Development Act, 2000, as amended. Accordingly any application for planning consent for the proposed development should be made to the local planning authority for the area in accordance with the provisions of section 34 of the Planning and Development Act, 2000, as amended.

In accordance with section 146(3) of the Planning and Development Act, 2000, as amended, the Board will make available for inspection and purchase at its offices the documents relating to the decision within 3 working days following its decision. In addition, the Board will also make available the Board Direction on the decision on its website (www.pleanala.ie). This information is normally made available on the list of decided cases on the website on the Wednesday following the week in which the decision is made.

The attachment contains information in relation to challenges to the validity of a decision of An Bord Pleanála under the provisions of the Planning and Development Act, 2000, as amended.

In accordance with the fees payable to the Board and where not more than one pre-application meeting is held in the determination of a case, a refund of €3,500 is payable to the person who submitted the pre-application consultation fee. As a meeting was not required / only one meeting was required in this case, a refund of €3,500 will be sent to you in due course.


If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Yours faithfully,



Niamh Thornton
Executive Officer
Direct Line: 01-8737247

PC11A

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902