SECTION 131 FORM

Appeal NO: ABP - 31 4485-22	Defer Re O/H
TO:SEO Having considered the contents of the submission dated/ received from aurene Hickey I recommend that section 131 of the Plant be/not be invoked at this stage for the following reason(s):	ning and Development Act, 2000
To EO:	
Section 131 not to be invoked at this stage.	
Section 131 to be invoked – allow 2/4 weeks for reply.	
S.E.O.: Date:	
S.A.O: Date:_	
M	
Please prepare BP Section 131 notice enclosing a consubmission	opy of the attached
to: Task No:	
Allow 2/3/4weeks – BP	
EO: Date:	
AA: Date:	

File With	_
I HE AAITH	_

CORRESPONDENCE FORM

Appeal No: ABP	
M	
Please treat correspondence received on	as follows:
Update database with new agent for Applican	t/Appellant
2. Acknowledge with BP	1. RETURN TO SENDER with BP
3. Keep copy of Board's Letter	2. Keep Envelope:
	3. Keep Copy of Board's letter
Amendments/Comments	
4. Attach to file (a) R/S	RETURN TO EO
	Plans Date Stamped Date Stamped Filled in
EO:	AA:
Date:	Date:

Validation Checklist

Lodgement Number: LDG-057068-22

Case Number: ABP-314485-22
Custo :: Laurence Hickey

Lodgement Date: 04/09/2022 14:58:00 Validation Officer: Garry Dorgan PA Name: Fingal County Council

PA Reg Ref: **F20A/0668**

Case Type: Normal Planning Appeal PDA2000 Lodgement Type: Observation / Submission



Validation Checklist	Value
Confirm Classification	Confirmed - Correct
Confirm ABP Case Link	Confirmed-Correct
Fee/Payment	Valid – Correct
Name and Address available	Yes
Agent Name and Address available (if engaged)	Not Applicable
Subject Matter available	Yes
Grounds	Yes
Sufficient Fee Received	Yes
Received On time	Yes
Eligible to make lodgement	Yes
Completeness Check of Documentation	Yes

BP40 60 1540.

Run at: 08/09/2022 15:09

Run by: Garry Dorgan

Lodgement Cover Sheet - LDG-057068-22

An Bord Pleanála

Details

Lodgement Date	04/09/2022	
Customer	Laurence Hickey	
Lodgement Channel	Web Portal	
Lodgement by Agent	No	
Agent Name		
Correspondence Primarily Sent to		
Registered Post Reference	100	

Lodgement ID	LDG-057068-22
Map ID	
Created By	Garry Dorgan
Physical Items included	No
Generate Acknowledgement Letter	
Customer Ref. No.	
PA Reg Ref	F20A/0668

Categorisation

Lodgement Type	Observation / Submission
Section	Processing

PA Name	Fingal County Council
Case Type (3rd Level Category)	Normal Planning Appeal PDA2000

Fee and Payments

Specified Body	No	
Oral Hearing	No	
Fee Calculation Method	System	
Currency	Euro	
Fee Value	50.00	
Refund Amount	0.00	

Observation/Objection Allowed?	Yes
Payment	PMT-044450-22
Related Payment Details Record	PD-044343-22

Observation



Run at: 08/09/2022 15:09
Run by: Garry Dorgan

A proposed development comprising the taking of a 'relevant action' only within the meaning of Section 34C of the Planning and Development Act 2000, as amended, at Dublin Airport,

Run at: 08/09/2022 15:09
Run by: Garry Dorgan

Co. Dublin, in the townlands of Collinstown, Toberbunny, Commons, Cloghran, Corballis, Coultry, Portmellick, Harristown, Shanganhill, Sardyhill, Huntstown, Pickardstown, Dunbro, Millhead, Kingstown, Barberstown, Forrest Great, Forrest ittle and Rock on a site of c. 580 ha. The proposed relevant action relates to the night-time use of the runway system at Dublin Airport. It involves the amendment of the operating estriction set out in condition no. 3(d) and the replacement of the operating restriction in condition no. 5 of the North Runway Planning Permission Fingal County Council Reg. Ref. No. F@A/1755; ABP Ref. No. PL06F.217429 as amended by Fingal County Council F19A/0023, ABP Ref. No. ABP-305289-19), as well as proposing new noise mitigation measures. Conditions no. 3(d) and 5 have not yet come into effect or operation, as the construction of the North Runway on foot of the North Runway Planning Permission is ongoing. The proposed relevant action, if permitted, would be to remove the numerical cap on the number of flights permitted between the hours of 11pm and 7am daily that isdue to come into effect in Planning Permission and to replace it with an annual night-time noise quota between the hours of 11.30pm and cam and also to allow flights to take off from and/or land on the North Runway Runway 10L 28R) for an additional 2 hours i.e. 2300 hrs to 2400hrs and 0600 hrs to 0700 hrs. Overall, this would allow for an increase in the number of flights taking off and/or anding at Dublin Airport between 2300 ars and 0700 hrs over and above the number stipulated in condition no. 5 of the North Runway Planning

PA Case Number F20A/0668

Run at: 08/09/2022 15:09

Run at: 08/09/2022 15:09
Run by: Garry Dorgan

Permission, in accordance with the annual night time noise quota. The relevant action pursuant to Section 34C (1) (a) is: To amend condition no. 3(d) of the North Runway Planning 3(d) of the North Runway Planning Permission (Fingal County Council Reg. Ref. No. F04A/1755; ABP Ref. No.: PL06F.217429 as amended by Fingal County Council F19A/0023, ABP Ref. No. ABP-305289-19). Condition 3(d) and the exceptions at the end of Condition 3 state the following: '3(d). Runway 10L-28R shall not be used for take-off or landing between 2300 hours and 0700 hours. between 2300 hours and 0700 hours except in cases of safety, maintenance considerations, exceptional air traffic conditions, adverse weather, technical faults in air traffic control systems or declared emergencies at other airports.' Permission is being sought to amend the above condition so that it reads: 'Runway 10L-28R shall not be used for take-off or landing between 0000 hours and 0559 hours except in cases of safety, maintenance considerations, exceptional air traffic conditions, adverse weather, technical faults in air traffic control systems or declared emergencies at other airports or where Runway 10L-28R length is required for a specific aircraft type.'
The net effect of the proposed change, if permitted, would change the normal operating hours of the North Runway from the 0700hrs to 2300 hrs to 0600 hrs to 0000 hrs. The relevant action also is: To replace condition no. 5 of laso is: 10 replace condition no. 5 or the North Runway Planning Permission (Fingal County Council Reg. Ref. No. F04A/1755; ABP Ref. No.: PL06F.217429 as amended by Fingal County Council F19A/0023, ABP Ref. No. ABP-305289-19) which provides as follows: 5. On completion of construction of the runway hereby permitted, the average number of night time aircraft movements at the airport

Development Description


Run at: 08/09/2022 15:09
Run by: Garry Dorgan

shall not exceed 65/night (between 2300 hours and 0700 hours) when measured over the 92 day modelling period as set out in the reply to the urther information request received by An Bord Pleanála on the 5th day of March, 2007. Reason: To control the requency of night flights at the airport so as to protect residential amenity having regard to the information submitted concerning future night time use of the existing parallel runway'. With the following: A noise quota system is proposed for night time noise at the airport. The airport shall pe subject to an annual noise quota of 7990 between the hours of 2330hrs and 0600hrs. In addition to the proposed night time noise quota, the elevant action also proposes the following noise mitigation measures: A noise insulation grant scheme for eligible dwellings within specific night hoise contours; - A detailed Noise Monitoring Framework to monitor the noise performance with results to be teported annually to the Aircraft Noise Competent Authority (ANCA), in compliance with the Aircraft Noise Dublin Airport) Regulation Act 2019. The proposed relevant action does not seek any amendment of conditions of the North Runway Planning Permission governing the general operation of the runway system (i.e., conditions which are not specific to nighttime use, namely conditions no. 3 a), 3(b), 3(c) and 4 of the North Runway Planning Permission) or any amendment of permitted annual amendment of permitted annual passenger capacity of the Terminals at Dublin Airport. Condition no. 3 of the Terminal 2 Planning Permission Fingal County Council Reg. Ref. No. F04A/1755; ABP Ref. No. PL06F.220670) and condition no. 2 of the Terminal 1 Extension Planning Permission (Fingal County Council

PA Decision Date	08/08/2022
County	
Development Type	
Development Address	Dublin Airport, Co. Dublin
Appellant	
Supporting Argument	

	Reg. Ref. No. F06A/1843; ABP Ref. No. PL06F.223469) provide that the combined capacity of Terminal 1 and Terminal 2 together shall not exceed 32 million passengers per annum. The planning application will be subject to an assessment by the Aircraft Noise Competent Authority in accordance with the Aircraft Noise (Dublin Airport) Regulations Act 2019 and Regulation (EU) No 598/2014. The planning application is accompanied by information provided for the purposes of such assessment. An Environmental Impact Assessment Report will be submitted with the planning application. The planning application and Environmental Impact Assessment Report may be inspected or purchased at a fee not exceeding the reasonable cost of making a copy, at the offices of the Planning Authority during its public opening hours of 9.30 - 16.30 (Monday – Friday) at Fingal County Council, Fingal County Hall, Main Street, Swords, Fingal, Co. Dublin.
Applicant	
Additional Supporting Items	Yes

Run at: 08/09/2022 15:09
Run by: Garry Dorgan



Observation on a Strategic Infrastructure Development Application

Observer's details

1	Ohserver's	details	Inerson	making the	observation)
1.	Onseivei 2	uctallo	(DG[20]]	IIIaniiiu iiie	Observation

If you are making the observation, write your full name and address.

If you are an agent completing the observation for someone else, write the observer's details:

(a) Observer's name

Laurence Hickey

(b) Observer's postal address

The Green

Kilsallaghan

Co. Dublin

K67A2X2

Agent's details

2. Agent's details (if applicable)

If you are an agent and are acting for someone else on this observation, please also write your details below.

If you are not using an agent, please write "Not applicable" below.

(a) Agent's name

Click or tap here to enter text.

(b) Agent's postal address

Click or tap here to enter text.

Postal address for letters

3.	During the process to decide the application, we will post information and items to you or to your agent. For this current application, who should we write to? (Please tick ✓ one box only) You (the observer) at the postal address in Part 1 The agent at the postal address in Part 2
)eta	ils about the proposed development
4.	Please provide details about the current application you wish to make an observation.
(a)	An Bord Pleanála case number for the current application (if available) (for example: 300000) F20A/0668
(b)	Name or description of proposed development Dublin Airport New Runway
(c)	Location of proposed development (for example: 1 Main Street, Baile Fearainn, Co Abhaile) Dublin Airport

Observation details

5. Grounds

Please describe theg roundsof your observation (planning reasons and arguments). You can type or write them in the space below. There is **no ward** limit as the box expands to fit what you write

You can also insert photographs or images in this box. (S eepart 6–Su pporting materials for more information).

The New Runway at Dublin Airport has started flying planes over my house.

This was not permitted in the planning for this runway. We are experiencing very high noise levels over the house at 8 - 9 db.

We are a family of 5 and our sleep has been interrupted 3 times in the past 2 weeks at 4 and 5 am

As this was not in the planning we were not included in the Sound Insulation Programme.

Supporting materials

- 6. If you wish, you can include supporting materials with your observation.
 Supporting materials include:
 - photographs,
 - plans,
 - surveys,
 - drawings,
 - digital videos or DVDs,
 - · technical guidance, or
 - other supporting materials.

You can insert photographs and similar items in your observation details: grounds (part 5 of this form).

If your supporting materials are physical objects, you must send them together with your observation by post or deliver it in person to our office. You cannot use the online uploader facility.

Fee

You must make sure that the correct fee is included with your observation.

Observers (except prescribed bodies)

- strategic infrastructure observation is €50.
- there is no fee for an oral hearing request

Oral hearing request

8.	If you wish to request the Board to hold an oral hearing, please tick the "Yes, I wish to request an oral hearing' box below.
	You can find information on h owto m akethis request on our website or by co ntæti ngus.
	If you do not wish to request an oral hearing, please tick the "No, I do not wish to re quest an oral hearing" box.
	Yes, I wish to request an oral hearing
	No, I do not wish to request an oral hearing

Fin al steps before you send us your observations

- 9. If you are sending us your observation using the online uploader facility, remember to save this docu ment as a Microsoft word or PDF and title it with:
 - the case number and your name, or
 - the name and location of the developme ntand your name.

This also applies to prescribed bodies s ending an observation by email.

If you are sending you robservation to us by post or delivering in person, remem berto print off all the pages of this document and send it to us.