

Screening Checklist	Value
Public Notices	Yes
EIS/EI Submitted	Yes
NIS Submitted	Yes
Article 137 (HSA)	No
OH Hold on Cross Circulation	No
Revised Notices	No
Oral Hearing Requested	No
EPA	No
Protected Structure	No
Material Contravention	No
Section 49	No
Section 138	No
S.48(2)(c) Appeal	747590001
Invoke Article 28	Yes
Invoke Section.132	No
Invoke Section 137	No
Section 131 Assessed?	Yes
Time Left for Appeal Responses	Yes
Time Left for Observations	Yes
Referred to SEO/SAO	Yes
SEO/SAO referred to	Bronwyn Byrne
Last Date for Observations	07/04/2025
Screened Date	18/03/2025
Appeal Circulation Day	26/02/2025
Multiple Appeals Circulation Date	12/03/2025
Last Date for Multiple Appeal Responses	08/04/2025
Last Date For Receipt of Appeals	11/03/2025
Last Date for Appeal Responses(	25/03/2025
Direction / Comments	<p>To AA:</p> <p>BP10 to PA request:  Observation from Hannah McGillyCuddy  pre planning documentation  drawings submitted with response to further information</p> <p>Tasks:  Change description on front cover to include reference to  EIAR and NIS  EIAR to be uploaded to website  BP70 to Prescribed bodies allow 4 weeks. Task-426303-25</p>
Reason to Refer to SEO/SAO	EIAR and NIS submitted with application to PA

Run at: 19/03/2025 08:37

Run by: Dáire Littleton Caden

# Screening Checklist

Case Number: **ABP-321962-25**

Customer: **GABM Ltd**


Screened By: **Dáire Littleton Caden**

Screening EO: **Daniel O'Connor**

Case Type: **Normal Planning Appeal PDA2000**

PA Name: **Kilkenny County Council**

PA Reg Ref: **2460103**



An  
Bord  
Pleanála

Run at: 19/03/2025 08:37

Run by: Dáire Littleton Caden