

Cork Level Lines Crossings

LVIA Photomontages

This book contains imagery for the viewpoints chosen for the LVIA study

March 2021

Prepared by



www.macroworks.ie

INDEX - Page 1

XC201:

- Viewpoint 1** - Existing View + Outline View
- Viewpoint 1** - Montage View + Mitigated View

- Viewpoint 2** - Existing View + Outline View
- Viewpoint 2** - Montage View + Mitigated View

- Viewpoint 3** - Existing View + Outline View
- Viewpoint 3** - Montage View
- NB - There is no Mitigated Montage View for this viewpoint**

XC211:

- Viewpoint 1** - Existing View + Outline View
- Viewpoint 1** - Montage View + Mitigated View

- Viewpoint 2** - Existing View + Outline View
- Viewpoint 2** - Montage View + Mitigated View

- Viewpoint 3** - Existing View + Outline View
- Viewpoint 3** - Montage View + Mitigated View

XC212:

- Viewpoint 1** - Existing View + Outline View
- Viewpoint 1** - Montage View + Mitigated View

- Viewpoint 2** - Existing View + Outline View
- Viewpoint 2** - Montage View + Mitigated View

- Viewpoint 3** - Existing View + Outline View
- Viewpoint 3** - Montage View + Mitigated View

XC215:

- Viewpoint 1** - Existing View + Outline View
- Viewpoint 1** - Montage View + Mitigated View

- Viewpoint 2** - Existing View + Outline View
- Viewpoint 2** - Montage View + Mitigated View

- Viewpoint 3** - Existing View + Outline View
- Viewpoint 3** - Montage View + Mitigated View


XC219:

- Viewpoint 1** - Existing View + Outline View
- Viewpoint 1** - Montage View + Mitigated View

- Viewpoint 2:**
- Viewpoint 2a** - Existing View + Outline View
- Viewpoint 2a** - Montage View + Mitigated View
- Viewpoint 2b** - Existing View + Outline View
- Viewpoint 2b** - Montage View + Mitigated View

- Viewpoint 3** - Existing View + Outline View
- Viewpoint 3** - Montage View + Mitigated View

LVIA viewpoint locations selected for the Cork Level Crossings project





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	557393	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	624767	Camera:	Canon 1-D Mark II digital SLR	Time:	12:47
Direction of View:	176° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	557393	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	624767	Camera:	Canon 1-D Mark II digital SLR	Time:	12:47
Direction of View 176° E of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 120°.

Easting (ITM):	557645	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	624511	Camera:	Canon 1-D Mark II digital SLR	Time:	13:49
Direction of View 125° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				





These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 120°.

Easting (ITM):	557645	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	624511	Camera:	Canon 1-D Mark II digital SLR	Time:	13:49
Direction of View 125° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	557699	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	624244	Camera:	Canon 1-D Mark II digital SLR	Time:	13:55
Direction of View:	19° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	557699	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	624244	Camera:	Canon 1-D Mark II digital SLR	Time:	13:55
Direction of View	19° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				






These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	554806	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	617823	Camera:	Canon 1-D Mark II digital SLR	Time:	14:21
Direction of View:	5° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	554806	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	617823	Camera:	Canon 1-D Mark II digital SLR	Time:	14:21
Direction of View	5° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	554988	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	618256	Camera:	Canon 1-D Mark II digital SLR	Time:	14:29
Direction of View 175° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	554988	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	618256	Camera:	Canon 1-D Mark II digital SLR	Time:	14:29
Direction of View 175° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	554785	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	618138	Camera:	Canon 1-D Mark II digital SLR	Time:	15:45
Direction of View	117° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	120°				






These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	554785	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	618138	Camera:	Canon 1-D Mark II digital SLR	Time:	15:45
Direction of View	117° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	120°				







These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	554604	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	617702	Camera:	Canon 1-D Mark II digital SLR	Time:	15:49
Direction of View	175°W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	120°				






These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	554604	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	617702	Camera:	Canon 1-D Mark II digital SLR	Time:	15:49
Direction of View	175°W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	120°				






These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 120°.

Easting (ITM):	554760	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	617623	Camera:	Canon 1-D Mark II digital SLR	Time:	15:57
Direction of View 134° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				





These are 160° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 120°.

Easting (ITM):	554760	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	617623	Camera:	Canon 1-D Mark II digital SLR	Time:	15:57
Direction of View 134° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	160°				









These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	553644	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	615497	Camera:	Canon 1-D Mark II digital SLR	Time:	17:05
Direction of View 153° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	553644	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	615497	Camera:	Canon 1-D Mark II digital SLR	Time:	17:05
Direction of View 153° W of Grid North		Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	553213	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	615001	Camera:	Canon 1-D Mark II digital SLR	Time:	14:45
Direction of View	79° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	553213	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	615001	Camera:	Canon 1-D Mark II digital SLR	Time:	14:45
Direction of View:	79° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	553357	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	614471	Camera:	Canon 1-D Mark II digital SLR	Time:	14:58
Direction of View	68° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	120°				





These are 120° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM):	553357	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	614471	Camera:	Canon 1-D Mark II digital SLR	Time:	14:58
Direction of View	68° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	120°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	552921	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609919	Camera:	Canon 1-D Mark II digital SLR	Time:	17:19
Direction of View	105° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 552921
Northing (ITM): 609919
Direction of View 105° E of Grid North
Angle of View: 80°

Lens: 50mm / Full Frame Sensor
Camera: Canon 1-D Mark II digital SLR
Camera Height: 1.7m Above Ground Level

Date: 08/10/2019
Time: 17:19





This is a 100° panoramic montage captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	149° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





This is a 100° panoramic montage captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	149° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





This is a 100° panoramic montage captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	149° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





This is a 100° panoramic montage captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	149° E of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	111° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	111° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	111° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





These are 100° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 60°.

Easting (ITM):	553227	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609865	Camera:	Canon 1-D Mark II digital SLR	Time:	17:28
Direction of View	111° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	100°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM):	553508	Lens:	50mm / Full Frame Sensor	Date:	08/10/2019
Northing (ITM):	609774	Camera:	Canon 1-D Mark II digital SLR	Time:	17:38
Direction of View	85° W of Grid North	Camera Height:	1.7m Above Ground Level		
Angle of View:	80°				





These are 80° panoramic montages captured and presented in accordance with the guidance set by the British Landscape Institute 2011 - Advice Note 01/11.

To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 553508
Northing (ITM): 609774
Direction of View: 85° W of Grid North
Angle of View: 80°

Lens: 50mm / Full Frame Sensor
Camera: Canon 1-D Mark II digital SLR
Camera Height: 1.7m Above Ground Level

Date: 08/10/2019
Time: 17:38

