


**Our Case Number:** ABP-310202-21



**An  
Bord  
Pleanála**

Uisce Éireann  
PO Box 860  
South City Delivery office  
Cork City  
Co. Cork

**Date:** 12 June 2025

**Re:** Proposed upgrade to Limerick (Bunlicky) Wastewater Treatment Plant  
Ballykeeffe, Limerick

Dear Sir / Madam,

I have been asked by An Bord Pleanála to refer further to the above mentioned proposed development which is currently the subject of a pre-application consultation request with the Board since May 2021.

Having regard to the passage of time since the previous meeting please indicate to the Board as to whether or not you wish to pursue the request and if you intend to engage further with the Board in relation to the proposal. An update on this proposed development would be appreciated.

If you have any queries in relation to the matter, please contact the undersigned officer of the Board.

Yours faithfully,

Breda Ingle  
Executive Officer  
Direct Line: 01-8737291

**Teil**  
**Glaos Áitiúil**  
**Facs**  
**Láithreán Gréasáin**  
**Ríomhphost**

**Tel** (01) 858 8100  
**LoCall** 1800 275 175  
**Fax** (01) 872 2684  
**Website** www.pleanala.ie  
**Email** bord@pleanala.ie

64 Sráid Maoilbhríde 64 Marlborough Street  
Baile Átha Cliath 1 Dublin 1  
D01 V902 D01 V902