

Our Ref: ABP-301908-18



Angela & Michael Callanan  
1/B Clonshaugh Close  
Clonshaugh  
Dublin 17

Date: 23 August 2018

Re: Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility  
Townlands of Clonshagh, Dubber and Newtown, County Fingal and Dublin City

Dear Sir / Madam

An Bord Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. A receipt for the fee lodged is enclosed.

The Board will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of Dublin City Council and Fingal County Council and at the offices of An Bord Pleanála when they have been processed by the Board.

More detailed information in relation to strategic infrastructure development can be viewed on the Board's website: [www.pleanala.ie](http://www.pleanala.ie).

If you have any queries in the meantime please contact the undersigned officer of the Board. Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers  
Executive Officer  
Direct Line: 01-873 7107

1/B Clonshaugh Close  
Clonshaugh  
Dublin 17  
13/8/18

AN BORD PLEANÁLA	
Received:	11/8/18
Fee:	€50 Cash
Receipt No:	

16/8/18

~~Ref No: 1000000000~~

REF

PL06F, 301908-18

AN BORD PLEANÁLA	
TIME	BY
17 AUG 2018	
LTR DATE	FROM
FL	LOG: 007626-18

Dear Sir/Madam

**We strongly object to the Sewerage Plant in Clonshaugh.**

1.

We are living in the Clonshaugh Area for 44 years. My children have grown up here and now my Grandchildren are growing up here.

The Odour from this plant will have a huge effect on the Quality of life so close to a large residential area.

2.

Belcamp Park is used regularly by local Sports Clubs to promote activity for all the Boys/Girls in the area, get them involved in sport at a young age.

Also the Playground is used by younger children.

During the Summer months the park is used for Summer Projects.

The park is also used by Walkers and Runners.

This huge Sewerage Plant will destroy these activities.

3.

I also fish regularly at Howth and the surrounding area. The fish stocks have deteriorated over the last couple of years with the discharge of Sewerage into the sea at Baldoyle this will kill off any remaining Marine Life.

4.

I recently took a walk from Baldoyle to Sutton and was shocked to get a very strong smell of Sewerage coming from the bay.

There was a slime on top of the water up to the Water Edge right along the walkway in Baldoyle.

This Sunday morning 12/8/18 Tide was in

This is caused by the Pumping Station at Sutton Dart Station.

This will destroy the waters and beaches in Howth, Baldoyle, Portmarnock and Malahide etc., area

A Sewerage Plant of this size will have a negative impact effect on quality of Life to a large number of Residents, Airport, Businesses, Tourism, Hotels, Industry and Sports facilities.

Please find enclosed €50 Fee.

Yours sincerely

Angela and Michael Callanan.

*Angela Callanan*

*Michael Callanan*

Re: Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility

Case reference: PL06F.301908 – (8

To whom it may concern

The proposed sewage plant mentioned above is now in the final phase of planning. I confirm that I object to the above proposed project and location. I enclose the fee of €50.00 with this letter. The objections are listed below:

**List issues**

I would ask that An Bord Pleanála to review this proposal again in light of the issues and concerns highlighted.

Yours sincerely

Name & address of the objector

AN BORD PLEANÁLA	
TIME _____	BY _____
17 AUG 2018	
LTR DATED _____	FROM _____
PL _____	

There have been no further meetings and we would be a major stakeholder as the plant will be positioned only 300 meters to the nearest house. The proposed site for this plant is much too close to the residential area, schools, hotels and other local amenities.

29<sup>th</sup> November 2017

Also in the Public and Stakeholder Participation Report it notes a public information evening was held on 29<sup>th</sup> November in Northern Cross for Clonsilla residents, yet no local people seem to know anything about this. Where was the notification posted for this? How many people attended this session? Are the recorded minutes? The proposed plant will be 300 meters from nearest house. The size of the plant is 13,200 square meters, how can this be deemed best practice?

Environmental Issues

Portmarnock only blue flag beach, historical importance

Environmental disasters

Impact on local amenities & business

Nature

Odour – refer to Ringsend or other plants with odour issues

**VERY IMPORTANT – GET A RECEIPT WHICH IS TIMED AND DATED WHEN HANDING IN THE OBJECTION**