

Our Ref: ABP-301908-18



An
Bord
Pleanála

Brendan Keegan & Others
25 Clonshaugh Walk
Clonshaugh
Dublin 17

Date: 23rd August 2018

Re: Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility
Townlands of Clonshagh, Dubber and Newtown, County Fingal and Dublin City

Dear Sir

An Bord Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. A receipt for the fee lodged is enclosed.

The Board will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of Dublin City Council and Fingal County Council and at the offices of An Bord Pleanála when they have been processed by the Board.

More detailed information in relation to strategic infrastructure development can be viewed on the Board's website: www.pleanala.ie.

If you have any queries in the meantime please contact the undersigned officer of the Board. Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-873 7107

An Bord Pleanála
64 MALBOROUGH STREET
DUBLIN 1

16th Aug 2018

Re: Greater Dublin Drainage Project consisting of a new WASTEWATER TREATMENT PLANT, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.

CASE reference: PLO6F, 301908

AN BORD PLEANALA

Received: 17/8/18

Fee: €50 - Cash

Receipt No: 1d8

To whom it may concern.

The proposed sewage plant mentioned above is now in the final phase of planning. I confirm that I object to the above proposed project and its location. I enclose the fee of €50.00 with this letter. The objection is listed below.

I believe that the Quality of the Air we Breathe daily will be Greatly Polluted not only for the Homes adjacent to the Plant but for miles around. There are also 3 Hotels near by that service Tourists to Dublin who will be left with a "Smelly Impression of DUBLIN"

Also my Wife and Daughter have Respiratory Issues and this Sewage Plant will I Fear add to their discomfort.

I would ask that An Bord Pleanála to

AN BORD PLEANALA

17 AUG 2018

12 00 noon

LTR DATER

FROM

PL

109.007645-23

PTO. →

Review this Proposal again in light of
the issues and concerns highlighted.

Yours Sincerely

Brandon Keegan
25 Clonsillaugh Walk
Clonsillaugh
Dublin 17 D17 4P98

Also in Support of my Objections
Are my named Neighbours list
+ Signed Below.

Jackie Keegan	25 Clonsillaugh Walk, Clonsillaugh D17
Emily Kelly	19 Clonsillaugh Walk, Clonsillaugh D17
Martin Kelly	14 " " " "
Greg Syme	20 Clonsillaugh Walk, Clonsillaugh, D17
Niamh Syme	20 " " " "
Noel Flood	21 Clonsillaugh Walk, Clonsillaugh, D17
Catherine Flood	21 " " " "
Carl Scully	23 Clonsillaugh Walk, Clonsillaugh, Dublin 17
Edna Scully	23 " " " "

