

Our Ref: ABP-301908-18



Elizabeth Mc Mahon  
61 Clonsaugh Heights  
Dublin 17

Date: 23 August 2018

Re: Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility  
Townlands of Clonsagh, Dubber and Newtown, County Fingal and Dublin City

Dear Madam

An Bord Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. A receipt for the fee lodged is enclosed.

The Board will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of Dublin City Council and Fingal County Council and at the offices of An Bord Pleanála when they have been processed by the Board.

More detailed information in relation to strategic infrastructure development can be viewed on the Board's website: [www.pleanala.ie](http://www.pleanala.ie).

If you have any queries in the meantime please contact the undersigned officer of the Board. Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers  
Executive Officer  
Direct Line: 01-873 7107

An Bord Pleanála  
64 Malborough Street  
Dublin 1

Insert date- 16/7/18.

Re: Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility

Case reference: PL06F.301908 ABP 301908-18

To whom it may concern

The proposed sewage plant mentioned above is now in the final phase of planning. I confirm that I object to the above proposed project and location. I enclose the fee of €50.00 with this letter. The objections are listed below:

**List issues**

Detrimental to the health of myself, children and Grandchildren  
Hazard Risks with such a large plant in a densely populated area.

House prices will devalue.

Increased Traffic on overstretched Roads.

Odours coming from plant a danger to all our health.

I would ask that An Bord Pleanála to review this proposal again in light of the issues and concerns highlighted.

Yours sincerely

Elizabeth McMahon 61 Clonsaugh Heights, Dublin 17

Geraldine Gahan 63 Clonsaugh Heights

Name & address of the objector

Debbie O'Sullivan 6 Swifts Grove Clonsaugh

Pat. Mass Kinsella 9 Swifts Grove Clonsaugh.

Frank & Dolores McBurnett 3, Clonsaugh Meadows D17

**AN BORD PLEANÁLA**  
Received: 17/8/18  
Fee: €50 Cash  
Receipt No: \_\_\_\_\_

**AN BORD PLEANÁLA**  
TIME \_\_\_\_\_ BY \_\_\_\_\_  
17 AUG 2018  
LTR DATE \_\_\_\_\_ FROM \_\_\_\_\_  
PL 405007629-18