


Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Tom and Breda Tracey
20 Clonshaugh Close
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Gary Crawford
55 Clonshaugh Heights
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. **by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel		(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Mary Stack
Failte Ireland
88 Amiens Street
North Dock
Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers

Executive Officer

Direct Line: 01-8737107

Glao Aitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

An Chomhairle Ealaíon
70 Merrion Square S
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR

Glaos Áitiúil
Facs
Láithreán Gréasáin
Riomhphost

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

The Eastern and Midland Regional Assembly
Ballymun Civic Centre
Ballymun
Dublin 9

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

National Transport Authority
Harcourt Lane
Dun Sceine
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Administration
Environmental Licensing Programme
EPA
Po Box 3000
Johnstown Castle Estate
Co. Wexford

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Ríomhphost Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Department of Transport, Tourism and Sport
2 Leeson Lane
Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR
Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

The Minister for Arts, Heritage, Regional, Rural and
Gaeltacht Affairs
23 Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater
treatment plant, sludge hub centre, orbital sewer,
outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

The Minister for Communications, Climate Action And
The Environment
29-31 Adelaide Road
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater
treatment plant, sludge hub centre, orbital sewer,
outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

The Minister for Housing, Planning, Community and Local
Government
Custom House
North Dock
Dublin 1

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater
treatment plant, sludge hub centre, orbital sewer,
outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer

Direct Line: 01-8737107 / 858 8100
Glaos Aitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Fingal County Council
County Hall
Main Street
Swords

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Chief Executive,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	(01) 858 8100
Glaos Áitiúil	LoCall 1890 275 175
Facs	(01) 872 2684
Láithreán Gréasáin	Website www.pleanala.ie
Ríomhphost	Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Aileen Murphy
Winterset
Kinsealy Lane
Malahide
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107 (01) 858 8100
Glaos Aitiúil LoCall 1890 275 175
Facs Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Eamonn Hart
24 Clonshaugh Meadow
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the **20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Chambers Ireland
11 St Stephen's Green
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR
Glaos Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost
Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Catherine Kelleher
Coolock Residents Association
28 Beechlawn Close
Coolock
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107
Glaos Aitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Donna Cooney
Dublin Bay North Green Party
4 Victoria Road
Clontarf
Dublin 3

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Anne Murphy
"St. Anne's"
Kinsealy Lane
Malahide
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Sean Haughey Td
Dáil Éireann
Leinster House
Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie



64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:

Miriam Kelly and Siobhán Daly
28 Riverside Crescent
Clonsillaugh
Dublin 17
13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater
treatment plant, sludge hub centre, orbital sewer,
outfall pipeline and regional biosolids storage facility.
Townlands of Clonsillaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions. Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer


Direct Line: 01-8737107

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie



64 Sraid Maolbhríde
Baile Átha Cliath 1
D01 V902


64 Marlborough Street
Dublin 1
D01 V902



An
Bord
Pleanála

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Maria Murphy
"St. Anne's"
Kinsealy Lane
Malahide
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Joe and Elaine Jones
Oakfield
Cloghran
Co. Dublin
K67 K597

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Gillian Hegarty
Health Service Executive
Bridge House
Cherry Orchard Hospital
Ballyfermot
Dublin 10

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers

Executive Officer
Direct Line: 01-8737107
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Ríomhphost Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cllr John Lyons
City Hall
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR

Glaos Áitiúil

Facs

Láithreán Gréasáin

Ríomhphost

Tel (01) 858 8100

LoCall 1890 275 175

Fax (01) 872 2684

Website www.pleanala.ie

Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Caoimhe Boland
Commission for Railway Regulation
Temple House
57 Temple Road
Blackrock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers

Executive Officer
Direct Line: 01-8737107
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Ríomhphost Email: bord@pleanala.ie

(01) 858 8100

(01) 872 2684

(01) 872 2684

www.pleanala.ie

bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Natasha Crudden
Transport Infrastructure Ireland
Parkgate Business Centre
Parkgate Street
Phoenix Park
Dublin 8

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers

Executive Officer (01) 858 8100
Direct Line: 01-8737107 (01) 872 2684
Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Waterways Ireland
2 Sligo Road
Enniskillen
Co. Fermanagh

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

The Heritage Council
Church Lane
Gardens
Kilkenny

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

The Health and Safety Authority
Metropolitan Building
James Joyce Street
Mountjoy
Dublin 1

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An Bord
Pleanála

An Taisce - the National Trust for Ireland
Tailors' Hall, Back Lane
Merchants Quay
Dublin 8
13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater
treatment plant, sludge hub centre, orbital sewer,
outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions. Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer

Direct Line: 01-8737107

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie




64 Sraid Maolbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Gillian Hegarty
The Health Service Executive
Bridge House
Cherry Orchard House
Ballyfermot
Dublin 10

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers

Executive Officer (01) 858 8100
Direct Line: 01-8737107 (01) 872 2684
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Inland Fisheries Ireland
3044 Lake Drive
Citywest Business Campus
Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	(01) 858 8100
Glaao Áitiúil	LoCall 1890 275 175
Facs	(01) 872 2684
Láithreán Gréasáin	www.pleanala.ie
Ríomhphost	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Environmental Protection Agency
Parkgate Business Centre
Parkgate Street
Phoenix Park
Dublin 8

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie



64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18

P.A.Reg.Ref:

Your Ref:

Department of Agriculture, Food and the Marine
Kildare Street
Dublin 2
13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater
treatment plant, sludge hub centre, orbital sewer,
outfall pipeline and regional biosolids storage facility.
Townlands of Clonsilla, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions. Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer


Direct Line: 01-8737107

Tel (01) 858 8100
Locall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie



64 Sraid Maolbhríde
Baile Átha Cliath 1
D01 V902


64 Marborough Street
Dublin 1
D01 V902



An Bord
Pleanála

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Dublin City Council
Civic Offices
Block 4, Floor 3
Wood Quay
Dublin 8

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Chief Executive,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107 (t) 858 8100
Glaos Áitiúil LoCall 1890 275 175
Facs Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref: Irish Water



An
Bord
Pleanála

Ciaran O'Keefe
Jacobs Engineering Ireland Limited
Merrion House
Merrion Road
Dublin 4

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers

Executive Officer
Direct Line: 01-8737107
Tel: (01) 858 8100
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Ríomhphost Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Darren Maher
26 Clonshaugh Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Dr Alex McDonnell
Kildara
Mc Creadies Lane
Dublin Road, Malahide
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cllr Alison Gilland
33 The Court
Larch Hill
Oscar Traynor Road
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glao Áitiúil LoCall 1890 275 175
Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Derek Clifford
4 Greenwood Avenue
Aryfield
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

John Pepper
3 Coill Dubh Avenue
Malahide
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Caroline Browne
Clare Hall Residents Association
6 Temple View Way
Clare Hall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

**Kieran Somers
Executive Officer**

Direct Line: 01-8737107
Tel (01) 858 8100
LoCall 1890 275 175
Glaos Áitiúil
Fax (01) 872 2684
Láithreán Gréasáin
Website www.pleanala.ie
Riomhphost
Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Laurence and Geraldine Byrne
31 Clonsaugh Close
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Darragh and Eoghan O'Brien
Dail Eireann
Leinster House
Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sirs,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

**Kieran Somers
Executive Officer**

Direct Line: 01-8737107
Glaos Áitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Betty Browne and Others
15 Island View
Malahide
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Elizabeth Sherlock
49 Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the **20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Richelle Bailey
47 Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Gillian Cleary
13 Balgriffin Cottages
Balgriffin
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Pat Suttle
Portmarnock Community Association
11 Portmarnock Grove
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll-free 1800 858 8100
LoCall 1890 275175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Paul and Paula Fegan
17 Elmfield Green
Clare Hall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaio Áitíúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Siobhán Hyde
8 Baskin Lane
Cloghran
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. **by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Caroline Purdy
28 Elmfield Avenue
Clare Hall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Stephen and Theresa Walsh
55 Clonsaugh Avenue
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Mandy McGuinness
34a Glin Grove
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	(01) 858 8100
Glaos Áitfúil	LoCall 1890 275175
Facs	(01) 872 2684
Láithreán Gréasáin	Website www.pleanala.ie
Ríomhphost	Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Ercole and Grace Dettorre
1 Clonsaugh Lawn
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Ashling Leo Clodagh Anne Noel
Elmfield Avenue
Clare Hall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Angela and Michael Callanan
1/b Clonshaugh Close
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Ann O Keffe
5 Swifts Grove
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Anthony Doyle
73 Castletimon Road
Coolock
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Anthony Murphy
24 Clonshaugh Park
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the **20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

TPA14.LTR
Glao Aitiúil
Facs
Láithreán Gréasáin
Riomhphost

Tel (01) 858 8100
LoCall 1890 275175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Sharon Mooney
Aulden Grange Residents Association
97 Aulden Grange
Santry
Dublin 9

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glao Aifriúil LoCall 1890 275175
Facs Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Barbara Delaney
186 Newtown Court
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Barbara Shelley
28 Newbury Avenue
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR
Glao Aitiúil
Facs
Láithreán Gréasáin
Ríomhphost
Tel (01) 858 8100
LoCall 1890 275175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Barbra and Niall Connolly
9 Clonsaugh Heights
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Bernadette Walsh
5 Clonsaugh Heights
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Breda Doyle
4 Clonsaugh Meadow
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Brendan Keegan and Others
25 Clonshaugh Walk
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Brendan Regan
Delvin Road
Gormanstown
Co. Meath

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Brian Gibbons
44 Clonshaugh Walk
Clonshuagh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Brian Union
9 Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Carol Barr and Others
32 Greencastle Drive
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Carol Kamtoh
13 Temple View Row
Clare Hall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Carolyn Finn
25 St Brendans Terrace
Coolock Village
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Celia Herbert
119 Newtown Court
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Charles Heasman
6 Mourn Drive
Skerries
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Chris Byrne
1 Templeview Grove
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR
Glao Aitiúil
Facs
Láithreán Gréasáin
Ríomhphost
Tel (01) 858 8100
LoCall 1890 275175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cian O'Callaghan
5 Campbell Court
Main Street
Howth
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107

Tel: 01 858 8100	LoCall: 1890 275175
Glaos Aifriúil	Fax: (01) 872 2684
Láithreán Gréasáin	Website: www.pleanala.ie
Ríomhphost	Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Clare Daly Td
Dáil Eireann
Leinster House
Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the 28th June, 2018. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Tel 01-858 8100
Glaos Aifriúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cllr Brian McDonoagh
22 Strandmill Road
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cllr David Healy
54 Evora Park
Howth
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cllr Declan Flanagan
Dublin City Council
City Hall
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Cllr Tom Brabazon
75 Gratton Lodge
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR
Glao Aitiúil
Facs
Láithreán Gréasáin
Ríomhphost
Tel (01) 858 8100
LoCall 1890 275175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Deirdre Nichol
Clontarf Residents Association
35 Castle Avenue
Clontarf
Dublin 3

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107 858 8100
Glao Aitiúil LoCall 1890 275175
Facs Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Crystal Reid Perry and Others
44 Swifts Grove
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Coakley O'Neill Town Planning
Dalata Hotel Group Plc
Nsc Campus
Mahon
Cork

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll Free: 1858 8100
Glaos Aitiúil: LoCall 1890 275175
Facs: (01) 872 2684
Láithreán Gréasáin: Website www.pleanala.ie
Riomhphost: Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Daniel Shine
17 Newbury Grove
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Dean Sinclair
39 Glin Grove
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Deirdre McGovern
184 Newtown Court
Malahide Road
Clarehall
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll Free 1890 8100
LoCall 1890 275175
Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Deirdre Seery
35 Belcamp Gardens
Priorswood
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Denise Mitchell Td and Others
Aryfield Community Centre
Blunden Drive
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Patricia Keogh
77 Carndonagh Road
Donaghmede
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Peadar Farrell
49 Foxfield Avenue
Raheny
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Peter Daly
2 Clonsaugh Close
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

PA14.LTR
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost
Tel (01) 858 8100
LoCall 1890 275175
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie

Registered Post




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Philip Swan
8 Strandmill Avenue
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Philomena Fitzimons
The Bostonian
Clonshaugh
Cloghran, Swords
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107

Glaos Aitiúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Maire O'Brien
Portmarnock Beach Committee
Clean Coast Group
71 Wendell Avenue
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107
Fax: (01) 872 2684
Láithreán Gréasáin: www.pleanala.ie
Riomhphost: bord@pleanala.ie

(01) 858 8100

(01) 872 2684

(01) 872 2684

Website: www.pleanala.ie

Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Rachel Wynne
21 Templeview Row
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. **by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	(01) 858 8100
Glaao Áitiúil	LoCall 1890 275175
Facs	(01) 872 2684
Láithreán Gréasáin	Website www.pleanala.ie
Ríomhphost	Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Residents of Newtown Court
60 Newtown Court
Malahide Road
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Ciara McGowan
Residents of Swift's Grove
27 Swift's Grove
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Miriam Kelly and Siobhán Daly
Riverside Residents Association
28 Riverside Crescent
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers

Executive Officer

Direct Line: 01-8737107 (1) 858 8100

Glaos Áitiúil

LoCall

1890 275175

Facs

Fax

(01) 872 2684

Láithreán Gréasáin

Website

www.pleanala.ie

Ríomhphost

Email

bord@pleanala.ie




Quality through Accessibility

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Samantha Brown and Others
109 MacRoom Road
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Sabrina Joyce Kemper
23 Portmarnock Crescent
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Macoibhride
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Sandra Whelan
19 Templeview Downs
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Macilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Sarah Kernan
15 Park Lane
Belltree
Clongriffin
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll 1858 8100
Glaos Áitíúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Sharon Hogan
Glin Court Day Centre
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Stacey Kelly
174 Newtown Court
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaó Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Stephanie Moore
110 Newtown Court
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaic Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Stephen Hickey
20 Riverside Grove
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Susan Kavanagh
36 Clonshaugh Meadow
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Susan Norton
5 Newbury Park
Clonshaugh
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Terri Gray and Paul Burke
19 Clonshaugh Heights
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Development Applications Unit
The Manager
Dep. of Culture, Heritage and The
Gaeltacht, Newtown Road
Co. Wexford

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Tel: 01-858 8100
Glaos Airteoil: LoCall 1890 275175
Facs: Fax (01) 872 2684
Láithreán Gréasáin: Website www.pleanala.ie
Riomhphost: Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Dolores Higgins
44 MacRoom Road
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitíúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Donna Brazil
147 Newtown Court
Malahide Road
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Linda O'Grady
Dublin Airport Authority
Head Office
Dublin Airport
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glao Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Eddie Larkin
15 Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaao Áitúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Elaine Murray
14a Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Elaine Taaffe
17 Newbury Park
Clonshaugh
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Elizabeth McMahon
61 Clonsaugh Heights
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Emma Kavanagh
4 Clonshuagh Court
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Emma Synnott and Others
17 Newbury Wood
Clonshaugh
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Eugene Farrell
10 Clonshaugh Lawn
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Jackie Kelly
Environmental Health At Health Service Executive
Dublin North East
Unit 13f
Blanchardstown Corporate Park
Dublin 15

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Tel: (01) 858 8100
Cell: 1890 275175
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Riomhphost Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Finian McGrath Td
Leinster House
Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Fiona Mills
83 Clonshaugh Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhride
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Freddie Snowe
24 Riverside Crescent
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Marie O'Li
Friends of Balcadden Bay
Montebello
Asgard Road
Howth
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107
Tel: (01) 858 8100
Lo Call: 1800 275175
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Riomhphost Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Gannon Properties
Conroy Crowe Kelly Architects
65 Merrion Square
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107

Tel	01 858 8100
Glaos Áitiúil	LoCall 1890 275175
Facs	Fax (01) 872 2684
Láithreán Gréasáin	Website www.pleanala.ie
Ríomhphost	Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Gavin O'Connor
24 Newbury Woods
Clonshaugh
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Jane Gribbin and Others
Annaghmore
St Douloughs
Kinsealy
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107 858 8100
Glaao Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Jennifer Jones
Edenville Lodge
Cloghran
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Joe White
14 Glin Grove
Fairfield
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll Free 1800 858 8100
Glaos Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

John Walsh
32 Clonshaugh Crescent
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Kathleen O'Reilly
26 Glin Grove
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Kayleigh Hone
164 Newtown Court
Clarehall
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Linda Brady
34 Newtown Court
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Senator Lorraine Clifford-lee
Seanad Éireann
Leinster House
Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107

Glao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Louise Foley-cusack
17 Templeview Downs
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. **by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	(01) 858 8100
Glaos Áitfúil	LoCall 1890 275175
Facs	(01) 872 2684
Láithreán Gréasáin	Website www.pleanala.ie
Ríomhphost	Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Màire Dunne
98 Foxfield Park
Raheny
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaio Aitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Margaret Furlong
31 Templeview Row
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Marie Hayes
20 Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Mary Glacklin
23 Beechlawn Green
Coolock
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Yvonne Gregg, Chairperson
Meakstown Community Council
10 Melville Close
Cityside
Meakstown
Dublin 11

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers

Executive Officer

Direct Line: 01-8737107

Láithreán Gréasáin
Riomhphost

Phone (01) 858 8100
Fax (01) 872 2684
Website www.pleanala.ie
Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Pat Gallagher
Meath County Council
Buvinda House
Dublin Road
Navan
Co. Meath

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107
Tel: (01) 858 8100
Fax: (01) 872 2684
Láithreán Gréasáin Website: www.pleanala.ie
Riomhphost Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Michael and Elaine Byrne and Others
10 Clonsaugh Avenue
Clonsaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonsaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Michael O'Brien
Dublin City Council
City Hall
Cork Hill
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Tel: (01) 858 8100
LoCall: 1890 275175
Glaos Aitiúil
Facs: (01) 872 2684
Láithreán Gréasáin
Website: www.pleanala.ie
Riomhphost
Email: bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Michelle and David O'Connor
21 Clonshaugh Crescent
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Michelle Salmon and Others
31 Clonshaugh Park
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Natalie Donoghue and Others
19 Newbury Grove
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Deirdre Smith
Ncu Clg
Glin Centre
Glin Road
Coolock
Dublin 5

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

P.P. K. Kear

Kieran Somers
Executive Officer
Tel (01) 858 8100
Fax 1990 275175
Direct Line: 01-8737107
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Niall Reid
12 Clonshaugh Heights
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Niamh Dunne
23 Templeview Downs
Clarehall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Noel Conway
22 Mont View Court
Priorswood
Coolock
Dubli 3

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll (1890) 858 8100
Glao Aifriúil LoCall 1890 275175
Facs Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Theresa Doyle and Others
53 Newbury Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Therese Gregg
7 Newbury Lawns
Clonshaugh
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Thomas Tolster
14 Clonshaugh Park
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the 20th December, 2018) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Vanessa Hoare
66 Clonshaugh Avenue
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Winnie McDonnagh and Others
8 Cara Close
Belcamp
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Brid O'Connor
Woodland Residents Association
17 Woodlawn Drive
Santry
Dublin 9

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107

Glao Aitiúil LoCall 1890 275175

Facs (01) 872 2684

Láithreán Gréasáin Website www.pleanala.ie

Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref: Velvet Strand Sea Swimmers



An
Bord
Pleanála

Catherine Mc Mahon
69 St. Anne's Square
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Deborah Byrne
46 Ayrfield Drive
Ayrfield
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	(01) 858 8100
Glaao Áitiúil	LoCall 1890 275175
Facs	(01) 872 2684
Láithreán Gréasáin	Website www.pleanala.ie
Ríomhphost	Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Thomas Broughan T.D.
Dail Eaireann
Leinster House
Kildare Street
Dublin 2

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Tel: (01) 858 8100
Glaos Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Martin and Margaret Godwin
33 Dal Riada
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.


The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Annabella Rushe and Family
Stockhole
Cloghran
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Arthur O'Kelly
82 Drumnigh Wood
Portmarnock
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Betty Ennis and Alvis Crawford
97 St. Anne's Square
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs		(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Brendan Regan
Delvin Road
Gormaston
Co. Meath

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Corina Johnston
Donabate/Portrane Community Council
67 The Links
Donabate
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107 858 8100
Glao Aifriúil LoCall 1890 275175
Facs Fax (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Eillen Cantwell and Others
The Brook
Windgate Road
Howth
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Robert Byrne
Howth Sea Angling Club
15a West Pier
Howth
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer

Direct Line: 01-8737107
Toll 858 8100
Glao Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Jennifer Lyons
117 Drumnigh Wood
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line:01-8737107

Tell	Tel	(01) 858 8100
Glaos Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

John Cuddy and Others
65 Riverside Drive
Clonshaugh
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshaugh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Karen Yeates
35 Greencastle Drive
Coolock
Dublin 17

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitíúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Michelle Burnett and Conor O'Malley
99 St Annes Square
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir/Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Niamh Dunne
23 Temple Views Downs
Clarehall
Malahide Road
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

P.D. K. Kone

Kieran Somers
Executive Officer

Direct Line: 01-8737107
Glaos Aitiúil LoCall 1890 275175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Riomhphost Email bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Peter Coyle
8 Burrow Court
Portmarnock
Co. Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

P. J. N. Kenna

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Richard Bruton T D
Department of Education
Marlborough Street
Dublin

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Minister,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



**An
Bord
Pleanála**

Sean Lyons
30 Coolmine Woods
Blachardstown
Dublin 15

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Sir,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (i.e. by the **20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

P.P. K. Kene

Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	bord@pleanala.ie




64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Ref: ABP-301908-18
P.A.Reg.Ref:

Your Ref:



An
Bord
Pleanála

Siobhan O'Brien
11 Temple View Downs
Clare Hall
Dublin 13

13th December 2018

Re:

Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility.
Townlands of Clonshagh, Dubber & Newtown, Fingal County & Dublin

Dear Madam,

I have been asked by An Bord Pleanála to refer further to the above-mentioned case.

In accordance with section 37J(2)(a) of the Planning and Development Act, 2000, as amended, it is a statutory objective of the Board to ensure that a decision under section 37G on an application made under section 37E is made within a period of 18 weeks beginning on the last date for making observations or submissions.

Where it appears to the Board that it would not be possible or appropriate to determine a particular application for permission within this period, a notice must be sent to the applicant, planning authority and any person who made submissions / observations in relation to the matter in accordance with section 37J(3) of the 2000 Act as amended.

The Board hereby serves notice under section 37J(3) of the 2000 Act, as amended, that it appears to the Board that it would not be possible to determine the above matter within the period of 18 weeks (**i.e. by the 20th December, 2018**) because of the complexity of matters raised in respect of this case.

The Board intends to determine the application for permission of the above proposed development before the **28th June, 2018**. The Board will take all such steps as are open to it to ensure that the matter is determined before that date.

If you have any queries in relation to the matter please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Kieran Somers
Executive Officer
Direct Line: 01-8737107

Tel	Tel	(01) 858 8100
Glaao Áitfúil	LoCall	1890 275175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie



64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902