


Our Case Number: ABP-312131-21



An  
Bord  
Pleanála

Jacobs Engineering Ireland Limited  
c/o Jillian Bolton  
Merrion House  
Merrion Road  
Dublin 4  
D04 R2C5

Date: 28 February 2023

**Re:** Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility  
Townlands of Clonshagh, Dubber and Newtown, County Fingal and Dublin City

Dear Madam,

I have been asked by An Bord Pleanála to refer to the above-mentioned case, and, in particular, to your request for an extension of time to respond to the Board's request for further information.

Please note that the Board has approved this request. Please be advised that the further information must now be received by the Board **no later than 5:30pm on Thursday 30 November 2023.**

If you have any queries in relation to the matter, please contact the undersigned officer of the Board.

Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Eimear Reilly  
Executive Officer  
Direct Line: 01-8737184

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde  
Baile Átha Cliath 1  
D01 V902

64 Marlborough Street  
Dublin 1  
D01 V902

## Christine Brennan

---

**From:** Eimear Reilly  
**Sent:** Tuesday, February 28, 2023 11:50 AM  
**To:** McGlynn, Stephanie  
**Cc:** Kiernan, Sarah; Bolton, Jillian; Dermot Bruton; Christine Brennan  
**Subject:** RE: Case Number ABP-312131-21 - Update Letter  
**Attachments:** ABP-312131-21-Approved Extension Request Letter-Jacobs Engineering Ireland Limited-28.02.23.pdf

Hi Stephanie

Please find attached letter, a hard copy of which will issue in due course.

Kind regards

Eimear

---

**From:** McGlynn, Stephanie <Stephanie.McGlynn@jacobs.com>  
**Sent:** Monday 27 February 2023 13:27  
**To:** Eimear Reilly <e.reilly@pleanala.ie>  
**Cc:** Kiernan, Sarah <Sarah.Kiernan@jacobs.com>; Bolton, Jillian <Jillian.Bolton@jacobs.com>; Dermot Bruton <dermot.bruton@water.ie>  
**Subject:** Case Number ABP-312131-21 - Update Letter  
**Importance:** High

Hi Eimear,

Please find the attached letter relating to case number ABP-312131-21. Two hard copies of the same will follow via hand delivery / post.

Kind regards,

Stephanie

Stephanie McGlynn BSc MSc MCIWEM C.WEM CEnv | Jacobs | Senior Environmental Scientist | Water and Environment | Merrion House, Merrion Road, Dublin 4, Ireland | [stephanie.mcglynn@jacobs.com](mailto:stephanie.mcglynn@jacobs.com) | [www.jacobs.com](http://www.jacobs.com)

**Jacobs** Challenging today.  
Reinventing tomorrow.

Smaoinigh ar an timpeallacht sula ndéanann tú an ríomhphost seo a phriontáil. Please consider the Environment before printing this mail.

---

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.