


Our File Number: ABP-312131-21

Your Reference: Irish Water



**An
Bord
Pleanála**

Jacobs Engineering Ireland Limited
2nd Floor, Termini Building
3 Arkle Road
Sandyford
Dublin 18
D18 C9C5

Date: 27 September 2024

Re: Greater Dublin Drainage Project consisting of a new wastewater treatment plant, sludge hub centre, orbital sewer, outfall pipeline and regional biosolids storage facility
Townlands of Clonshagh, Dubber and Newtown, County Fingal and Dublin City

Dear Sir / Madam,

An Bord Pleanála has asked me to refer to our letters to you dated 18th July, 2024 and 25th July, 2024 in which we enclosed for your information copies of the following submissions received by the Board in relation to the above-mentioned proposed development:

1. Barbara & Niall Connolly
2. Catherine McMahon
3. Chambers Ireland
4. Development Applications Unit
5. Dublin Airport Authority
6. Elaine Murray
7. Environmental Protection Agency
8. Fingal County Council
9. Health Service Executive
10. IBEC
11. Irish Aviation Authority
12. Meath County Council
13. National Transport Authority
14. Peter Sweetman
15. Sabrina Joyce Kemper
16. Samanth Brown
17. Sean Lyons
18. South Dublin County Council
19. Sport Ireland
20. Terri Gray & Paul Burke
21. Transport Infrastructure Ireland
22. Vivienne Birch

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

The Board hereby considers it appropriate to invite you to make a submission on the observation received. Please be advised that any response to the Board's invitation should not contain any additional reports or supplementary reports and should be confined to the issues raised in the observations received by the Board. Any submission in relation to the above must be received by the Board within 3 weeks from the date of this letter (i.e. not later than 17th October, 2024).

If you have any queries in relation to this matter, please contact the undersigned officer of the Board.

Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,


Aisling Réilly
Executive Officer
Direct Line: 01-8737131

PA07

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Aisling Reilly

From: Sarah Lynch
Sent: Friday 27 September 2024 14:24
To: Aisling Reilly
Subject: 312131

Hi there Aisling,

Following on from our conversation this morning could you write a letter to Uisce Éireann requesting their response to the submissions received in relation to the Further Information submitted by them in October and November 2023.

Regards
Sarah

Sarah Lynch
Inspectorate
Ext: 7112

Má fhaigheann tú an ríomhphost seo lasmuigh de na gnáthuaireanta oibre, ní bheidh mé ag súil le freagra ná gníomh lasmuigh de d'uaireanta oibre féin.

If you receive this email outside of normal working hours, I do not expect a response or action outside of your own working hours

Aisling Reilly

From: McGlynn, Stephanie <Stephanie.McGlynn@jacobs.com>
Sent: Friday 27 September 2024 10:51
To: Aisling Reilly
Subject: Re: Case Number ABP-312131-21 - Response Letter (dated 31.07.24)

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Thanks Aisling.

Kind regards,
Stephanie

From: Aisling Reilly <A.Reilly@pleanala.ie>
Sent: Friday, September 27, 2024 10:49 AM
To: McGlynn, Stephanie <Stephanie.McGlynn@jacobs.com>; Niamh Thornton <n.thornton@pleanala.ie>
Cc: Kiernan, Sarah <Sarah.Kiernan@jacobs.com>; Bolton, Jillian <Jillian.Bolton@jacobs.com>
Subject: [EXTERNAL] RE: Case Number ABP-312131-21 - Response Letter (dated 31.07.24)

Good morning,

I acknowledge receipt of your email.

Kind regards,
Aisling

From: McGlynn, Stephanie <Stephanie.McGlynn@jacobs.com>
Sent: Thursday, September 26, 2024 11:07 AM
To: Aisling Reilly <A.Reilly@pleanala.ie>; LAPS <laps@pleanala.ie>; Niamh Thornton <n.thornton@pleanala.ie>
Cc: Kiernan, Sarah <Sarah.Kiernan@jacobs.com>; Bolton, Jillian <Jillian.Bolton@jacobs.com>
Subject: Case Number ABP-312131-21 - Response Letter (dated 31.07.24)

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Good Morning,


Many thanks for your letter dated 25 September 2024 in relation to Case Number ABP-312131-21.

We note that this letter advises that An Bord Pleanala do not have a copy of the letter from Jacobs Engineering (issued on behalf of our client Uisce Éireann) dated 31 July 2024. In light of this, please see the attached email containing this letter that was issued to An Bord Pleanala on 31 July 2024.

Please feel free to contact myself and Sarah Kiernan (cc'd), if you have any questions.

Kind regards,
Stephanie

Stephanie McGlynn BSc MSc MCIWEM C.WEM CEnv | **Jacobs** | Principal Environmental Scientist | Water and Environment
Termini Building, 3 Arkle Road, Sandyford, Dublin 18 | stephanie.mcglynn@jacobs.com | www.jacobs.com



Smaoinigh ar an timpeallacht sula ndéanann tú an ríomhphost seo a phriontáil. Please consider the Environment before printing this mail.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.