


**Our Case Number:** ABP-312981-22

**Planning Authority Reference Number:** 206955



**An  
Bord  
Pleanála**

~Environmental Protection Agency  
Environmental Licensing Programme  
PO Box 3000  
Johnstown Castle Estate  
Co. Wexford  
Y35 W821

**Date:** 07 June 2022

**Re:** Construction of an agricultural fertilizer facility, and additional port operational use of the jetty to facilitate cargo vessels and associated site works. A Natura Impact Statement (NIS) and Environmental Impact Statement accompanied the planning application. The proposed development comprises the provision of an establishment to which the Major Accident Directive applies.

Belvelly Port Facility, Marino (Townland), Marino Point, Cobh, Co. Cork.

Dear Sir / Madam,

I refer to the above-mentioned proposed development which is the subject of a current planning appeal submitted to An Bord Pleanála.

The planning application, along with other documents relating to the planning authority decision and copies of the appeal made to the Board are available for inspection at the offices of the planning authority in accordance with section 38 of the Planning and Development Act, 2000 and Article 68 of the Planning and Development Regulations, 2001 by contacting their website at [www.corkcoco.ie](http://www.corkcoco.ie). A copy of the environmental impact assessment report (and natura impact statement) is also available on their website.

In accordance with section 87 of the Environmental Protection Agency Act 1992, as inserted by Article 5 (1F) of the European Union (Environmental Impact Assessment Report) (Integrated Pollution Prevention and Control) Regulations 2012 you are requested to:

- (i) Confirm to An Bord Pleanála that the proposed development the subject of the application for permission is development comprising or for the purposes of an activity requiring a licence or a review of a licence on the application, under section 83 or under section 90(1)(b) of the Act.
- (ii) If a licence or a review of a licence is required, you are also requested to submit to An Bord Pleanála observations you may have on the application for permission including the environmental impact assessment report.

<b>Teil</b>	<b>Tei</b>	(01) 858 8100
<b>Glaao Áitiúil</b>	<b>LoCall</b>	1890 275 175
<b>Facs</b>	<b>Fax</b>	(01) 872 2684
<b>Láithreán Gréasáin</b>	<b>Website</b>	<a href="http://www.pleanala.ie">www.pleanala.ie</a>
<b>Riomhphost</b>	<b>Email</b>	<a href="mailto:bord@pleanala.ie">bord@pleanala.ie</a>


64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Accordingly, any observations or response in relation to the proposed development should be received by An Bord Pleanála not later than **4 weeks** from the date of this request i.e. not later than 4.00 p.m. on the **4th July 2022**.

If you have any queries in relation to the matter, please contact the undersigned officer of the Board.

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Siorcha Skelly  
Executive Officer  
Direct Line: 01-8737164

EPA05