


Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

~Inland Fisheries Ireland (Dublin)
3044 Lake Drive
Citywest Business Campus
Dublin 24
D24 CK66

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Aidan Quigley
Apartment 1, Bank House
Cornmarket
Thomas Street
Dublin
Dublin 8

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:•

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Ballymore Group
One Royal Canal House
Royal Canal Park
Dublin
Dublin 15
D15 DKW4

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Ballymore Group
One Royal Canal House
Royal Canal Park
Dublin
Dublin 15
D15 DKW4

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Brendan Heneghan
88 Parkmore Drive
Terenure
Dublin
D6WX657

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Cllr. Máire Devine & Aengus Ó Snodaigh TD
290 Ballyfermot Road
Ballyfermot
Dublin 10

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Department of Housing, Local Government and Heritage
Newtown Road
Wexford
Co. Wexford
Y35 AP90

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhride
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Dublin City Council South
Planning & Property Development Department
Civic Offices
Wood Quay
Dublin 8
D08 RF3F

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Dublin Commuter Coalition
5 Abbeyfield
Killester
Dublin 5

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Dublin Cycling Campaign
Tailor's Hall
Back Lane
Dublin
Dublin 8
D08 X2A3

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Gallagher Family and Others
71 Ballyfermot Road
Dublin 10

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22

Your Reference: General Paints Group



An
Coimisiún
Pleanála

Hughes Planning & Development Consultants
85 Merrion Square South
Dublin 2
D02 FX60

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,


Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Heather Iland
77 O'Reilly Avenue
Ceannt Fort
Mount Brown
Dublin
Dublin 8

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Helen Conlon
70 O'Reilly Avenue
Mount Brown
Dublin
Dublin 8

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Jean Early
11 McDowell Avenue
Ceannt Fort
Mount Brown
Dublin
Dublin 8
D08 YY4E

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Karen Maguire
7 Palmers Drive
Palmerstown Manor
Palmerstown
D20 YP77

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Kathleen O'Reilly
12 Palmers Road
Palmersrown Manor
Palmerstown
Co. Dublin
D20 E685

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Kevin Baker
6 Woodfield Terrace
Sarsfield Road
Inchicore
Dublin
Dublin 10
D10 PX58

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tell	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Kilmainham Inchicore Network
c/o Eamon Devoy
1st Floor Eblana House
Marrowbone Lane
Dublin 8
D08 E120

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tell	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-314056-22



Land Development Agency
2nd Floor Ashford House
Tara Street
Dublin 2

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin

Senior Administrative Officer

Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Lauren Tuite
122 Emmet Road
Inchicore
Dublin
Dublin 8

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Liam Willoughby
37 Donnellan Avenue
Ceannt Fort
Mount Brown
Dublin
Dublin 8

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Maria Bennett
17 Palmers Court
Palmerstown Manor
Palmerstown
Co. Dublin
D20 VH31

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.


Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

National Transport Authority
Dun Scéine
Harcourt Lane
Dublin 2
D02 WT20

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Nigel and Emer Buchalter
4 McDowell Avenue
Ceannt Fort
Mount Brown
Dublin
Dublin 8
D08 W6TE

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Noel Corr
1 Palmers Lawn
Palmerstown Manor
Dublin
Dublin 20

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Riomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Our Lady of the Assumption Parish
197 Kylemore Road
Ballyfermot
Dublin 10
D10P659

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Patrick Brien
24 Mount Alton
Knocklyon
Dublin 16
D16PW50

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

Rita and George Ray and others
69 O'Reilly Avenue
Ceannt Fort
Dublin
Dublin 8
D08 K6NX

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

South Dublin County Council
Planning Department
County Hall
Tallaght
Dublin 24

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273


ADHOC

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-314056-22

Your Reference: Tesco Ireland Ltd



An
Coimisiún
Pleanála

RMLA Limited
Unit 3B, Santry Avenue Industrial Estate
Santry Avenue
Santry
Dublin 9
D09 PH04

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-314056-22



An
Coimisiún
Pleanála

St. James's Hospital
Chairperson
James Street
Dublin 8
D08NHY1

Date: 28 August 2025

Re: Liffey Valley to City Centre Core Bus Corridor Scheme.
Fonthill Road to High Street all in the County of Dublin.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 19th December, 2023.

Please note that a clerical error occurred in Condition 16 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 16 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902