

MetroLink

Transport Infrastructure Ireland

Buildings Desk Study

| P02

2024/03/25





MetroLink

Project No: 32108600

Document Title: Buildings Desk Study

Document No.:

Revision: P01

Date: 2024/03/25

Client Name: Transport Infrastructure Ireland

Client No:

Project Manager: Paul Brown Author: Paul Cullen

File Name:

Jacobs Engineering Ireland Limited

Merrion House Merrion Road Dublin 4, D04 R2C5 Ireland T +353 1 269 5666 F +353 1 269 5497 www.jacobs.com

© Copyright 2024 Jacobs Engineering Ireland Limited. The concepts and information contained in this document are the property of Jacobs. Use or copying of this document in whole or in part without the written permission of Jacobs constitutes an infringement of copyright.

Limitation: This document has been prepared on behalf of, and for the exclusive use of Jacobs' client, and is subject to, and issued in accordance with, the provisions of the contract between Jacobs and the client. Jacobs accepts no liability or responsibility whatsoever for, or in respect of, any use of, or reliance upon, this document by any third party.

Document history and status

Revision	Date	Description	Author	Checker	Reviewer	Approver
1.0	20/03/2024	For issue	PC	JK	JK	РВ
2.0	25/03/2024	Building location Map added	PC	JK	SB	РВ



Contents

1.	Introduction	
1.1	Background	1
1.2	Purpose	1
1.3	Assessment Summary	2
2.	GIS Analysis	3
3.	Site Walkover	4
4.	Planning Review	5
5.	Conclusions	6
5.1	CIRIA C796 – Recommended Conclusions	6
5.2	Deep Basements	6
5.3	Façades	6
5.4	Additional Phase 3 Assessments	7
5.5	Conclusion	7



1. Introduction

1.1 Background

Building surveys were undertaken in 2018/2019 along the full alignment of the tunnelled sections of MetroLink. The building survey was undertaken by two survey companies covering a representative selection of 116 buildings. The purpose of these surveys was to ascertain details of buildings and basements along the alignment in order to identify and map any properties that may be vulnerable due to settlement and/or vibration arising from the project during the construction phase.

The surveys were undertaken to record general information, comments on condition and highlight any sensitive features of each structure assessed. Information regarding the basements or foundations will have to be gained by access to the building. The surveys recorded the following information for each building assessed:

- Building Type
- Building Area
- Building Age
- Structural Form
- · Building Height
- Building Foundations
- Building Basements
- Details of any Building Extension
- BRE Classification
- Comments

Following the building surveys a further "Building Walkover" survey which was undertaken in 2020 to supplement the building survey in order to identify any further building survey requirements. This walkover survey identified an additional 36 building surveys, which were subsequently undertaken.

This Desk Study is an updated building survey prepared in accordance with the methodology set out in the guidance note entitles, CIRIA C796 Assessing the impacts of construction-induced ground moment on frames buildings, which was published in 2021 and has been carried out to further supplement the building survey and ensure that it is up to date.

1.2 Purpose

This Desk Study was undertaken for the MetroLink Project to:

- Identify any changes in the buildings along the alignment subsequent to the 2019 and 2020 surveys;
- Carry out planning searches to understand if there are buildings which may impact the project or be impacted by the project; and
- Identify whether there are additional buildings over and above those already identified (in the EIAR, in response to RO Submissions or during the Oral Hearing) which require Phase 3 building damage assessments by reason or their particular characteristics.

1



1.3 Assessment Summary

This Desk Study consisted of the following steps:

- GIS Analysis: A desktop review of the alignment and settlement profile was undertaken on geographic information system (GIS) software to identify buildings of interest.
- Site Walkover: A site walkover was conducted to verify the findings of the desktop review and review buildings in more detail.
- Planning Review: A desktop review of in-situ, historic and proposed buildings was undertaken by reviewing planning applications.

The methodology adopted in carrying out this updated assessment is that identified in *CIRIA C796 Assessing the impacts of construction-induced ground movement on framed buildings*. While CIRIA C796 is more relevant to framed buildings it considers the assessment of potential settlement impacts on buildings with piled foundations, deep basements and complex façades.



2. GIS Analysis

The GIS Analysis included an expansive review of the entire MetroLink alignment in combination with the conservative ground settlement profiles. All buildings within the 1mm contour were flagged for review. The purpose was to identify any differences with the damage assessments undertaken as part of the EIAR, in response to RO Submissions, or during the Oral Hearing.

Subsequently, each of these buildings were reviewed and the following was considered:

- building class: based on building use, number of storeys above ground level and using criteria specified in CIRIA C796 Table 2.
- structural form: using engineering judgment and based on the appearance of the structure.
- stability system: using engineering judgment and based on the appearance of the structure.
- cladding components: assessed visually and buildings flagged for special consideration as part of the walkover survey.
- superstructure height: the number of floors were counted for each building individually. This was compared
 to the original assessment undertaken.
- possible forms of substructure: visual checks were undertaken to identify whether basement access or light wells were in-situ.
- building use: based on geographic location, appearance, local knowledge and whether specific uses were noted on the GIS software. This was compared and confirmed against the previous assessments undertaken.
- existing condition: assessed visually and buildings flagged for special consideration as part of the walkover survey.
- any other factors that may affect the buildings sensitivity to ground movement: i.e. if a building is slender, has sensitive uses (e.g. hospitals/ manufacturing/ etc), sensitive ornate features, etc.
- framed building with masonry in-fill possibly supported on pile foundations.

In addition, checks were undertaken to verify whether the buildings identified in the GIS Analysis appropriately reflected the analysis undertaken as part of the building damage assessment process, which may include a more conservative analysis.



3. Site Walkover

A site walkover was undertaken across the tunnelled sections of MetroLink and the purpose of this was to:

- Confirm what was considered as part of the GIS Analysis reflected the building landscape on the ground, as well as the building damage assessments undertaken as part of the EIAR, in response to RO Submissions, or during the Oral Hearing.
- Assess buildings, independently of the GIS Analysis, to visually confirm the following: likely structural form/ stability system, cladding components, superstructure height (based on number of floors above ground level), presence of basements and existing condition.

Where information clashed with the GIS Analysis, findings from the site walkover were relied upon as they are considered more accurate and are in real-time.

Additionally, where construction was underway, these plots were flagged for special consideration as part of the planning review.



4. Planning Review

A review of the online planning registers was carried out to identify existing and/ or proposed buildings with deep basements/ foundations. This examined planning applications located directly above the tunnelled sections of Metrolink. It should be noted that this review would not pick up properties where basements were permitted in older planning applications (generally pre-2004) or built without planning permission. However, it is considered low risk that such basements occur when regard is had to the efforts undertaken as part of the 2019 and 2021 building surveys, as well as the GIS Analysis and Site Walkover undertaken as part of this Desk Study.

For relevant planning applications, basement plans and sections were downloaded to identify the depth and extent of same. Where basement drainage plans or Basement Impact Assessment were prepared these were also captured and reviewed.

While best effort were made to review planning drawings for piled foundations, these are often not shown. However, in the context of Dublin and considering its ground conditions, combined with the elevation of the rock and the tunnel alignment, this is not considered to be a risk of magnitude.



5. Conclusions

Section A5.17 of the EIAR determines which buildings are to undergo further Stage 3 building damage assessments. In addition, TII committed to carry out enhanced building damage assessments in response to RO Submissions and during the Oral Hearing.

This Desk Study sought to independently assess whether further buildings required analysis in accordance with CIRIA C796, or otherwise due to the presence of deep basements/ foundations or a delicate facade.

5.1 CIRIA C796 – Recommended Conclusions

Applying the assessment parameters recommended in CIRIA C796, the changes between the EIAR recommendations and those of this Desk Study are outlined below:

Existing buildings that are most likely to experience construction-related ground movement:

no additional buildings identified as part of the Desk Study.

Existing buildings that are insensitive to construction-related ground movement and require no further study:

no additional buildings identified as part of the Desk Study.

Buildings for which limiting strain-based damage classification systems are appropriate:

no additional buildings identified as part of the Desk Study.

Buildings for which displacement-based damage assessment is likely to be required:

no additional buildings identified as part of the Desk Study.

5.2 Deep Basements

No additional buildings have been identified as requiring Phase 3 building damage assessments due to deep basements/ foundations over and above those already identified in the EIAR, in response to RO Submissions, or during the Oral Hearing

5.3 Façades

As per Section 4.2.3.5 of CIRIA C796, assessing the effects of ground movement on existing façades entails a certain degree of engineering judgement and will require a detailed understanding of the following:

- how the cladding components are fixed to the primary structure.
- how the cladding system maintains watertightness.
- the dimensions and material composition of individual cladding elements.

It should be noted that this assessment is the final step (Step 5) undertaken in the Detailed assessment (referred to as Phase 3 building damage assessment on the MetroLink Project), as outlined in Section 4.2.3 of CIRIA C796.



"Step 5: Impacts associated with the revised ground movement profile on the cladding system performance should be evaluated by a suitably trained and experienced façade engineer."

5.4 Additional Phase 3 Assessments

Arising from this Desk Study, the following buildings have been identified as buildings which ought to undergo Phase 3, over and above those already identified as part of the EIAR, in response to RO Submissions, or during the Oral Hearing.

Building	Reason for Phase 3
Dublin Airport T2 Pier (B-166)	Assumed façade sensitivity
Phoenix House (B-22)	Assumed façade sensitivity
Huguenot House (B-11)	Assumed façade sensitivity
Lidl Ballymun	New building
Ballymun Healthcare Facility (B-129)	Assumed façade sensitivity
Sports & Fitness Ballymun (B-127)	Assumed façade sensitivity
Aspen Students	New building
Travelodge, Ballymun	New building
Sentinel Building	Assumed façade sensitivity

The location of these buildings are indicated on the maps in Appendix A.

The following are buildings identified above the alignment that either have planning or are currently under construction and have deep basements/ foundations and/ or facades of interest. Further consultation is needed with the building owners to understand when construction is likely to be undertaken, prior to determining whether a Phase 3 assessment will be needed in respect of these buildings.


- Greybirch
- 2-16 Tara Street
- 157-162 Tara Street


5.5 Conclusion

As previously outlined, the assessments undertaken to date are conservative in nature and it is expected that the Phase 3 building damage assessments, including of the additional buildings identified by this Desk Study, will conclude there is a low risk of building damage.



Appendix A. Location of buildings





© National Roads Authority (NRA) 1994-2024. This drawing is confidential and the copyright in it is owned by NRA. This drawing must not be either loaned, copied or otherwise reproduced in whole or in part or used for any purpose without the prior permission of NRA. Transport Infrastructure Ireland (TII) is an operational name of the National Roads

