

Submitted: February 2024

Tara Mines Tailings Management Buttress

LVIA Photomontages

This book contains imagery for the viewpoints chosen for the LVIA study

February 2022





INDEX

Viewpoint 1 - Existing View + Montage View

Viewpoint 2 - Existing View + Montage View

Viewpoint 3 - Existing View + Montage View

Viewpoint 4 - Existing View + Montage View

Viewpoint 5 - Existing View + Montage View


Viewpoint 6 - Existing View + Montage View

Viewpoint 7 - Existing View + Montage View

Viewpoint 8 - Existing View + Montage View

Viewpoint 9 - Existing View + Montage View

Viewpoint locations selected for the Tara Mines TMF Butress Montages project







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 683008 Northing (ITM): 772810 Direction of View 129° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

15/12/2021 Date: Time: 12:58







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 685595 Northing (ITM): 772976 Direction of View 187° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: 15/12/2021 Time: 10:31







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 686474 Northing (ITM): 773339 Direction of View 158° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: 15/12/2021 Time: 10:42







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 683668 Northing (ITM): 770953
Direction of View 60° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

15/12/2021 Date: Time: 12:29







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 80°.

Easting (ITM): Northing (ITM): Direction of View 21° E of Grid North Angle of View:

684601 770436 120°


Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

15/12/2021 Date: Time: 12:17







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.


Easting (ITM): 685948 Northing (ITM): 770559
Direction of View 41° W of Grid North Angle of View: 80°


Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

15/12/2021 Date: Time: 11:30







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 687433 Northing (ITM): 771199
Direction of View 80° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: 15/12/2021 Time: 10:10







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 687655
Northing (ITM): 771728
Direction of View 88° W of Grid North
Angle of View: 80°

Lens: Camera: Camera Height: 50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: 15/12/2021 Time: 11:04







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 686452 Northing (ITM): 769671 Direction of View 26° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: 15/12/2021 Time: 12:07

