


Our Case Number: ABP-316828-23

Your Reference: AA Tyremaster Limited & Others



An
Coimisiún
Pleanála

William Doran
Planning and Project Management Consultant
7 Saint Mary's Road
Ballsbridge
Dublin 4

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.


The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,


Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Aiden and Claire Griffin and others
24 Parkview
Kilnamanagh

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Aoife Hanly and Others
15 Birchview Avenue
Kilnamanagh
Dublin 24
D24C2VX

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Bernard Sweeny and Susan Byrne
62 Saul Road
Crumlin
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Blackwin Limited



An
Coimisiún
Pleanála

DBFL Consulting Engineers
c/o Thomas Jennings
Ormond House
Upper Ormond Quay
Dublin 7
D07W704

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost


Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Brendan Heneghan
88 Parkmore Drive
Terenure
Dublin
D6WX657

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrín
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Calmount Holding Limited



An
Coimisiún
Pleanála

Tom Phillips & Associates
80 Harcourt Street
Dublin 2
D02 F449

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cathy Mooney & Others - Stannaway Road Residents
73 Stannaway Road
Dublin 12
D12A3E6

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin

Senior Administrative Officer

Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Ciarán Cuffe MEP
The Tara Building
11-15 Tara Street
Dublin 2

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273


ADHOC

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Charlie O'Connor
52 Maplewood Drive
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Kieran Mahon
7 Bolbrook Grove
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glaao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Liam Sinclair
County Hall
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Mick Duff
26 St. Aongus Crescent
Tallaght
Dublin 24
D24C7P9

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrín
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Mick Duff and Cllr. Charlie O'Connor
South Dublin County Council
County Hall
Tallaght

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Pat Dunne & Joan Collins TD
10A Old Country Road
Crumlin
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Cllr. Teresa Costello
92 Castlepark
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Colette Hardiman
34 Bancroft Avenue
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Tell	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Concrete Pumping Limited
Greenhills Road
Walkinstown
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Darren Mohan and Wendy Lyons
2 Tamarisk Close
Kilnamanagh
D24YK7T

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273


ADHOC

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

David & Pamela Smullen
8 Birchview Rise
Kilnamanagh
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Debbie Gray
36 Bancroft Avenue
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tell	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Development Applications Unit
Department of Housing, Local Government and Heritage
Government Offices
Newtown Road
Wexford
Co. Wexford
Y35 AP90

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Dublin City Council
Planning & Property Development Department
Block 4, Floor 3
Civic Offices
Wood Quay
Dublin 8

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Dublin Commuter Coalition
5 Abbeyfield
Killester
Dublin 5

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Dublin Cycling Campaign
c/o Taylor's Hall
Back Lane
Dublin 8
D08X2A3

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin

Senior Administrative Officer

Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Fairfield Inns Ltd.



An
Coimisiún
Pleanála

Corr Property Consultants
Oakwood
Mountrice
Monasterevin
Co. Kildare
W34 DX27

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Glenda and Stephen Smullen
72 Tamarisk Avenue
Kilnamanagh
Dublin 24
D24CH0F

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,


Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Hannah Fitzpatrick
71 Bancroft Park
Tallaght
Dublin 24
D24XE3X

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Jacinta Kenny
29 Walkinstown Road
Walkinstown
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,


Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

James and Charlotte Acton
11 Birchview Avenue
Kilnamanagh
Dublin 24
D24ATX2

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

John and Miriam McDonagh
29 Elmcastle Close
Kilnamanagh
Tallaght
Dublin 24
D24N51K

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Killeen Motor Group



An
Coimisiún
Pleanála

Virtus
5th Floor
The Glass House
11 Coke Lane
Smithfield
Dublin 7
D07 WNP2

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Kylie Burke
3 Bancroft Avenue
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902
64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Leila and Stephen Early
347 Crumlin Road
Crumlin
D12C8K7

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Lidl Ireland GmbH



An
Coimisiún
Pleanála

BMA Planning
Planning & Development Consultants
Taney Hall
Eglinton Terrace
Dundrum
Dublin 14
D14 C7F7

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Linda Patton
6 Rathdown Court
Terenure
Dublin 6W
D6WH210

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Websíte
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Lynn Broderick
7 Bancroft Close
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Marian and William Healy & Others
20 Parkview
Greenhills Road
Dublin 24
D24 FDP2

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tel
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Maxol Limited



An
Coimisiún
Pleanála

RW Nolan & Associates
Basement Office
54 Fitzwilliam Square North
Dublin 2

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Michelle and John-Paul Lyons
7 Birchview Avenue
Kilnamanagh
Dublin 24
D24XT6T

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhride
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

National Transport Authority
Dun Scéine
Harcourt Lane
Dublin 2
D02 WT20

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Riomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Niamh Walker
46 Bancroft Park
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Tell
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Nicola Kennedy and Others
24 Old Country Road
Dublin 12
D12FC42

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Paul Browne
84 Bancroft park
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Recorder's Resident's Association
c/o Pauline Foster
39 Whitehall Road
Terenure
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Revensburg Unlimited Company
c/o James O'Dowd
Greenhills Road
Walkinstown
Dublin 12
D12KC53

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Seán Crowe TD
Constituency Office
2 Greenhills Road
Tallaght Village
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Senator Mary Seery Kearney
Seanad Éireann
Leinster House
Kildare Street
Dublin 2

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Tell	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Shay L'Estrange
139 Old Country Road
Crumlin
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.


The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Siobhán McBride - Kilnamanagh Residents
21 Tamarisk Lawn
Kilnamanagh
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC


Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

South Dublin County Council
Development Management & Enforcement
County Hall
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.


The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

St. James Gaels / An Chaisleán
64 Kilnamanagh Road
Walkinstown
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

St. Mary's National School Board of Management
c/o Shane Caidgan
St. Mary's National School
Greenhills Road
Tallaght

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Stephen O'Connor - Bancroft Residents Association
48 Bancroft Park
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Tallaght Community Council c/o Gerard Stockil
52 Bancroft Park
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,




Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Teresa McCann
43 Bancroft Park
Tallaght
Dublin 24

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email


(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Tesco Ireland Limited



An
Coimisiún
Pleanála

RMLA Limited
Unit 3B, Santry Avenue Industrial Estate
Santry Avenue
Santry
Dublin 9
D09 PH04

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrín
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Transport Infrastructure Ireland
Land Use Planning
Parkgate Business Centre
Parkgate Street
Dublin 8
D08 DK10

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.

The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273


ADHOC

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23



An
Coimisiún
Pleanála

Walkinstown Residents Association
45 Balfe Road
Walkinstown
Dublin 12

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.


The inconvenience caused is regretted.

Teil	Tel	(01) 858 8100
Glaio Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email
(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: ABP-316828-23

Your Reference: Woodies DIY



An
Coimisiún
Pleanála

Whelan O'Connor
222-224 Harold's Cross Road,
Dublin 6W

Date: 28 August 2025

Re: Tallaght/Clondalkin to City Centre BusConnect Core Bus Corridor Scheme.
Tallaght/Clondalkin to Dublin City.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer to the above-mentioned application and to the Commission Order dated the 17th October, 2024.

Please note that a clerical error occurred in Condition 25 of the Order which stated that a 'A suitably qualified archaeologist shall be appointed by the local authority to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during construction works.'

Condition 25 should read as follows:

The developer and/or any agent acting on its behalf shall facilitate the preservation, recording, protection or removal of archaeological materials or features that may exist within the site as set out in the Environmental Impact Assessment Report. A suitably qualified archaeologist shall be appointed by the developer to oversee the site set-up and construction of the proposed development and the archaeologist shall be present on site during relevant construction works. Should archaeological material be found, the archaeologist may have work stopped and the developer shall carry out the necessary mitigation/recording. The planning authorities shall be furnished with a report describing results of monitoring.

Reason: In order to conserve the archaeological heritage of the site and to secure the preservation and protection of any remains that may exist within the site.

Henceforth, the Commission's Order should be read in conjunction with this letter.


The inconvenience caused is regretted.

If you have any queries in relation to the matter, please contact the Commission at laps@pleanala.ie. Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Yours faithfully,



Ellen Morrin
Senior Administrative Officer
Direct Line: 01-8737273

ADHOC

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902