


**Our Case Number:** ABP-317560-23



An  
Bord  
Pleanála

Susan Donegan  
Leafy Lane  
Carraun  
Castleconnor  
Co. Sligo

**Date:** 22 January 2024

**Re:** Proposed windfarm development including 13 no. wind turbines in Bunnyconnellan, Co. Mayo and hydrogen plant in Castleconnor, Co. Sligo.  
Carrowleagh, Bunnyconnellan, Co. Mayo and Curraun, Castleconnor, Co. Sligo.

Dear Sir / Madam,

An Bord Pleanála has received your submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter.

The Board will revert to you in due course in respect of this matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Bord Pleanála when they have been processed by the Board.

More detailed information in relation to strategic infrastructure development can be viewed on the Board's website: [www.pleanala.ie](http://www.pleanala.ie).

If you have any queries in the meantime, please contact the undersigned officer of the Board or email [sids@pleanala.ie](mailto:sids@pleanala.ie) quoting the above mentioned An Bord Pleanála reference number in any correspondence with the Board.

Yours faithfully,

Lauren Murphy  
Executive Officer  
Direct Line: 01-8737275

PA09

|                    |         |                                                        |
|--------------------|---------|--------------------------------------------------------|
| Teil               | Tel     | (01) 858 8100                                          |
| Glaio Áitiúil      | LoCall  | 1800 275 175                                           |
| Facs               | Fax     | (01) 872 2684                                          |
| Láithreán Gréasáin | Website | <a href="http://www.pleanala.ie">www.pleanala.ie</a>   |
| Ríomhphost         | Email   | <a href="mailto:bord@pleanala.ie">bord@pleanala.ie</a> |

|                      |                       |
|----------------------|-----------------------|
| 64 Sráid Maoilbhríde | 64 Marlborough Street |
| Baile Átha Cliath 1  | Dublin 1              |
| D01 V902             | D01 V902              |

**From:** Bord <bord@pleanala.ie>  
**Sent on:** Thursday, January 18, 2024 4:38:44 PM  
**To:** SIDS <sids@pleanala.ie>  
**Subject:** FW: ABP 317560-23  
**Attachments:** Susan Donegan reply.pdf (2.97 MB)

---

**From:** leona mulrooney <[REDACTED]>  
**Sent:** Thursday, January 18, 2024 4:27 PM  
**To:** Bord <bord@pleanala.ie>  
**Cc:** leona mulrooney <leemully21@gmail.com>  
**Subject:** ABP 317560-23

Please find my response below  
ABP 317560-23

Thank you

Susan Donegan

"leafy lane"

Carraun,  
Castleconor,

Co. Sligo,  
F26 H283

16.01.2024

House: HH7

To whom it may Concern:-

I wish to bring some points of isolation / error  
to your kindest attention, Jennings O' Donovan  
consulting Engineers response to third party  
submissions and observations planning application  
Ref: ABP 317560 -23.

I would again ask for Clarity and  
confirmation on what risks the proposed Hydrogen  
Plant would have on my water supply?

As mentioned in my original submission My water is  
supplied by a private well. I am seeking clarity  
on this as I am in poor health and depressed.  
Will Well water supply been depleted?

Water quality been effected?

Also, I raised my deep concerns of  
devalue of my property, My only asset as I am  
in poor health and have no income from employment.

The developer needs to address how our homes  
will be devalued, as clarified by local Estate  
Agent / Auctioneer included in our submission.

This has been ignored by the developer showing  
no regard for local residents, in my opinion.

Population and Human Health, 4.4.6 - Residential Amenity  
in Jennings O' Donovan, Consulting Engineers state:-

"During the Construction Phase there is the potential  
for limited impacts on the residential amenity

I am not content with the way this development has been operating so far. I am fearful as to my knowledge there is no 80MW Hydrogen Plant in operation. I feel the project is premature and location is unsuitable. Please take into consideration my health is vulnerable, I feel if this development is approved, I will be faced with no choice but to leave my home. As mentioned in my original submission, I have discussed the impact the stress of this project is having on me, physically and emotionally. I live in a quiet rural location, by choice. I did not choose to live in close proximity to a Hydrogen Plant for obvious negative reasons → Noise Pollution, Light Pollution, Excess traffic, Dust, compromised Air Quality, Disturbance of crops, Vegetation, Risk to Human health and livestock. I was not invited to Neighbours meeting, 25/5/23.

S. Donegan.

17.01.2024