

Screening Checklist

Case Number: **ABP-317704-23**

Custom: **Pat McManus**

Screened By: **James Sweeney**

Screening EO: **James Sweeney**

Case Type: **Normal Planning Appeal PDA2000**

PA Name: **Roscommon County Council**

PA Reg Ref: **22526**



**An
Bord
Pleanála**

Screening Checklist	Value
Public Notices	Yes
EIS/EIAR Submitted	Yes
NIS Submitted	No
Article 137 (HSA)	No
OH Hold on Cross Circulation	Yes
Revised Notices	Yes
Oral Hearing Requested	Yes
EPA	No
Protected Structure	No
Material Contravention	No
Section 49	No
Section 138	No
S.48(2)(c) Appeal	747590001
Invoke Article 28	No
Time Left for Appeal Responses	Yes
Time Left for Observations	Yes
Last Date for Observations	29/08/2023
Screened Date	25/08/2023
Appeal Circulation Day	01/08/2023
Multiple Appeals Circulation Date	04/08/2023
Last Date for Multiple Appeal Responses	31/08/2023
Last Date For Receipt of Appeals	02/08/2023
Last Date for Appeal Responses(	28/08/2023
Direction / Comments	To EO: Green EIAR Form Pink OH Form

Run at: 28/08/2023 09:42

Run by: James Sweeney