

Our Case Number: ABP-318540-23



An
Bord
Pleanála

Health Safety Authority
The Metropolitan Building
James Joyce Street
Dublin 1

Date: 01 February 2024

Re: 10 year planning permission for the proposed Open Cycle Gas Turbine (OCGT) power plant fuelled by Hydrotreated Vegetable Oil (HVO) and associated site works at Tarbert Island, Tarbert, Co. Kerry. (www.ssetarbertnextgen.com)

Dear Sir / Madam,

An Bord Pleanála has received your submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter.

The Board will revert to you in due course in respect of this matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Bord Pleanála when they have been processed by the Board.

More detailed information in relation to strategic infrastructure development can be viewed on the Board's website: www.pleanala.ie.

If you have any queries in the meantime please contact the undersigned officer of the Board. Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Ashling Doherty
Executive Officer
Direct Line: 01-8737160

PA09

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Ashling Doherty

From: Marine
Sent: Wednesday 24 January 2024 12:16
To: SIDS
Subject: FW: Planning Application ABP-318540-23
Attachments: LUP10 ABP.318540.23.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

From: Bord <bord@pleanala.ie>
Sent: Wednesday, January 24, 2024 11:11 AM
To: Marine <marine@pleanala.ie>
Subject: FW: Planning Application ABP-318540-23

From: Michael Boylan <michael_boylan@hsa.ie>
Sent: Wednesday, January 24, 2024 8:53 AM
To: Bord <bord@pleanala.ie>
Subject: Planning Application ABP-318540-23

To Whom it Concerns

Please see attached the HSA advice in respect of Planning Application ABP-318540-23.

Regards

Mick Boylan
Inspector
Chemical & Industrial Products Division
+353 86 8057226
+353 1 7997883
michael_boylan@hsa.ie

www.hsa.ie

Health and Safety Authority
1A South Mall
Cork
Republic of Ireland
T12 R7WC

An tÚdarás Sláinte agus Sábháilteachta
1A An Meál Theas
Corcaigh
Poblacht na hÉireann
T12 R7WC

*Ár bhFís: Saolta agus fiontair shláintiúla, shábháilte agus
tháirgiúla*
Our Vision: Healthy, safe and productive lives and enterprises



An tÚdarás Sláinte agus Nábháilteachta
Health and Safety Authority

[HSA Twitter](#)
[HSA Facebook](#)
[HSA YouTube](#)

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

The Health and Safety Authority, its servants or agents, accept no liability for any errors or omissions in the information provided in this correspondence or for any loss or damage occasioned to any person as a result of using the information provided.

This footnote also confirms that this email message has been swept for the presence of computer viruses.



An tÚdarás Sláinte agus Sábháilteachta
Health and Safety Authority

☎ 0818 289 389 ✉ landuseplanning@hsa.ie 🌐 www.hsa.ie

An Bord Pleanála
64 Marlborough Street
Dublin 1

Our Ref: PAR4324

24/01/2024

**Re: Planning Application [ref. ABP-318540-23] for development by SSE Generation Ireland Ltd.
at Tarbert, Co. Kerry and your letter dated 20/12/2023**

The approach of the Health and Safety Authority (the Authority) to Land-use Planning is set out in the document 'Policy & Approach of the Health and Safety Authority to COMAH Risk-based Land-use Planning'. It is available from our website at:

https://www.hsa.ie/eng/Your_Industry/Chemicals/Legislation_Enforcement/COMAH/Land_Use_Planning/.

The document should be consulted to fully understand the advice given in this letter.

In that context and the Authority remit, in respect of this specific application the following points are relevant:

1. The application is covered by Regulation 24(2) (b) of S.I. 209 of 2015
2. On the basis of the information supplied, the Authority **DOES NOT ADVISE AGAINST** the granting of planning permission in the context of major accident hazards.
3. The advice is only applicable to the specific circumstances of this proposal at this period of time.
4. Future development around COMAH establishments has the potential to impact on the expansion of those establishments.

If you have any queries please contact the undersigned.

Yours sincerely

Michael Boylan
Inspector,
COMAH, Chemical Production & Storage (CCPS)

Encl: Note on the Approach of the HSA to the Provision of Land-use Planning Advice

Note on the Approach of the HSA to the Provision of Land-use Planning advice.

The Authority, acting as the Central Competent Authority under the Chemicals Act (Control of Major Accident Hazards Involving Dangerous Substances) Regulations 2015 (S.I. 209 of 2015), gives technical advice in response to a notice sent by a planning authority under Part 11 of the Planning and Development Regulations 2001-2015. Under Regulation 24(2) of S.I. 209 of 2015, the technical advice on the effects of a proposed development on the risk or consequences of a major accident relates to the following types of developments within the consultation distance for an establishment:

- (a) the siting and development of new establishments;
- (b) modifications to establishments of the type described in Regulation 12(1);
- (c) new developments including transport routes, locations of public use and residential areas in the vicinity of establishments, where the siting, modifications or developments may be the source of, or increase the risk or consequences of, a major accident.

The advice given is for the purposes of assessing new development only. A full explanation of the Authority's Land Use Planning advice system can be found at http://www.hsa.ie/eng/Your_Industry/Chemicals/COMAH/Land_Use_Planning/

Your attention is drawn to Regulation 24(3) of S.I. 209 of 2015:

(3) The technical advice provided by the Central Competent Authority to a planning authority pursuant to paragraph (2) may be generic or case specific in nature and shall be so formulated that it will assist the planning authority to take into account the need, in the long term—

- (a) to maintain appropriate safety distances between establishments covered by these Regulations and residential areas, buildings and areas of public use, recreational areas, and, as far as possible, major transport routes;*
- (b) to protect areas of particular natural sensitivity or interest in the vicinity of establishments, where appropriate through appropriate safety distances or other relevant measures; and*
- (c) for the operator to take additional technical measures, in the case of existing establishments, in accordance with Regulation 7, so as not to increase the risks to human health and the environment.*

In giving its advice the Authority does not deal with routine emissions. Such emissions will be subject to EPA or Local Authority scrutiny and control.

The operator of an establishment covered by S.I. 209 of 2015 is also required to take all necessary measures to prevent major accidents occurring and to limit the consequences of any such major accidents for human health and the environment