


Our Case Number: ABP-318802-24



An  
Coimisiún  
Pleanála

Bernadette Murphy  
41 Rushbrooke Manor  
Rushbrooke  
Cobh  
Co. Cork

**Date:** 01 December 2025

**Re:** Proposed development of a resource recovery centre (including waste-to-energy facility)  
in Ringaskiddy, County Cork.

Dear Sir / Madam,

An Coimisiún Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. Please accept this letter as a receipt for the fee of €50 that you have paid.

The Commission will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Coimisiún Pleanála when they have been processed by the Commission.

More detailed information in relation to strategic infrastructure development can be viewed on the Commission's website: [www.pleanala.ie](http://www.pleanala.ie).

If you have any queries in the meantime please contact the undersigned officer of the Commission. Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

*Kevin McGettigan*

Kevin McGettigan  
Executive Officer  
Direct Line: 01-8737263

PA04

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	<a href="http://www.pleanala.ie">www.pleanala.ie</a>
Ríomhphost	Email	<a href="mailto:communications@pleanala.ie">communications@pleanala.ie</a>

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

To: An Coimisiun Pleanála  
64 Marlborough Street  
Dublin 1, D01 V902

AN COIMISIUN PLEANÁLA  
LDG- 084048-25  
ACP- 318802  
12 NOV 2025  
Fee: € 50 Type: Cash  
Time: 9.15 Reg Paid

**OBSERVATION ON SID APPLICATION - Case reference: PA04.318802, Ringaskiddy Co Cork**  
Proposed development of a resource recovery centre (including waste-to-energy facility)  
by Indaver NV t/a Indaver Ireland

**OBSERVER NAME** BERNADETTE MURPHY **DATE** 11/11/2025  
**OBSERVER ADDRESS** 41 RUSHBROOKE MAJOR, RUSHBROOKE  
CO. CO. CORK

### OBSERVATION DETAILS

Notwithstanding the information submitted in August 2025, the site is fundamentally too small for the project proposed and continues to reduce in size, with coastal erosion on one side and boundary reduced by M28 on the other. *It is considered that the actual usable area of the site is inadequate in relation to the scale of development proposed. (Derek Daly, 2017).*

By all 3 Bord Pleanála Inspectors, the **Environmental Impact Statement (EIS)** was found to be deficient in substance even where found legally adequate in form. *The information as submitted to the Board is therefore insufficient to enable the Board to carry out an environmental impact assessment in an appropriate manner, and to form a basis for an informed decision on the application. (Daly, 2017).* Despite revisions, the updated EIS still continues to be inadequate.

'No site selection assessment has been done since 2001 despite the enormous change that has taken place in the area. It failed the W.H.O. site selection process then and certainly fails it now after 20 years. There is **no renewed site selection assessment** in the material submitted in 2025, but instead a justification based on site ownership by Indaver, with inadequate consideration given to major public and private investment initiatives that have *transformed the character of the immediate area in the intervening period since 2000. (Daly 2017).* The only qualification it has is that they own the site.

The site is in a flood risk area. Indaver plans to overcome this problem was to raise the entire area by 4m, which will be an eyesore for all who use this area for recreation. Mitigation measures to locate the facility at levels significantly above projected flooding levels would exacerbate the negative visual impact of the proposed large structure. It is my considered opinion that the site is inherently unsuitable for the location of a use that processes and generates hazardous compounds. (Oznur Yukel Finn, 2009)

Indavers submission ignores the fact that part of their site (RY-I-09) is now zoned for marine education and related enterprise and activities. That part of their site is no longer zoned for industry. The proposal is therefore in contravention of the County Development Plan.

Please refuse this planning application on the basis that the site is inherently unsuitable, as concluded by all 3 Bord Pleanála Inspectors (Jones 2004, Yukel Finn 2009, Daly 2017), and the proposal contravenes the zoning of the Cork County Development Plan 2022 - 2028 for this site.

I wish to request an Oral Hearing to continue full public participation in this application.

I enclose fee of €50

I have already submitted in 2016 so have paid prior fee

Additional pages attached (no of)

REFUSE AND PUT THIS TO BED ONCE AND FOR ALL.

- 1) BORN & RAISED IN COBH, WITNESSED THE FALL OUT FROM THE STEEL (IRISH) WITH THE RESULT OF GROUND & AIR CONTAMINATION. HIGHER CANCER NUMBERS WITH THE CORK HOSPITALS NOW REFERENCING COBH AS THE CANCER HOR OF CORK COUNTY.
- 2) TREBLE THE AMOUNT OF CRUISE LINERS ENTERING OUR HARBOUR WITH ENGINES ON 24/7. COBH RESIDENTS INHALE THIS TOXIC FUME ON A DAILY BASIS DURING THE SUMMER MONTHS.
- 3) COBH & SURROUNDING AREAS GETTING MORE POPULATED. DEMAND CLEANER AIR & GROUND FREE OF CONTAMINANTS.
- 4) POOR FILTRATION, LACK OF SOPHISTICATED TECHNOLOGY TO MONITOR TINY PARTICLES OF EMISSIONS.