


Our Case Number: ABP-318802-24



An  
Coimisiún  
Pleanála

Julie Moynan, Catherin Griffin and Others  
90 The Perch  
Camden Road  
Crosshaven  
Co. Cork

Date: 10 November 2025

Re: Proposed development of a resource recovery centre (including waste-to-energy facility)  
in Ringaskiddy, County Cork.

Dear Sir / Madam,

An Coimisiún Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. Please accept this letter as a receipt for the fee of €50 that you have paid.

The Commission will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Coimisiún Pleanála when they have been processed by the Commission.

More detailed information in relation to strategic infrastructure development can be viewed on the Commission's website: [www.pleanala.ie](http://www.pleanala.ie).

If you have any queries in the meantime please contact the undersigned officer of the Commission. Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

*Kevin McGettigan*

Kevin McGettigan  
Executive Officer  
Direct Line: 01-8737263

PA04

Teil (01) 858 8100  
Glao Áitiúil LoCall 1800 275 175  
Facs Fax (01) 872 2684  
Láithreán Gréasáin Website [www.pleanala.ie](http://www.pleanala.ie)  
Ríomhphost Email [communications@pleanala.ie](mailto:communications@pleanala.ie)

64 Sráid Maoilbhríde 64 Marlborough Street  
Baile Átha Cliath 1 Dublin 1  
D01 V902 D01 V902

TO: An Coimisiun Pleanála  
64 Marlborough Street  
Dublin 1, D01 V902

**OBSERVATION ON SID APPLICATION - Case reference: PA04.318802, Ringaskiddy Co Cork**  
Proposed development of a resource recovery centre (including waste-to-energy facility)  
by Indaver NV t/a Indaver Ireland

**OBSERVER NAME**

Julie Moran, Catherine Griffin, Tina Bushe DATE 03/11/2025

**OBSERVER ADDRESS**

50 Me Percu, Camden Road, Crosshaven, Co Cork

### OBSERVATION DETAILS

Notwithstanding the information submitted in August 2025, the site is fundamentally too small for the project proposed and continues to reduce in size, with coastal erosion on one side and boundary reduced by M28 on the other. *It is considered that the actual usable area of the site is inadequate in relation to the scale of development proposed. (Derek Daly, 2017).*

By all 3 Bord Pleanála Inspectors, the EIS was found to be deficient in substance even where found legally adequate in form. *The information as submitted to the Board is therefore insufficient to enable the Board to carry out an environmental impact assessment in an appropriate manner, and to form a basis for an informed decision on the application. (Daly, 2017).* Despite revisions, the updated EIS material continues to repeat earlier conclusions and provide assertions without evidence.

There is no de novo site selection in the material submitted in 2025, but instead a justification based on site ownership by Indaver, with inadequate consideration given to major public and private investment initiatives which have transformed the character of the immediate area in the intervening period since 2000. *(Daly 2017)*

The site is located on a known flood risk area, marked as same in Table 4.1.17: Specific Development Objectives for Ringaskiddy, and on OPW floodinfo.ie, (Flood Summary ID-1364, 13082, 12085). *Mitigation measures to locate the facility at levels significantly above projected flooding levels would exacerbate the negative visual impact of the proposed large structure. It is my considered opinion that the site is inherently unsuitable for location of a use which processes, and generates hazardous compounds. (Oznur Yukel Finn, 2009)*

Notwithstanding the zoning of the greater Ringaskiddy area as industrial, the Indaver site area where the incinerator build is proposed (RY-I-09) is zoned as *suitable for the extension of the Third Level Educational campus and enterprise related development including marine related education, enterprise, research and development. (RY-I-09, Table 4.1.17: Specific Development Objectives for Ringaskiddy, Cork County Development Plan 2022 - 28)* This is dismissed in the August 2025 information but it is of critical importance that this zoning be upheld as it is directly linked to the investment in the NMCI and MaREI Campus areas and the potential for future growth of this sector. The proposed incinerator is therefore in direct contravention of the County Development Plan and contrary to the specified objectives for the immediate area.

Please refuse this planning application on the basis that the site is inherently unsuitable, concluded by all 3 Bord Pleanála Inspectors (Jones 2004, Yukel Finn 2009, Daly 2017) and the proposal contravenes the zoning of the Cork County Development Plan 2022 - 28 for this site.

I wish to request an Oral Hearing to continue full public participation in this application.

I enclose fee of €50

I have already submitted in 2016 so have paid prior fee

Additional pages attached (no of)

1

03 November 2025

**Supplementary points:**

**We strongly object to Indaver building an incinerator in Ringakiddy for the following reasons:**

- Cul-de-sac, cutting off the Naval base, crematorium and park beyond it in the event of an accident.
- Site is subject to flooding
- Site is subject to coastal erosion
- Site is in an area prone to inversion as demonstrated by the fire in Ringaskiddy in January 2021
- Proximity to the Marine College and UCCs MAREI campuses
- Enough industry on the shores of the Cork Harbour
- Visual impact from Cobh and the 90 cruise liners and 170,000 tourists visiting the area
- Visual impact from Spike Island and the important tourist attraction that is
- Increased volume of traffic
- Proximity to two beaches that are very popular all year round
- Pollutants being produced 24/7 in a very populated area
- It is contrary to Cork County Council and Fáilte Ireland's 5-year Destination and Experience Development Plan (DEDP) for Cork City, Harbour and East Cork
- The incinerator cannot deal with PFAS chemicals which will lead to the spread of "forever chemicals" through air emissions and toxic ash which will rain down over a large area of Cork
- EPA's lack of ability and manpower to monitor the company and operation of the incinerator

**This incinerator must be refused once and for all and let the people of Cork Harbour enjoy what is a truly special place.**

Julie Moynan, Crosshaven  
Catherine Griffin, Crosshaven  
Tina Bushe, Crosshaven