


Our Case Number: ABP-318802-24

Planning Authority Reference Number:



An
Coimisiún
Pleanála

Kay Abernathy
Woodhaven
Churchtown North
Midleton
Co. Cork
P25 PY13

Date: 24 November 2025

Re: Proposed development of a resource recovery centre (including waste-to-energy facility)
in Ringaskiddy, County Cork.

Dear Sir / Madam,

An Coimisiún Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. Please accept this letter as a receipt for the fee of €50 that you have paid.

The Commission will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Coimisiún Pleanála when they have been processed by the Commission.

More detailed information in relation to strategic infrastructure development can be viewed on the Commission's website: www.pleanala.ie.

If you have any queries in the meantime please contact the undersigned officer of the Commission. Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

Kevin McGettigan
Executive Officer
Direct Line: 01-8737263

PA04

Teil
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1890 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Objection to Indaver Ireland's Proposed Development at Ringaskiddy, Co. Cork

Reference: PA04 318802

Kay Abernethy

Woodhaven

Churchtown North

Midleton

Co. Cork

P25PY13

16/11/25

Re: Formal Objection to Indaver Ireland's Proposed Development in Ringaskiddy, Co. Cork

To Whom It May Concern,

I am writing to lodge a formal objection to the proposed development by Indaver Ireland in Ringaskiddy, Co. Cork.

I strongly oppose this development for the following reasons:

Environmental Impact:

This development poses significant risks to the local environment. These risks include potential emissions, pollution, and long-term ecological harm. Ringaskiddy is already the homeplace of a large volume of industry, and Indaver's proposed plant increases environmental pressure on the surrounding communities and natural habitats.

Public Health Concerns:

There are serious public health risks associated with waste-to-energy incinerators, including the release of harmful particulates and chemicals. The proximity of the proposed site to residential areas, schools, and healthcare facilities makes this development inappropriate and unsafe.

Impact on Local Community:

The proposal does not take adequate account of the cumulative impact on the people who live, work, and study in the area. The potential for increased traffic, noise, and long-term industrial activity adds further hardship to this locality.

Contradiction to Sustainable Development Principles:

Approving this development contradicts national and regional commitments to sustainable waste management, circular economy principles, and the reduction of carbon emissions. Investment should instead be directed toward waste reduction, recycling, and green infrastructure.

For these reasons, I respectfully request that the proposed development be refused.

Thank you for considering my submission. I trust that the concerns of local residents and stakeholders will be carefully evaluated in the decision-making process.

Yours sincerely,

Kay Abernethy