


**Our Case Number:** ABP-318802-24

**Planning Authority Reference Number:**



An  
Coimisiún  
Pleanála

Mariusz Bomba  
No 8 Ferryview  
Ringaskiddy  
Co. Cork

**Date:** 21 November 2025

**Re:** Proposed development of a resource recovery centre (including waste-to-energy facility) in Ringaskiddy, County Cork.

Dear Sir / Madam,

An Coimisiún Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. Please accept this letter as a receipt for the fee of €50 that you have paid.


The Commission will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Coimisiún Pleanála when they have been processed by the Commission.

More detailed information in relation to strategic infrastructure development can be viewed on the Commission's website: [www.pleanala.ie](http://www.pleanala.ie).

If you have any queries in the meantime please contact the undersigned officer of the Commission. Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

  
Kevin McGettigan  
Executive Officer  
Direct Line: 01-8737263

PA04

Teil (01) 858 8100  
Glao Áitiúil LoCall 1890 275 175  
Facs Fax (01) 872 2684  
Láithreán Gréasáin Website [www.pleanala.ie](http://www.pleanala.ie)  
Ríomhphost Email [communications@pleanala.ie](mailto:communications@pleanala.ie)

64 Sráid Maoilbhríde 64 Marlborough Street  
Baile Átha Cliath 1 Dublin 1  
D01 V902 D01 V902

TO: An Coimisiun Pleanala 64 Mariborough Street Dublin 1, D01 V902

**OBSERVATION ON SID APPLICATION- Case reference: PA04.318802, Ringaskiddy Co Cork.**

Proposed development of a resource recovery centre (including waste-to-energy facility) by Indaver NV t/a Indaver Ireland

OBSERVER NAME: Mariusz Bomba

DATE: 16 November 2025

OBSERVER ADDRESS: No 8 Ferryview, Ringaskiddy, Cork

**OBSERVATION DETAILS:**

Notwithstanding the information submitted in August 2025, the site is fundamentally too small for the project proposed and continues to reduce in size, with coastal erosion on one side and boundary reduced by M28 on the other. It is considered that the actual usable area of the site is inadequate in relation to the scale of development proposed. (Derek Daly, 2017)

By all 3 Bord Pleanala Inspectors, the Environmental Impact Statement (EIS) was found to be deficient in substance even where found legally adequate in form. The information as submitted to the Board is therefore insufficient to enable the Board to carry out an environmental impact assessment in an appropriate manner, and to form a basis for an informed decision on the application. (Daly, 2017). Despite revisions, the updated EIS still continues to be inadequate.

'No site selection assessment has been done since 2001 despite the enormous change that has taken place in the area. It failed the W.H.O. site selection process then and certainly fails it now after 20 years. There is no renewed site selection assessment in the material submitted in 2025, but instead a justification based on site ownership by Indaver, with inadequate consideration given to major public and private investment initiatives that have transformed the character of the immediate area in the intervening period since 2000 (Daly 2017). The only qualification it has is that they own the site.

The site is in a flood risk area. Indaver plans to overcome this problem was to raise the entire area by 4m, which will be an eyesore for all who use this area for recreation. Mitigation measures to locate the facility at levels significantly above projected flooding levels would exacerbate the negative visual impact of the proposed large structure. It is my considered opinion that the site is inherently unsuitable for the location of a use that processes and generates hazardous compounds. (Oznur Yukel Finn, 2009)

Indavers submission ignores the fact that part of their site (RY-1-09) is now zoned for marine education and related enterprise and activities. That part of their site is no longer zoned for industry. The proposal is therefore in contravention of the County Development Plan.

Cork harbour is the second biggest natural harbour in the world. It is hard to believe that any Irish person would like to allow to build an Incinerator here, especially taking into consideration, that a lot of toxic waste left after Irish steel has just been covered by plastic sheet and a recreation park, where kids are playing nowadays. We do not need more pollution here!

We have as well a maritime college and two new estates built in Ringaskiddy now. Thousands of trucks carrying tons of waste will definitely disturb the area.

We need to think about all tourists travelling to Cork on cruise ships or planes which can remember Ireland as a waste dump after seeing a big non-stop smoking facility as the first thing upon arrival.

Please refuse this planning application on the basis that the site is inherently unsuitable, as concluded by all 3 Bord Pleanala Inspectors (Jones 2004, Yukel Finn 2009, Daly 2017), and the proposal contravenes the zoning of the Cork County Development Plan 2022-2028 for this site.

I wish to request an Oral Hearing to continue full public participation in this application.

I enclose fee of €50