


Our Case Number: ABP-322333-25

Your Reference: Uisce Éireann



**An
Coimisiún
Pleanála**

AtkinsRealis
150-155 Airside Business Park
Swords
Co. Dublin
K67 K5W4

Date: 31 March 2026

Re: Pre-application consultation - Proposed Ballina and Lough Talt Water Supply Zones Upgrade
County Mayo and County Sligo

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation request.

Please find enclosed a copy of the written record of the meeting of the 3rd March 2026.

If you have any queries in relation to the matter please contact the undersigned officer of the Commission.

Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

Lauren Griffin
Executive Officer
Direct Line: 01-8737244

PC07

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Teil
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902