


Our Case Number: PC0124



An
Coimisiún
Pleanála

South Dublin County Council
Planning Department
County Hall
Tallaght
Dublin 24

Date: 03 December 2025

Re: Water Supply Project.
Eastern and Midlands Region

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation, and, in particular, to the Commission's letter to you dated 1st December.

Please be advised that the Commission's letter to you contained a clerical error whereby the case reference number was mistakenly cited as ABP-322447-25.

The Commission hereby clarifies that the case reference is **PC0124**.

The Commission apologises for the error and for any inconvenience that it has caused.

Please ensure that a copy of this letter is included on the public copy of PC0124 in your offices.

If you have any queries in the meantime, please contact the undersigned officer of the Commission or email laps@pleanala.ie quoting the above mentioned An Coimisiún Pleanála reference number in any correspondence with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PC10

Teil
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: PC0124



An
Coimisiún
Pleanála

Tipperary County Council
Civic Offices
Nenagh
Co. Tipperary

Date: 03 December 2025

Re: Water Supply Project.
Eastern and Midlands Region

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation, and, in particular, to the Commission's letter to you dated 1st December.

Please be advised that the Commission's letter to you contained a clerical error whereby the case reference number was mistakenly cited as ABP-322447-25.

The Commission hereby clarifies that the case reference is **PC0124**.

The Commission apologises for the error and for any inconvenience that it has caused.

Please ensure that a copy of this letter is included on the public copy of PC0124 in your offices.

If you have any queries in the meantime, please contact the undersigned officer of the Commission or email laps@pleanala.ie quoting the above mentioned An Coimisiún Pleanála reference number in any correspondence with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PC10

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoibhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: PC0124



An
Coimisiún
Pleanála

Offaly County Council
Áras an Chontae
Charleville Road
Tullamore
Co. Offaly
R35F893

Date: 03 December 2025

Re: Water Supply Project.
Eastern and Midlands Region

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation, and, in particular, to the Commission's letter to you dated 1st December.

Please be advised that the Commission's letter to you contained a clerical error whereby the case reference number was mistakenly cited as ABP-322447-25.

The Commission hereby clarifies that the case reference is **PC0124**.

The Commission apologises for the error and for any inconvenience that it has caused.

Please ensure that a copy of this letter is included on the public copy of PC0124 in your offices.

If you have any queries in the meantime, please contact the undersigned officer of the Commission or email laps@pleanala.ie quoting the above mentioned An Coimisiún Pleanála reference number in any correspondence with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PC10

Teil
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost


Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: PC0124



An
Coimisiún
Pleanála

Limerick City & County Council
Corporate Headquarters
Merchant's Quay
V94EH90
Co. Limerick

Date: 03 December 2025

Re: Water Supply Project.
Eastern and Midlands Region

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation, and, in particular, to the Commission's letter to you dated 1st December.

Please be advised that the Commission's letter to you contained a clerical error whereby the case reference number was mistakenly cited as ABP-322447-25.

The Commission hereby clarifies that the case reference is **PC0124**.

The Commission apologises for the error and for any inconvenience that it has caused.

Please ensure that a copy of this letter is included on the public copy of PC0124 in your offices.

If you have any queries in the meantime, please contact the undersigned officer of the Commission or email laps@pleanala.ie quoting the above mentioned An Coimisiún Pleanála reference number in any correspondence with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PC10

Teil	Tel	(01) 858 8100
Glao Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: PC0124



An
Coimisiún
Pleanála

Kildare County Council
Áras Chill Dara
Devoy Park
Naas
Co. Kildare
W91 X77F

Date: 03 December 2025

Re: Water Supply Project.
Eastern and Midlands Region.

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation, and, in particular, to the Commission's letter to you dated 1st December.

Please be advised that the Commission's letter to you contained a clerical error whereby the case reference number was mistakenly cited as ABP-322447-25.

The Commission hereby clarifies that the case reference is **PC0124**.

The Commission apologises for the error and for any inconvenience that it has caused.

Please ensure that a copy of this letter is included on the public copy of PC0124 in your offices.

If you have any queries in the meantime, please contact the undersigned officer of the Commission or email laps@pleanala.ie quoting the above mentioned An Coimisiún Pleanála reference number in any correspondence with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PC10

Teil
Glaao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

Our Case Number: PC0124



An
Coimisiún
Pleanála

Clare County Council
Aras Contae an Chlair
New Road
Ennis
Co. Clare
V95 DXP2

Date: 03 December 2025

Re: Water Supply Project.
Eastern and Midlands Region

Dear Sir / Madam,

I have been asked by An Coimisiún Pleanála to refer further to the above-mentioned pre-application consultation, and, in particular, to the Commission's letter to you dated 1st December.

Please be advised that the Commission's letter to you contained a clerical error whereby the case reference number was mistakenly cited as ABP-322447-25.

The Commission hereby clarifies that the case reference is **PC0124**.

The Commission apologises for the error and for any inconvenience that it has caused.

Please ensure that a copy of this letter is included on the public copy of PC0124 in your offices.

If you have any queries in the meantime, please contact the undersigned officer of the Commission or email laps@pleanala.ie quoting the above mentioned An Coimisiún Pleanála reference number in any correspondence with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PC10

Teil
Glaó Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01.V902