

Our Case Number: ACP-322834-25



An
Coimisiún
Pleanála

Uisce Éireann
c/o Áine Gilhooly
Land & Wayleaves Lead
Colvill House
24-26 Talbot Street
Dublin 1

Date: 24 July 2025

Re: Uisce Eireann Compulsory Purchase (Kildavin Wastewater Treatment Plant Upgrade) Order 2025
Kildavin, County Carlow

Dear Sir / Madam,

Enclosed for your information are two copies of written objection received by the Commission against the above-mentioned compulsory purchase order within the prescribed period for the making of objections.

If you have any queries in relation to this matter please contact the undersigned officer of the Commission at laps@pleanala.ie

Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,


Aisling Reilly
Executive Officer
Direct Line: 01-8737131

CH07

Tell
Glao Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902