


Our Case Number: ACP-323412-25



An
Coimisiún
Pleanála

Uisce Éireann
c/o Áine Gilhooly
Land & Wayleaves Lead
Colvill House
24-26 Talbot Street
Dublin 1

Date: 18 September 2025

Re: Uisce Éireann Compulsory Purchase (Staleen Water Treatment to Duleek Trunk Watermain) Order,
2025,
County Meath

Dear Sir / Madam,

Enclosed for your information are two copies of written objection received by the Commission against the above-mentioned compulsory purchase order within the prescribed period for the making of objections.

1. Michael & John Lawlor

If you have any queries in relation to this matter please contact the undersigned officer of the Commission at laps@pleanala.ie

Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

pp 
Eimear Reilly
Executive Officer
Direct Line: 01-8737184

CH07

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902