



CHAMBER COVERS AND FRAMES TO BE:

a) SQUARE DUCTILE IRON WITH 600 mm CLEAR OPE. CLASS D400 TO I.S. EN 124:1994 BENEATH CARRIAGEWAYS, DRIVEWAYS AND FOOTWAYS.


b) SQUARE DUCTILE IRON WITH 600 mm CLEAR OPE. CLASS B125 TO I.S. EN 124:1994 BENEATH GRASSED AREAS




**TYPICAL SECTION - uPVC DRAINS/SEWERS IN TRAFFIC AREAS (BEDDING CLASS C)**  
SCALE 1:25




**TYPICAL PLAN PRECAST RING MANHOLE**  
SCALE 1:25




**TYPICAL PRECAST RING MANHOLE, DEPTH TO SOFFIT 0-3 m**  
SCALE 1:25




### TYPICAL SOIL VENT PIPE DETAIL




**TYPICAL RAINWATER DOWNPIPE DETAIL**  
SCALE 1:25



**TYPICAL CATCHPIT SECTION**  
SCALE 1:25



**ELEVATION - TYPICAL SOAKAWAY DETAIL**  
SCALE 1:50

SOAKAWAY ISOMETRIC VIEW  
NTS

NOTES:

1. ALL LEVELS SHOWN ARE TO ORDINANCE DATUM MAIN HEAD.
2. FOR DETAILS ON PROPOSED DRAINAGE LAYOUT, REFER TO DRAWING NOS. PE452-D050-389-005 AND PE452-D050-389-006.

[illegible]