

Appendix 10-8

PREDICTED CUMULATIVE NOISE RESULTS

APPENDIX 10-8 PREDICTED CUMULATIVE NOISE RESULTS

NSL ID	Predicted Noise Level dB L _{A90} at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H001	24.4	25.3	29.6	33.7	35.1	35.3	35.4	35.8	35.9
H002	21.5	22.4	26.8	30.9	32.1	32.3	32.4	32.8	32.8
H003	21.3	22.3	27.1	30.3	31.0	31.1	31.1	31.3	31.3
H004	22.8	23.8	28.7	31.7	32.2	32.3	32.3	32.4	32.4
H005	21.5	22.5	27.3	30.5	31.2	31.3	31.4	31.5	31.5
H006	21.6	22.6	27.4	30.6	31.4	31.4	31.5	31.7	31.7
H007	18.8	19.7	24.3	27.9	28.9	29.0	29.1	29.3	29.3
H008	18.4	19.7	23.9	28.0	29.2	29.4	29.5	29.8	29.9
H009	26.9	29.3	33.5	37.1	38.1	38.2	38.2	38.3	38.3
H010	29.9	30.8	35.0	39.2	40.6	40.8	41.0	41.3	41.4
H011	21.8	24.0	28.1	31.7	32.8	32.9	32.9	33.1	33.1
H012	25.4	27.3	31.5	35.3	36.4	36.5	36.6	36.8	36.9
H013	21.5	23.6	27.8	31.4	32.5	32.5	32.6	32.8	32.8
H014	26.1	28.0	32.2	36.0	37.1	37.2	37.4	37.6	37.6
H015	18.3	19.2	23.7	27.6	28.7	28.8	29.0	29.2	29.2
H016	24.6	25.5	29.8	33.9	35.3	35.5	35.6	36.0	36.1
H017	16.0	16.9	21.4	25.3	26.5	26.6	26.8	27.0	27.0
H018	23.1	24.0	28.3	32.5	33.9	34.1	34.2	34.6	34.6
H019	29.9	30.8	35.0	39.2	40.6	40.8	41.0	41.3	41.4
H020	22.1	24.3	28.4	32.1	33.1	33.2	33.3	33.4	33.5
H021	18.1	19.0	23.3	27.5	28.9	29.1	29.2	29.6	29.6
H022	21.6	23.8	28.0	31.6	32.6	32.7	32.8	32.9	32.9
H023	18.7	19.6	24.1	27.9	29.0	29.1	29.3	29.5	29.6
H024	20.8	21.8	26.5	29.8	30.5	30.6	30.7	30.9	30.9
H025	21.6	23.7	27.8	31.5	32.6	32.6	32.7	32.9	32.9
H026	21.7	22.6	26.9	31.0	32.4	32.5	32.7	33.0	33.1
H027	15.0	15.9	20.4	24.3	25.5	25.6	25.8	26.0	26.1
H028	21.1	22.9	27.1	30.9	32.0	32.1	32.2	32.4	32.5
H029	26.7	29.2	33.5	37.1	38.0	38.1	38.1	38.2	38.3
H030	29.8	30.7	35.0	39.2	40.6	40.7	40.9	41.3	41.4
H031	21.8	22.7	27.0	31.1	32.4	32.5	32.7	33.0	33.1
H032	18.8	19.7	24.3	27.9	28.9	29.0	29.1	29.3	29.4
H033	18.8	19.7	24.2	28.1	29.2	29.3	29.5	29.7	29.8
H034	22.0	23.0	27.8	31.0	31.6	31.6	31.7	31.8	31.8
H035	27.4	27.8	32.5	35.0	36.1	36.2	36.2	36.3	36.3
H036	20.9	21.8	26.1	30.3	31.7	31.9	32.0	32.4	32.4
H037	25.8	27.9	32.1	35.8	36.9	37.0	37.1	37.3	37.3

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H038	21.8	24.0	28.1	31.7	32.8	32.8	32.9	33.1	33.1
H039	18.6	19.5	24.1	27.7	28.6	28.7	28.8	29.0	29.0
H040	15.0	16.4	20.6	24.6	25.9	26.0	26.1	26.4	26.4
H041	20.5	21.4	25.8	29.8	31.1	31.2	31.4	31.7	31.7
H042	20.0	20.9	25.4	29.3	30.5	30.6	30.8	31.1	31.1
H043	22.1	24.3	28.4	32.0	33.1	33.2	33.2	33.4	33.4
H044	24.9	26.4	30.5	34.5	35.7	35.9	36.0	36.3	36.3
H045	24.5	25.4	29.6	33.8	35.2	35.3	35.5	35.9	35.9
H046	26.2	28.5	32.7	36.4	37.4	37.5	37.6	37.7	37.7
H047	27.6	28.0	32.7	35.1	36.3	36.3	36.3	36.4	36.4
H048	26.7	28.3	32.7	36.0	37.1	37.1	37.2	37.4	37.4
H049	21.0	21.9	26.2	30.4	31.8	32.0	32.1	32.5	32.5
H050	21.5	22.5	27.3	30.6	31.2	31.3	31.4	31.6	31.6
H051	21.2	21.9	26.3	30.1	31.5	31.6	31.8	32.1	32.1
H052	20.0	21.0	25.8	28.9	29.5	29.5	29.6	29.7	29.7
H053	25.7	27.1	31.3	35.3	36.5	36.7	36.8	37.1	37.1
H054	21.4	23.4	27.6	31.3	32.3	32.4	32.5	32.7	32.7
H055	16.5	17.3	21.9	25.7	26.8	26.9	27.1	27.3	27.3
H056	18.6	19.5	24.2	27.7	28.6	28.7	28.8	29.1	29.1
H057	21.0	21.8	26.1	30.2	31.5	31.7	31.8	32.2	32.2
H058	26.2	29.1	33.3	36.8	37.7	37.7	37.7	37.8	37.8
H059	26.8	29.7	34.0	37.5	38.3	38.4	38.4	38.4	38.4
H060	28.1	31.0	35.3	38.8	39.7	39.7	39.7	39.7	39.7
H061	28.0	28.9	33.2	37.4	38.8	39.0	39.2	39.5	39.6
H062	19.1	20.0	24.8	28.1	28.9	29.0	29.1	29.2	29.2
H063	23.8	24.7	29.0	33.2	34.5	34.7	34.8	35.2	35.2
H064	19.3	20.1	24.5	28.4	29.7	29.8	30.0	30.3	30.3
H065	20.9	21.9	26.8	29.8	30.3	30.4	30.4	30.5	30.5
H066	22.1	23.1	28.0	31.1	31.7	31.8	31.8	31.9	32.0
H067	21.2	22.2	27.0	30.3	31.0	31.1	31.1	31.3	31.3
H068	18.3	19.2	23.6	27.7	29.0	29.2	29.4	29.7	29.7
H069	20.6	21.5	26.4	29.5	30.0	30.0	30.1	30.2	30.2
H070	22.1	24.2	28.3	32.0	33.0	33.1	33.2	33.4	33.4
H071	18.7	19.6	24.2	27.8	28.8	29.0	29.1	29.3	29.3
H072	26.4	28.6	32.9	36.5	37.5	37.6	37.7	37.8	37.9
H073	28.1	31.0	35.3	38.8	39.7	39.7	39.7	39.8	39.8
H074	21.0	22.2	26.4	30.5	31.9	32.0	32.2	32.5	32.5
H075	16.0	17.2	21.4	25.5	26.9	27.0	27.2	27.5	27.5
H076	18.7	19.6	24.1	27.9	28.9	29.0	29.2	29.4	29.4
H077	20.3	21.2	25.5	29.7	31.1	31.3	31.4	31.8	31.8
H078	19.9	20.8	25.6	28.8	29.4	29.4	29.5	29.6	29.6

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H079	27.2	30.1	34.4	37.9	38.8	38.8	38.8	38.8	38.8
H080	18.7	19.6	24.3	27.8	28.6	28.7	28.8	29.0	29.1
H081	26.0	28.0	32.2	36.0	37.0	37.1	37.2	37.4	37.5
H082	19.8	20.7	25.1	29.1	30.3	30.4	30.6	30.9	30.9
H083	26.7	28.3	32.7	36.0	37.1	37.2	37.2	37.4	37.4
H084	19.5	20.4	24.9	28.7	29.8	29.9	30.1	30.3	30.4
H085	20.0	20.9	25.3	29.3	30.6	30.8	30.9	31.2	31.3
H086	20.9	21.9	26.1	30.4	31.7	31.9	32.1	32.4	32.5
H087	26.1	27.1	31.4	35.5	36.9	37.0	37.2	37.6	37.6
H088	21.8	23.9	28.1	31.7	32.8	32.9	33.0	33.1	33.1
H089	29.5	30.4	34.6	38.9	40.2	40.4	40.6	41.0	41.1
H090	22.3	24.5	28.6	32.3	33.3	33.4	33.5	33.6	33.7
H091	21.6	22.5	26.9	31.0	32.2	32.4	32.5	32.9	32.9
H092	18.6	19.5	24.1	27.8	28.7	28.9	29.0	29.2	29.2
H093	21.2	22.2	27.0	30.2	30.9	31.0	31.0	31.2	31.2
H094	20.6	21.6	26.5	29.6	30.1	30.1	30.2	30.3	30.3
H095	22.3	23.4	28.3	31.3	31.8	31.8	31.9	32.0	32.0
H096	21.0	22.0	26.9	29.9	30.4	30.5	30.5	30.6	30.6
H097	20.0	21.0	25.8	29.0	29.6	29.7	29.8	29.9	29.9
H098	17.8	19.2	23.4	27.4	28.7	28.9	29.0	29.3	29.3
H099	22.3	23.2	27.5	31.6	32.9	33.1	33.2	33.6	33.6
H100	21.9	24.0	28.1	31.8	32.9	32.9	33.0	33.2	33.2
H101	21.8	23.9	28.1	31.7	32.8	32.8	32.9	33.1	33.1
H102	25.2	26.8	31.0	34.9	36.1	36.3	36.4	36.6	36.7
H103	20.3	21.2	25.6	29.6	30.8	31.0	31.1	31.4	31.5
H104	26.8	29.4	33.6	37.2	38.2	38.2	38.2	38.3	38.4
H105	16.1	17.5	21.7	25.7	27.0	27.1	27.2	27.5	27.5
H106	20.8	21.7	26.0	30.2	31.5	31.7	31.9	32.2	32.3
H107	25.7	27.2	31.3	35.3	36.6	36.7	36.8	37.1	37.2
H108	20.6	22.8	27.0	30.5	31.6	31.6	31.7	31.8	31.9
H109	20.8	21.7	26.0	30.2	31.5	31.7	31.9	32.2	32.3
H110	18.8	19.6	24.2	27.9	28.9	29.0	29.1	29.3	29.4
H111	19.1	20.0	24.5	28.3	29.5	29.6	29.8	30.0	30.1
H112	27.0	29.9	34.2	37.7	38.5	38.6	38.6	38.6	38.6
H113	25.7	27.5	31.7	35.6	36.7	36.8	36.9	37.1	37.2
H114	22.1	23.1	27.9	31.1	31.7	31.7	31.8	31.9	31.9
H115	26.4	29.3	33.5	37.0	37.9	37.9	37.9	38.0	38.0
H116	21.1	22.0	26.8	30.1	30.8	30.8	30.9	31.1	31.1
H117	28.0	31.0	35.3	38.8	39.6	39.6	39.7	39.7	39.7
H118	20.4	21.4	25.6	29.9	31.2	31.4	31.6	31.9	32.0
H119	27.9	30.7	35.0	38.5	39.4	39.4	39.4	39.5	39.5

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H120	22.3	24.5	28.6	32.3	33.3	33.4	33.5	33.6	33.6
H121	22.1	23.1	27.9	31.1	31.7	31.8	31.8	32.0	32.0
H122	24.8	26.1	30.3	34.4	35.6	35.8	36.0	36.3	36.3
H123	19.8	20.7	25.6	28.7	29.3	29.4	29.4	29.5	29.5
H124	26.3	28.6	32.8	36.5	37.5	37.6	37.7	37.8	37.8
H125	19.1	20.0	24.5	28.5	29.7	29.9	30.0	30.3	30.4
H126	19.2	20.1	24.9	28.2	28.9	29.0	29.1	29.3	29.3
H127	19.8	20.7	25.1	29.1	30.2	30.4	30.6	30.9	30.9
H128	19.5	20.4	24.9	28.8	29.9	30.1	30.2	30.5	30.5
H129	22.5	23.6	28.5	31.5	32.0	32.0	32.1	32.2	32.2
H130	20.9	21.7	26.0	30.0	31.3	31.5	31.7	32.0	32.0
H131	24.6	26.0	30.2	34.1	35.4	35.5	35.7	36.0	36.0
H132	28.3	31.3	35.5	39.0	39.9	39.9	39.9	40.0	40.0
H133	23.3	25.4	29.5	33.2	34.3	34.4	34.5	34.7	34.7
H134	26.8	29.5	33.7	37.3	38.2	38.2	38.3	38.4	38.4
H135	28.0	28.3	33.0	35.3	36.5	36.5	36.6	36.6	36.6
H136	28.2	29.1	33.4	37.6	39.0	39.2	39.4	39.7	39.8
H137	19.0	19.9	24.5	28.1	29.0	29.1	29.2	29.4	29.4
H138	18.3	19.2	23.7	27.6	28.7	28.9	29.0	29.3	29.3
H139	12.1	13.1	17.4	21.7	23.1	23.3	23.5	23.8	23.8
H140	26.8	29.1	33.4	37.0	38.0	38.0	38.1	38.2	38.2
H141	20.6	21.6	26.3	29.7	30.4	30.5	30.6	30.7	30.8
H142	21.5	22.5	27.3	30.5	31.2	31.3	31.4	31.5	31.6
H143	20.2	21.2	26.0	29.1	29.7	29.7	29.8	29.9	29.9
H144	20.2	21.2	26.0	29.1	29.7	29.7	29.8	29.9	29.9
H145	18.1	19.0	23.5	27.5	28.7	28.8	29.0	29.2	29.3
H146	22.5	23.6	28.5	31.5	32.0	32.0	32.1	32.2	32.2
H147	26.3	29.3	33.5	37.0	37.9	37.9	37.9	38.0	38.0
H148	23.2	25.4	29.6	33.2	34.2	34.3	34.4	34.5	34.5
H149	19.0	19.9	24.4	28.2	29.3	29.5	29.6	29.9	29.9
H150	23.1	24.0	28.3	32.4	33.7	33.9	34.1	34.4	34.5
H151	24.7	26.6	30.8	34.5	35.7	35.8	35.9	36.1	36.1
H152	18.6	19.4	23.8	27.8	29.1	29.3	29.5	29.8	29.8
H153	21.5	22.0	26.6	29.9	31.2	31.3	31.5	31.7	31.7
H154	22.1	23.1	27.9	31.1	31.7	31.8	31.8	31.9	32.0
H155	21.4	22.3	27.1	30.4	31.1	31.2	31.3	31.4	31.4
H156	19.0	19.8	24.2	28.1	29.5	29.6	29.8	30.1	30.1
H157	18.7	19.6	24.2	27.8	28.8	29.0	29.1	29.3	29.3
H158	20.7	21.6	25.9	30.1	31.5	31.7	31.8	32.2	32.2
H159	22.3	24.5	28.6	32.2	33.3	33.4	33.4	33.6	33.6
H160	21.7	24.1	28.2	31.8	32.8	32.8	32.9	33.0	33.0

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H161	26.1	29.1	33.3	36.8	37.7	37.7	37.7	37.7	37.7
H162	26.9	27.8	32.0	36.2	37.6	37.8	38.0	38.3	38.4
H163	29.8	30.7	35.0	39.2	40.6	40.8	40.9	41.3	41.4
H164	14.4	15.9	20.0	24.0	25.3	25.4	25.6	25.8	25.8
H165	26.7	29.1	33.4	37.0	37.9	38.0	38.0	38.2	38.2
H166	22.0	24.2	28.3	32.0	33.0	33.1	33.2	33.3	33.4
H167	23.4	25.4	29.6	33.3	34.4	34.5	34.6	34.7	34.8
H168	20.7	21.6	25.9	30.1	31.4	31.6	31.8	32.1	32.2
H169	26.8	29.2	33.4	37.0	38.0	38.1	38.1	38.2	38.3
H170	21.2	22.1	26.5	30.6	31.8	32.0	32.1	32.5	32.5
H171	24.7	25.6	29.9	34.1	35.4	35.6	35.8	36.1	36.2
H172	26.4	27.5	31.9	35.0	36.2	36.2	36.3	36.4	36.5
H173	24.9	26.4	30.5	34.5	35.7	35.9	36.0	36.3	36.3
H174	22.0	23.0	27.8	31.0	31.6	31.7	31.8	31.9	31.9
H175	26.3	28.7	32.9	36.5	37.5	37.6	37.7	37.8	37.8
H176	28.2	30.9	35.2	38.7	39.6	39.6	39.7	39.7	39.7
H177	23.8	24.7	29.0	33.1	34.4	34.6	34.8	35.1	35.2
H178	21.1	22.1	26.8	30.1	30.8	30.9	31.0	31.1	31.2
H179	20.8	21.7	26.1	30.1	31.3	31.5	31.7	32.0	32.0
H180	20.8	21.7	26.0	30.2	31.6	31.7	31.9	32.2	32.3
H181	20.2	21.2	26.0	29.1	29.7	29.7	29.8	29.9	29.9
H182	27.9	30.3	34.7	38.1	39.0	39.0	39.0	39.1	39.1
H183	20.6	21.6	25.8	30.1	31.4	31.6	31.8	32.1	32.2
H184	21.7	22.7	27.5	30.7	31.4	31.4	31.5	31.6	31.7
H185	21.3	23.4	27.5	31.2	32.3	32.4	32.5	32.6	32.7
H186	21.2	23.2	27.4	31.1	32.2	32.3	32.4	32.5	32.6
H187	22.4	23.3	27.6	31.7	33.0	33.2	33.3	33.7	33.7
H188	21.0	21.9	26.3	30.3	31.5	31.7	31.9	32.2	32.2
H189	19.8	20.7	25.1	29.1	30.2	30.4	30.6	30.9	30.9
H190	27.8	28.1	32.8	35.2	36.4	36.4	36.4	36.5	36.5
H191	21.1	22.1	26.7	30.2	31.0	31.1	31.2	31.4	31.4
H192	20.3	21.3	26.1	29.2	29.8	29.8	29.9	30.0	30.0
H193	19.9	20.8	25.1	29.3	30.5	30.7	30.9	31.2	31.2
H194	25.9	28.0	32.2	35.9	37.0	37.1	37.2	37.4	37.4
H195	18.9	20.2	24.4	28.4	29.7	29.9	30.1	30.3	30.4
H196	22.4	23.5	28.4	31.4	31.9	31.9	32.0	32.1	32.1
H197	19.2	20.1	24.6	28.4	29.6	29.7	29.9	30.1	30.2
H198	23.3	24.1	28.5	32.6	33.9	34.1	34.2	34.6	34.6
H199	21.7	22.7	27.5	30.7	31.4	31.5	31.6	31.7	31.7
H200	26.4	29.3	33.5	37.0	37.9	37.9	37.9	38.0	38.0
H201	23.7	24.6	28.9	33.1	34.4	34.6	34.8	35.1	35.2

NSL ID	Predicted Noise Level dB L _{A90} at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H202	21.3	22.3	27.1	30.3	31.0	31.1	31.1	31.3	31.3
H203	17.5	18.4	22.8	26.9	28.1	28.3	28.5	28.8	28.8
H204	19.9	20.8	25.2	29.2	30.5	30.6	30.8	31.1	31.1
H205	21.2	22.2	26.9	30.3	31.0	31.1	31.2	31.3	31.4
H206	17.1	18.0	22.6	26.3	27.3	27.5	27.6	27.8	27.9
H207	15.6	16.5	21.0	24.9	26.1	26.2	26.4	26.6	26.7
H208	20.9	21.9	26.7	29.8	30.3	30.3	30.4	30.5	30.5
H209	24.3	25.7	29.9	33.9	35.1	35.3	35.4	35.7	35.8
H210	28.7	31.7	36.0	39.5	40.3	40.4	40.4	40.4	40.4
H211	19.6	20.5	25.0	28.8	29.9	30.0	30.1	30.4	30.4
H212	20.3	21.2	25.5	29.7	31.0	31.2	31.4	31.7	31.8
H213	20.0	20.9	25.3	29.3	30.5	30.7	30.8	31.1	31.2
H214	18.5	19.4	23.9	27.7	28.8	28.9	29.0	29.3	29.3
H215	16.4	17.3	21.8	25.6	26.7	26.8	27.0	27.2	27.3
H216	21.9	24.1	28.2	31.9	32.9	33.0	33.1	33.2	33.2
H217	21.3	22.2	26.5	30.6	32.0	32.2	32.3	32.6	32.7
H218	18.6	19.5	24.1	27.8	28.7	28.9	29.0	29.2	29.2
H219	21.3	22.3	27.0	30.3	31.0	31.1	31.2	31.3	31.4
H220	21.9	22.9	27.7	30.9	31.5	31.6	31.7	31.8	31.8
H221	21.4	22.4	27.3	30.3	30.8	30.9	30.9	31.0	31.0
H222	26.8	27.4	32.1	34.7	35.9	35.9	36.0	36.1	36.1
H223	18.9	19.8	24.3	28.1	29.3	29.4	29.6	29.8	29.9
H224	21.1	22.0	26.3	30.5	31.9	32.0	32.2	32.6	32.6
H225	21.5	23.4	27.6	31.3	32.4	32.5	32.6	32.8	32.8
H226	19.4	20.3	24.8	28.6	29.6	29.7	29.9	30.1	30.2
H227	26.0	28.0	32.2	36.0	37.0	37.1	37.2	37.4	37.5
H228	18.3	19.2	23.7	27.6	28.7	28.8	29.0	29.2	29.3
H229	19.4	20.3	24.7	28.7	30.0	30.1	30.3	30.6	30.6
H230	19.0	19.8	24.2	28.2	29.5	29.7	29.8	30.1	30.2
H231	19.6	20.5	25.1	28.9	29.9	30.1	30.2	30.5	30.5
H232	21.1	22.1	26.4	30.6	31.9	32.1	32.3	32.6	32.7
H233	19.0	19.9	24.2	28.4	29.7	29.9	30.1	30.4	30.4
H234	18.6	19.5	24.0	27.8	28.9	29.0	29.1	29.4	29.4
H235	17.6	18.4	22.9	26.6	27.8	28.0	28.1	28.4	28.4
H236	21.5	23.5	27.7	31.3	32.4	32.5	32.6	32.7	32.8
H237	26.3	29.2	33.4	36.9	37.8	37.8	37.8	37.9	37.9
H238	21.5	23.5	27.6	31.3	32.4	32.5	32.6	32.8	32.8
H239	24.5	26.3	30.5	34.3	35.5	35.6	35.7	35.9	35.9
H240	28.2	31.3	35.6	39.1	39.9	39.9	39.9	40.0	40.0
H241	25.2	26.8	31.0	34.9	36.1	36.3	36.4	36.6	36.7
H242	16.0	17.5	21.7	25.6	26.9	27.0	27.1	27.4	27.4

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H243	22.5	23.6	28.5	31.5	32.0	32.0	32.1	32.1	32.1
H244	21.1	22.0	26.8	30.1	30.8	30.8	30.9	31.1	31.1
H245	21.0	21.9	26.7	30.0	30.8	30.9	31.0	31.2	31.2
H246	27.5	29.8	34.2	37.6	38.6	38.6	38.7	38.8	38.8
H247	19.9	20.8	25.2	29.2	30.4	30.6	30.7	31.0	31.1
H248	30.4	31.2	35.5	39.7	41.1	41.3	41.5	41.8	41.9
H249	26.7	28.4	32.8	36.1	37.2	37.2	37.3	37.4	37.4
H250	28.4	31.2	35.5	39.0	39.9	39.9	39.9	40.0	40.0
H251	26.5	27.4	31.7	35.9	37.3	37.5	37.7	38.0	38.1
H252	24.6	25.4	29.7	33.9	35.2	35.4	35.6	35.9	36.0
H253	23.0	23.9	28.2	32.3	33.6	33.8	34.0	34.3	34.4
H254	18.8	19.7	24.4	27.9	28.7	28.8	28.9	29.1	29.1
H255	26.4	28.7	32.9	36.6	37.6	37.7	37.7	37.9	37.9
H256	19.9	20.8	25.1	29.2	30.5	30.6	30.8	31.1	31.2
H257	21.5	23.6	27.7	31.4	32.4	32.5	32.6	32.8	32.8
H258	24.5	26.0	30.1	34.1	35.4	35.5	35.6	35.9	36.0
H259	20.8	21.7	26.1	30.1	31.3	31.5	31.7	32.0	32.0
H260	21.4	22.3	26.6	30.7	32.0	32.2	32.3	32.6	32.7
H261	28.0	28.9	33.1	37.3	38.7	38.9	39.1	39.5	39.5
H262	21.7	22.6	27.4	30.7	31.4	31.4	31.5	31.7	31.7
H263	20.9	21.8	26.6	29.9	30.6	30.7	30.8	30.9	30.9
H264	21.1	21.8	26.2	30.0	31.4	31.5	31.7	32.0	32.0
H265	20.9	21.8	26.6	29.9	30.6	30.7	30.8	30.9	31.0
H266	20.4	21.3	25.7	29.7	30.9	31.1	31.3	31.6	31.6
H267	21.4	23.5	27.6	31.3	32.4	32.5	32.6	32.7	32.8
H268	19.5	20.4	24.8	28.9	30.1	30.2	30.4	30.7	30.7
H269	25.2	27.1	31.3	35.1	36.2	36.3	36.4	36.6	36.6
H270	25.2	26.4	30.6	34.7	36.0	36.2	36.4	36.7	36.8
H271	20.7	21.6	25.9	30.1	31.5	31.6	31.8	32.2	32.2
H272	21.3	22.3	27.1	30.4	31.1	31.1	31.2	31.4	31.4
H273	21.6	22.6	27.4	30.6	31.3	31.4	31.5	31.6	31.6
H274	17.5	18.4	22.8	26.9	28.1	28.3	28.4	28.7	28.8
H275	19.9	20.9	25.7	28.9	29.5	29.6	29.7	29.8	29.8
H276	18.7	19.6	24.2	28.0	29.1	29.2	29.4	29.6	29.7
H277	20.2	21.1	25.4	29.6	31.0	31.2	31.3	31.7	31.7
H278	26.2	28.5	32.7	36.4	37.4	37.4	37.5	37.6	37.7
H279	19.4	20.3	24.9	28.6	29.7	29.8	30.0	30.2	30.2
H280	26.7	27.9	32.3	35.7	36.8	36.9	37.0	37.2	37.3
H281	23.8	25.8	30.0	33.7	34.8	34.9	35.0	35.2	35.2
H282	26.2	27.7	31.9	35.8	37.1	37.2	37.3	37.6	37.6
H283	22.0	22.9	27.2	31.3	32.6	32.7	32.9	33.2	33.3

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H284	26.8	29.8	34.0	37.5	38.4	38.4	38.4	38.5	38.5
H285	21.0	22.0	26.9	30.0	30.5	30.5	30.6	30.7	30.7
H286	24.1	25.0	29.3	33.4	34.8	35.0	35.1	35.5	35.5
H287	26.0	28.0	32.2	35.9	37.0	37.1	37.2	37.4	37.5
H288	28.2	31.1	35.4	38.9	39.8	39.8	39.8	39.9	39.9
H289	20.6	21.5	26.2	29.6	30.3	30.4	30.5	30.7	30.7
H290	16.3	17.2	21.7	25.5	26.6	26.8	26.9	27.2	27.2
H291	21.6	23.8	27.9	31.6	32.6	32.7	32.7	32.9	32.9
H292	18.1	19.0	23.4	27.5	28.8	29.0	29.2	29.5	29.5
H293	21.1	21.9	26.3	30.3	31.6	31.8	32.0	32.3	32.3
H294	24.0	24.9	29.2	33.3	34.7	34.8	35.0	35.4	35.4
H295	19.3	20.2	24.7	28.5	29.7	29.8	30.0	30.3	30.3
H296	22.5	23.4	27.7	31.8	33.1	33.3	33.4	33.8	33.8
H297	24.5	26.0	30.2	34.1	35.4	35.5	35.7	35.9	36.0
H298	20.2	21.1	25.5	29.5	30.7	30.9	31.0	31.3	31.4
H299	25.8	28.1	32.4	36.0	37.0	37.1	37.1	37.2	37.3
H300	21.1	22.0	26.6	30.2	31.2	31.4	31.5	31.7	31.8
H301	22.6	23.5	27.9	32.0	33.3	33.4	33.6	33.9	34.0
H302	22.6	23.5	27.9	31.9	33.2	33.4	33.5	33.9	33.9
H303	26.7	27.4	32.0	34.8	35.9	36.0	36.0	36.1	36.1
H304	22.2	23.1	27.4	31.5	32.8	33.0	33.1	33.4	33.5
H305	19.9	20.9	25.7	28.8	29.4	29.5	29.5	29.6	29.6
H306	20.9	21.9	26.6	29.9	30.7	30.8	30.9	31.0	31.0
H307	21.9	24.1	28.2	31.9	32.9	33.0	33.1	33.2	33.3
H308	22.0	24.2	28.3	32.0	33.0	33.1	33.2	33.3	33.3
H309	23.3	24.2	28.6	32.7	34.0	34.2	34.3	34.7	34.7
H310	22.3	24.5	28.7	32.3	33.3	33.4	33.5	33.6	33.7
H311	25.0	27.0	31.2	34.9	36.1	36.2	36.3	36.5	36.5
H312	18.9	19.8	24.5	27.9	28.7	28.8	28.9	29.1	29.1
H313	21.2	22.1	26.5	30.5	31.8	31.9	32.1	32.4	32.5
H314	15.3	16.6	20.8	24.9	26.1	26.3	26.4	26.7	26.7
H315	13.9	15.1	19.3	23.5	24.8	25.0	25.2	25.5	25.5
H316	20.8	22.4	26.5	30.5	31.7	31.8	32.0	32.2	32.2
H317	26.4	28.8	33.0	36.7	37.7	37.7	37.8	37.9	38.0
H318	23.5	24.4	28.7	32.9	34.2	34.4	34.5	34.9	34.9
H319	21.6	22.5	27.3	30.6	31.3	31.4	31.4	31.6	31.6
H320	28.7	31.7	36.0	39.5	40.4	40.4	40.4	40.4	40.4
H321	27.3	27.7	32.5	34.9	36.1	36.1	36.2	36.2	36.2
H322	21.8	22.8	27.6	30.8	31.5	31.6	31.6	31.8	31.8
H323	26.4	29.3	33.5	37.0	37.9	37.9	37.9	38.0	38.0
H324	21.4	23.4	27.5	31.2	32.3	32.4	32.5	32.7	32.7

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H325	22.7	24.8	28.9	32.6	33.7	33.8	33.8	34.0	34.0
H326	16.7	17.6	22.2	25.9	26.9	27.1	27.2	27.4	27.5
H327	21.8	22.8	27.1	31.2	32.5	32.6	32.8	33.1	33.2
H328	20.7	21.7	26.6	29.6	30.2	30.2	30.3	30.4	30.4
H329	20.6	21.6	25.8	30.1	31.4	31.6	31.8	32.1	32.2
H330	23.4	24.4	28.6	32.9	34.2	34.4	34.6	35.0	35.0
H331	27.6	28.0	32.7	35.1	36.2	36.3	36.3	36.4	36.4
H332	21.0	21.9	26.6	30.0	30.7	30.8	30.9	31.1	31.1
H333	21.8	22.8	27.6	30.8	31.5	31.5	31.6	31.7	31.8
H334	26.7	28.4	32.7	36.1	37.1	37.2	37.3	37.4	37.4
H335	21.3	22.2	26.6	30.6	31.9	32.0	32.2	32.5	32.6
H336	18.5	19.4	24.0	27.7	28.8	28.9	29.0	29.3	29.3
H337	15.3	16.6	20.8	24.9	26.2	26.4	26.6	26.9	26.9
H338	25.8	28.0	32.2	35.9	37.0	37.1	37.1	37.3	37.3
H339	18.8	19.7	24.3	27.9	28.9	29.0	29.1	29.3	29.4
H340	17.9	19.3	23.5	27.5	28.8	28.9	29.1	29.4	29.4
H341	26.8	27.4	32.0	34.6	35.8	35.9	35.9	36.0	36.0
H342	25.0	26.7	30.9	34.7	35.9	36.0	36.1	36.4	36.4
H343	22.9	25.1	29.2	32.9	33.9	34.0	34.1	34.2	34.2
H344	18.3	19.2	23.7	27.6	28.7	28.8	29.0	29.2	29.3
H345	18.3	19.2	23.6	27.6	28.8	29.0	29.1	29.4	29.4
H346	18.6	19.5	24.1	27.8	28.8	29.0	29.1	29.3	29.4
H347	25.8	28.1	32.3	35.9	36.9	37.0	37.1	37.2	37.2
H348	20.9	21.8	26.2	30.2	31.4	31.6	31.8	32.1	32.1
H349	24.4	26.3	30.5	34.3	35.4	35.5	35.6	35.8	35.8
H350	21.8	22.8	27.5	30.8	31.4	31.5	31.6	31.7	31.7
H351	24.4	25.3	29.6	33.7	35.1	35.2	35.4	35.8	35.8
H352	24.7	26.1	30.3	34.3	35.5	35.6	35.8	36.0	36.1
H353	26.4	27.5	31.9	35.0	36.1	36.2	36.3	36.4	36.4
H354	19.5	20.4	25.0	28.7	29.8	29.9	30.1	30.3	30.4
H355	21.0	21.9	26.1	30.4	31.7	31.9	32.1	32.4	32.5
H356	26.6	29.5	33.8	37.3	38.2	38.2	38.2	38.2	38.3
H357	20.3	21.3	25.5	29.8	31.1	31.3	31.5	31.8	31.9
H358	24.5	25.9	30.1	34.1	35.3	35.5	35.6	35.9	36.0
H359	20.6	21.4	25.7	29.7	31.0	31.2	31.4	31.7	31.7
H360	20.2	22.4	26.6	30.1	31.1	31.2	31.3	31.4	31.4
H361	22.0	23.1	27.9	31.1	31.7	31.7	31.8	31.9	31.9
H362	24.7	25.6	29.9	34.1	35.4	35.6	35.8	36.1	36.2
H363	22.1	23.1	28.0	31.1	31.7	31.8	31.8	31.9	32.0
H364	24.1	25.0	29.3	33.4	34.8	35.0	35.1	35.5	35.6
H365	26.9	29.6	33.9	37.4	38.3	38.4	38.4	38.5	38.5

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H366	25.3	26.5	30.7	34.8	36.1	36.3	36.5	36.8	36.9
H367	18.6	19.5	24.1	27.7	28.7	28.9	29.0	29.2	29.2
H368	20.6	21.6	25.8	30.1	31.4	31.6	31.8	32.1	32.2
H369	26.0	28.0	32.2	35.9	37.1	37.2	37.3	37.5	37.5
H370	27.8	30.5	34.8	38.3	39.2	39.2	39.3	39.3	39.3
H371	20.9	21.8	26.1	30.1	31.5	31.6	31.8	32.1	32.2
H372	21.4	22.4	27.2	30.4	31.1	31.1	31.2	31.4	31.4
H373	25.1	26.8	30.9	34.8	36.0	36.1	36.2	36.5	36.5
H374	26.7	29.2	33.4	37.0	38.0	38.0	38.1	38.2	38.2
H375	17.5	18.3	22.9	26.7	27.7	27.9	28.0	28.2	28.3
H376	19.8	20.7	25.3	29.0	30.0	30.1	30.2	30.5	30.5
H377	17.7	18.6	23.0	27.1	28.4	28.5	28.7	29.0	29.0
H378	19.3	20.2	24.7	28.6	29.7	29.9	30.0	30.3	30.3
H379	21.7	22.6	27.0	31.0	32.3	32.5	32.6	33.0	33.0
H380	26.6	27.5	31.8	36.0	37.4	37.6	37.8	38.1	38.2
H381	14.0	15.5	19.6	23.6	24.9	25.0	25.2	25.4	25.4
H382	25.3	26.5	30.7	34.8	36.1	36.3	36.4	36.8	36.8
H383	25.0	26.2	30.4	34.5	35.8	35.9	36.1	36.4	36.5
H384	25.1	26.6	30.8	34.7	36.0	36.1	36.2	36.5	36.6
H385	27.6	30.6	34.9	38.4	39.2	39.2	39.3	39.3	39.3
H386	20.1	21.0	25.4	29.4	30.6	30.8	30.9	31.2	31.3
H387	20.7	21.3	25.8	29.4	30.7	30.8	31.0	31.2	31.3
H388	21.7	23.9	28.1	31.6	32.7	32.7	32.8	32.9	33.0
H389	22.3	23.2	27.5	31.6	32.9	33.1	33.2	33.6	33.6
H390	27.8	30.7	34.9	38.5	39.3	39.4	39.4	39.4	39.5
H391	19.6	20.5	24.9	28.8	30.0	30.1	30.3	30.6	30.6
H392	20.9	21.6	26.1	29.8	31.2	31.3	31.5	31.7	31.8
H393	24.4	25.3	29.6	33.7	35.0	35.2	35.4	35.8	35.8
H394	25.8	28.0	32.2	35.9	36.9	37.0	37.1	37.3	37.3
H395	25.9	27.9	32.1	35.9	36.9	37.0	37.1	37.3	37.3
H396	26.3	28.7	33.0	36.6	37.6	37.6	37.7	37.8	37.9
H397	19.6	20.5	25.0	28.8	30.0	30.1	30.3	30.5	30.6
H398	26.3	28.7	32.9	36.5	37.5	37.6	37.7	37.8	37.8
H399	21.4	22.0	26.5	29.8	31.2	31.3	31.4	31.6	31.7
H400	21.7	24.1	28.3	31.8	32.8	32.9	32.9	33.0	33.0
H401	22.0	23.0	27.8	31.0	31.6	31.7	31.8	31.9	31.9
H402	27.2	27.7	32.4	34.8	36.0	36.1	36.1	36.2	36.2
H403	18.7	19.6	24.1	27.8	28.8	29.0	29.1	29.3	29.3
H404	26.2	28.5	32.7	36.4	37.4	37.5	37.5	37.7	37.7
H405	19.8	20.7	25.1	29.0	30.1	30.3	30.4	30.7	30.8
H406	21.3	22.2	26.5	30.6	32.0	32.2	32.3	32.7	32.7

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H407	26.6	28.2	32.6	35.9	37.0	37.1	37.2	37.3	37.3
H408	19.2	20.1	24.6	28.5	29.6	29.8	29.9	30.2	30.2
H409	21.5	22.4	27.2	30.5	31.2	31.2	31.3	31.5	31.5
H410	26.8	29.2	33.5	37.1	38.0	38.1	38.1	38.3	38.3
H411	22.3	23.2	27.5	31.7	33.0	33.2	33.4	33.7	33.8
H412	23.8	24.7	29.0	33.2	34.5	34.7	34.8	35.2	35.3
H413	22.0	23.0	27.8	31.0	31.6	31.7	31.8	31.9	31.9
H414	19.7	20.5	25.0	28.9	30.0	30.1	30.3	30.6	30.6
H415	23.1	24.6	28.8	32.7	33.9	34.1	34.2	34.5	34.5
H416	21.8	22.8	27.6	30.8	31.5	31.6	31.6	31.8	31.8
H417	21.6	22.6	27.3	30.6	31.3	31.4	31.4	31.6	31.6
H418	19.8	20.7	25.2	29.1	30.3	30.4	30.6	30.9	30.9
H419	21.4	21.9	26.5	29.8	31.1	31.2	31.3	31.6	31.6
H420	19.9	20.8	25.3	29.2	30.4	30.6	30.7	31.0	31.1
H421	18.2	19.1	23.5	27.5	28.7	28.9	29.0	29.3	29.3
H422	26.8	27.7	31.9	36.1	37.5	37.7	37.9	38.3	38.3
H423	21.1	22.9	27.1	30.9	32.0	32.1	32.2	32.5	32.5
H424	27.4	30.2	34.5	38.0	38.9	38.9	38.9	39.0	39.0
H425	22.4	23.9	28.1	32.0	33.2	33.4	33.5	33.8	33.8
H426	18.3	19.2	23.7	27.6	28.7	28.9	29.0	29.3	29.3
H427	21.4	22.3	26.6	30.8	32.1	32.3	32.5	32.8	32.8
H428	21.4	22.3	26.7	30.7	32.0	32.1	32.3	32.6	32.6
H429	18.0	18.9	23.4	27.2	28.2	28.4	28.5	28.7	28.8
H430	26.5	28.8	33.1	36.7	37.7	37.8	37.8	37.9	38.0
H431	24.9	26.4	30.6	34.5	35.7	35.9	36.0	36.3	36.3
H432	22.0	23.0	27.8	31.0	31.6	31.7	31.8	31.9	31.9
H433	23.2	25.3	29.4	33.1	34.2	34.3	34.4	34.5	34.6
H434	18.6	19.5	24.1	27.8	28.8	29.0	29.1	29.3	29.4
H435	27.9	30.6	34.9	38.4	39.3	39.3	39.3	39.4	39.4
H436	26.5	28.9	33.1	36.7	37.7	37.8	37.9	38.0	38.0
H437	27.7	28.6	32.8	37.1	38.5	38.7	38.8	39.2	39.3
H438	22.8	23.7	28.0	32.1	33.4	33.6	33.7	34.1	34.1
H439	19.7	20.3	24.8	28.3	29.6	29.8	29.9	30.2	30.2
H440	25.2	26.4	30.6	34.7	36.0	36.2	36.4	36.7	36.8
H441	24.9	26.4	30.5	34.5	35.7	35.9	36.0	36.3	36.4
H442	18.4	19.3	23.7	27.7	28.9	29.1	29.3	29.5	29.6
H443	21.9	22.8	27.1	31.2	32.6	32.8	33.0	33.3	33.4
H444	25.9	27.3	31.5	35.5	36.7	36.9	37.0	37.3	37.4
H445	26.0	27.3	31.5	35.5	36.8	36.9	37.1	37.4	37.4
H446	26.7	28.0	32.4	35.8	37.0	37.0	37.1	37.3	37.4
H447	29.9	30.9	35.1	39.3	40.7	40.9	41.0	41.4	41.5

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H448	18.7	19.6	23.9	28.0	29.3	29.5	29.6	29.9	30.0
H449	20.7	21.4	25.8	29.6	30.9	31.0	31.2	31.5	31.5
H450	20.4	21.0	25.5	29.2	30.5	30.6	30.8	31.1	31.1
H451	22.2	24.3	28.5	32.1	33.2	33.3	33.4	33.5	33.5
H452	21.0	21.7	26.1	29.9	31.3	31.4	31.6	31.9	31.9
H453	24.3	25.2	29.5	33.6	35.0	35.2	35.3	35.7	35.7
H454	24.2	25.1	29.4	33.6	34.9	35.1	35.3	35.6	35.7
H455	20.2	21.1	26.0	29.1	29.6	29.7	29.8	29.9	29.9
H456	20.2	21.1	26.0	29.1	29.6	29.7	29.7	29.8	29.9
H457	20.3	21.3	26.1	29.2	29.8	29.8	29.9	30.0	30.0
H458	20.4	21.3	26.2	29.3	29.8	29.9	29.9	30.0	30.0
H459	25.3	26.8	31.0	34.9	36.2	36.3	36.5	36.7	36.8
H460	26.0	28.1	32.3	36.0	37.1	37.2	37.3	37.4	37.4
H461	28.7	29.7	33.9	38.1	39.5	39.7	39.8	40.2	40.3
H462	25.1	26.8	31.0	34.8	36.0	36.2	36.3	36.5	36.6
H463	28.0	30.8	35.1	38.6	39.5	39.5	39.5	39.6	39.6
H464	20.6	21.5	25.9	30.0	31.2	31.3	31.5	31.8	31.9
H465	20.9	21.7	26.0	30.0	31.3	31.5	31.7	32.0	32.0
H466	25.7	27.2	31.4	35.3	36.6	36.7	36.9	37.2	37.2
H467	22.2	23.2	28.0	31.2	31.7	31.8	31.8	31.9	32.0
H468	22.9	23.8	28.1	32.2	33.5	33.7	33.9	34.2	34.3
H469	21.8	23.9	28.0	31.7	32.7	32.8	32.9	33.0	33.1
H470	21.6	22.6	27.4	30.6	31.3	31.4	31.4	31.6	31.6
H471	18.5	19.4	24.0	27.7	28.7	28.8	28.9	29.2	29.2
H472	18.6	19.4	24.0	27.8	28.8	29.0	29.1	29.4	29.4
H473	26.7	27.7	31.9	36.1	37.4	37.6	37.8	38.1	38.2
H474	27.8	30.4	34.7	38.2	39.1	39.2	39.2	39.3	39.3
H475	21.7	22.6	26.9	31.1	32.4	32.6	32.8	33.1	33.2
H476	19.6	20.5	25.3	28.6	29.2	29.3	29.4	29.6	29.6
H477	21.5	23.7	27.8	31.4	32.5	32.6	32.6	32.8	32.8
H478	20.2	21.2	26.0	29.1	29.7	29.7	29.8	29.9	29.9
H479	17.5	18.3	22.8	26.5	27.7	27.9	28.0	28.3	28.3
H480	24.5	25.4	29.7	33.8	35.2	35.4	35.5	35.9	36.0
H481	19.6	20.5	25.0	28.9	30.2	30.3	30.5	30.8	30.8
H482	21.6	22.6	27.3	30.6	31.3	31.4	31.5	31.6	31.6
H483	21.8	22.7	26.9	31.2	32.5	32.7	32.9	33.2	33.3
H484	18.8	19.7	24.4	27.8	28.7	28.8	28.9	29.0	29.1
H485	21.7	22.6	26.9	31.0	32.3	32.5	32.6	32.9	33.0
H486	19.4	20.3	24.7	28.6	29.8	29.9	30.1	30.3	30.4
H487	26.3	29.2	33.5	37.0	37.8	37.8	37.9	37.9	37.9
H488	18.7	20.0	24.2	28.3	29.5	29.7	29.9	30.1	30.2

NSL ID	Predicted Noise Level dB LA90 at Standardised Wind Speed (m/s) at 10m A.G.L.								
	3	4	5	6	7	8	9	10	11
H489	19.5	20.4	24.8	28.9	30.1	30.3	30.4	30.7	30.8
H490	28.0	28.3	33.1	35.4	36.6	36.6	36.6	36.7	36.7
H491	28.2	28.4	33.2	35.5	36.7	36.7	36.7	36.8	36.8
H492	28.6	28.9	33.7	35.8	37.0	37.1	37.1	37.1	37.1
H493	29.5	29.7	34.5	36.6	37.8	37.8	37.8	37.8	37.8
H494	29.7	29.8	34.6	36.7	37.9	37.9	37.9	38.0	38.0
H495	29.8	29.9	34.7	36.8	38.0	38.0	38.0	38.1	38.1
H496	28.4	28.6	33.4	35.6	36.8	36.8	36.8	36.9	36.9
H497	28.6	28.8	33.6	35.8	36.9	37.0	37.0	37.0	37.0
H498	28.7	28.9	33.7	35.9	37.1	37.1	37.1	37.2	37.2
H499	28.7	28.9	33.7	35.9	37.1	37.1	37.1	37.1	37.1
H500	28.8	29.0	33.8	35.9	37.1	37.2	37.2	37.2	37.2
H501	29.3	29.5	34.3	36.4	37.6	37.6	37.6	37.7	37.7
H502	29.5	29.6	34.4	36.5	37.7	37.7	37.7	37.8	37.8
H503	29.6	29.7	34.6	36.6	37.8	37.8	37.8	37.9	37.9
H504	30.5	30.5	35.4	37.4	38.6	38.6	38.6	38.6	38.6
H505	30.1	30.2	35.0	37.1	38.3	38.3	38.3	38.3	38.3
H506	30.1	30.2	35.1	37.1	38.3	38.3	38.3	38.3	38.3
H507	30.2	30.3	35.1	37.2	38.4	38.4	38.4	38.4	38.4
H508	30.3	30.3	35.2	37.2	38.4	38.4	38.4	38.5	38.5
H509	30.4	30.4	35.3	37.3	38.5	38.5	38.5	38.5	38.5
H510	30.4	30.4	35.3	37.3	38.5	38.5	38.5	38.5	38.5
H511	31.0	31.0	35.9	37.9	39.1	39.1	39.1	39.1	39.1
H512	31.0	31.1	36.0	37.9	39.1	39.1	39.2	39.2	39.2
H513	31.0	31.0	35.9	37.8	39.0	39.1	39.1	39.1	39.1
H514	30.3	30.3	35.2	37.2	38.4	38.4	38.4	38.4	38.4
H515	29.8	29.8	34.7	36.7	37.9	37.9	37.9	38.0	38.0
H516	29.8	29.9	34.8	36.8	38.0	38.0	38.0	38.0	38.0
H517	29.7	29.7	34.6	36.6	37.8	37.8	37.8	37.9	37.9
H518	29.3	29.4	34.3	36.3	37.5	37.5	37.5	37.5	37.5
H519	29.2	29.2	34.1	36.1	37.3	37.3	37.3	37.4	37.4
H520	28.6	28.7	33.6	35.6	36.8	36.8	36.8	36.9	36.9
H521	28.1	28.2	33.0	35.1	36.3	36.3	36.3	36.3	36.4
H522	27.9	28.0	32.9	35.0	36.2	36.2	36.2	36.3	36.3
H523	27.6	27.7	32.6	34.7	35.9	35.9	35.9	36.0	36.0