

Our Case Number: ACP-323699-25



**An
Coimisiún
Pleanála**

Health and Safety Authority (SIDS)
National Business Service Unit
National Environmental Health Service
HSE, 2nd Floor Oak House, Millennium Park
Naas
Co. Kildare
W91KDC2

Date: 25 March 2026

Re: 11 no. turbine wind farm and associated infrastructure
in the townlands of Beagh, Beagh More, Cloonbar, Cloonweelaun, Cloonnaglasha, Cloonteen,
Corillaun, Derrymore, Ironpool, Shancloon, Toberroe and Tonacooleen, Co. Galway
(www.shancloonwindfarmsid.ie)

Dear Sir / Madam,

An Coimisiún Pleanála has received a direct planning application for approval by RWE Renewables Ireland Limited with regard to the above-mentioned proposed development under section 37E of the Planning and Development Act 2000, as amended.

Please find enclosed a digital copy of the planning application for your information.

In accordance with Article 213 of the Planning and Development Regulations 2000, as amended, you are requested to make observations in relation to the proposed development. An observation to the Commission should relate to:

- (i) the implications of the proposed development for proper planning and sustainable development and
- (ii) the likely effects on the environment of the proposed development, if carried out.

Please note that An Coimisiún Pleanála following its consideration of the application can decide to:

- (i) grant the permission/approval, or
- (ii) make such modifications to the proposed development as it specifies in its decision and grant permission/ approval with regard to the proposed development as so modified, or
- (iii) grant permission/approval with regard to part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or

Teil	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1800 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

(b) refuse to grant the permission/approval.

Any observations to the Commission should be made within 4 weeks of the date of this letter. Your response should be made to the Commission on or before the 21st of April 2026.

If you have any queries in relation to the matter please contact the undersigned officer of the Commission.

Please quote the above-mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,



Sinead White
Executive Officer
Direct Line: 01-8737202

PA23

Teil
Glaio Áitiúil
Facs
Láithreán Gréasáin
Ríomhphost

Tel (01) 858 8100
LoCall 1800 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902