

DESIGNING AND DELIVERING
A SUSTAINABLE FUTURE

# **APPENDIX 10**

#### **ORNITHOLOGY**

Appendix 10.1- Species List

Appendix 10.2 - Vantage Point Surveys

Appendix 10.3 - Summary Data

Appendix 10.4.i - VP Data and Maps

Appendix 10.4.ii - Walkover Surveys Data and Maps

Appendix 10.4.iii - Sensitive Species Survey Confidential Information

Internal Use Only & Walkover Surveys Data without Maps

Appendix 10.5 - Collision Risk Model

APPENDIX 10.1

**Species List** 

### **Appendix I0-1 Bird Species Lists**

Table 1: Target species identified for the proposed Derrynadarragh Wind Farm site (includes some species not record during field surveys).

ed Listed ed Listed reen Listed ed Listed mber Listed ed Listed ed Listed ed Listed; Annex I EU Birds Directive ed Listed; Annex I reen Listed
reen Listed ed Listed mber Listed ed Listed ed Listed ed Listed; ed Listed; Annex I EU Birds Directive ed Listed; Annex I
ed Listed mber Listed ed Listed ed Listed; ed Listed; Annex I EU Birds Directive ed Listed; Annex I
mber Listed ed Listed ed Listed; Annex I EU Birds Directive ed Listed; Annex I reen Listed
ed Listed ed Listed; Annex I EU Birds Directive ed Listed; Annex I reen Listed
ed Listed; Annex I EU Birds Directive ed Listed; Annex I reen Listed
ed Listed; Annex I reen Listed
reen Listed
ed Listed
ca Listea
ed Listed
mber Listed; Annex I EU Birds Directive
ed Listed
mber Listed; Annex I EU Birds Directive
ed Listed
reen Listed; Annex I EU Birds Directive
mber Listed
ed Listed
mber Listed; Annex I EU Birds Directive
reen Listed; Annex I EU Birds Directive
ed Listed
ed Listed
ed Listed
reen Listed
ed Listed
mber Listed; Annex I EU Birds Directive
ed Listed
ed Listed

<sup>\*</sup>Species not observed during field surveys undertaken within and surrounding wind farm site.

Table 2: Species recorded during surveys undertaken at Dereenadarragh Wind Farm from October 2021 to September 2023 within Study Area.

Target Species	Conservation Status
Buzzard ( <i>Buteo buteo</i> )	Green Listed
Redshank ( <i>Tringa totanus</i> )	Red Listed
Cormorant (Phalacrocorax carbo)	Amber Listed
Curlew (Numenius arquata)	Red Listed
Golden Plover ( <i>Pluvialis apricaria</i> )	Red Listed; Annex I
Grey Heron (Ardea cinerea)	Green Listed
Grey Wagtail (Motacilla cinerea)	Red Listed
Hen Harrier (Circus cyaneus)	Amber Listed; Annex I EU Birds Directive
Kestrel (Falco tinnunculus)	Red Listed
Kingfisher (Alcedo atthis)	Amber Listed; Annex I EU Birds Directive
Lapwing (Vanellus vanellus)	Red Listed
Little Egret (Egretta garzetta)	Green Listed; Annex I EU Birds Directive
Mallard (Anas platyrhynchos)	Amber Listed
Meadow Pipit (Anthus pratensis)	Red Listed
Merlin (Falco columbarius)	Amber Listed; Annex I EU Birds Directive
Peregrine Falcon (Falco peregrinus)	Green Listed; Annex I EU Birds Directive
Red Grouse (Lagopus lagopus)	Red Listed
Redwing (Turdus iliacus)	Red Listed
Snipe (Gallinago gallinago)	Red Listed
Sparrowhawk (Accipiter nisus)	Green Listed
Swift (Apus apus)	Red Listed
Whooper Swan (Cygnus cygnus)	Amber Listed; Annex I EU Birds Directive
Woodcock (Scolopax rusticola)	Red Listed
Yellowhammer (Emberiza citrinella)	Red Listed

**Table 3: Additional species recorded during surveys** 

Species	Conservation Status	Note		
Cuckoo (Cuculus canorus)	Green Listed	Heard off-site, Ma	ay 2022	
Grater Spotted Woodpecker (Dendrocopus major)	Green Listed	Heard off-site, Ma	ay 2022	
Skylark (Alauda arvensis)	Amber Listed			
Cattle Egret (Bubulcus ibis)	Green Listed	Seen off-site	during \	VΡ
		survey.		
Linnet ( <i>Linaria cannabina</i> )	Amber Listed			
Lesser Black-backed Gull (Larus fuscus)	Amber Listed	Seen off-site	during \	VΡ
		survey.		

APPENDIX 10.2

Vantage Point Surveys

### Appendix 10-2

Ornithology Survey details at Derrynadarragh Wind Farm to inform Environmental Impact Assessment

Table 1: Details of Vantage Point Surveys undertaken at Derrynadarragh Wind Farm October 2021 to September 2023.

		Survey	Duratio	Start	End			
Date	Survey type	Location	n (hrs)	time	time	Weather	Surveyor	Comments (general)
44/40/0004	Vantaga Daint Cunyoy	\/D0		00.00	44.00	Dry, moderate visibility, WNW wind F2	OW	
11/10/2021	Vantage Point Survey	VP2	3	08:00	11:00		GW	
11/10/2021	Vantage Point Survey	VP1	3	14:30	17:30	Dry, good visibility, no wind	GW	
12/10/2021	Vantage Point Survey	VP1	3	08:00	11:00	Dry, good visibility, no wind	GW	
12/10/2021	Vantage Point Survey	VP2	3	11:30	14:30	Dry, good visibility, no wind	GW	
08/11/2021	Vantage Point Survey	VP2	3	07:30	10:30	Dry, good visibility, SSE wind F2	GW	
08/11/2021	Vantage Point Survey	VP1	3	13:30	16:30	Dry, good visibility, SSW wind F4	GW	
09/11/2021	Vantage Point Survey	VP1	3	07:30	10:30	Dry, good visibility, W wind F2	GW	
						Dry, excellent visibility, W wind		
09/11/2021	Vantage Point Survey	VP2	3	13:00	16:00	F1	GW	
02/12/2021	Vantage Point Survey	VP1	3	08:30	11:35	Dry, good visibility, S wind F1	GW	
02/12/2021	Vantage Point Survey	VP2	3	13:45	16:35	Dry, good visibility, S wind F1	GW	
						Dry, good visibility, WSW wind		
03/12/2021	Vantage Point Survey	VP2	3	08:15	11:15	F2	GW	
03/12/2021	Vantage Point Survey	VP1	3	13:40	16:40	Dry, good visibility, SSW wind F1	GW	
						Light rain, good visibility, NNE		
03/01/2022	Vantage Point Survey	VP2	3	08:15	11:15	wind F2	GW	
						Light rain, good visibility, NNE		
03/01/2022	Vantage Point Survey	VP1	3	13:30	16:30	wind F3	GW	
04/01/2022	Vantage Point Survey	VP1	3	08:30	11:30	Dry, good visibility, SSE wind F2	GW	
04/01/2022	Vantage Point Survey	VP2	3	13:45	16:45	Dry, good visibility, SE wind F2	GW	
21/02/2022	Vantage Point Survey	VP1	3	07:30	10:30	Dry, good visibility, SE wind F6	GW	
21/02/2022	Vantage Point Survey	VP2	3	13:00	16:00	Dry, good visibility, SE wind F3	GW	
22/02/2022	Vantage Point Survey	VP2	3	08:00	11:00	Dry, good visibility, NE wind F2	GW	
22/02/2022	Vantage Point Survey	VP1	3	13:45	16:45	Dry, good visibility, NE wind F2	GW	
<b></b> , <b></b> , <b></b>	<u> </u>			100.00	100	Dry, moderate visibility, NW		
07/03/2022	Vantage Point Survey	VP1	3	07:30	10:30	wind F2	GW	
07/03/2022	Vantage Point Survey	VP2	3	13:30	16:30	Dry, good visibility, NW wind F2	GW	

Dete	Company from a	Survey	Duratio	Start	End	Weather	Company	Comments (nonerall)
Date	Survey type	Location	n (hrs)	time	time	Weather Light rain, good visibility, NW	Surveyor	Comments (general)
08/03/2022	Vantage Point Survey	VP2	3	07:30	10:30	wind F4	GW	
				0.100	10100	Light rain, good visibility, NW		
08/03/2022	Vantage Point Survey	VP1	3	13:30	16:30	wind F2	GW	
05/04/2022	Vantage Point Survey	VP3	3	15:55	18:55	Dry, good visibility, S wind F5	BD	No obs
07/04/2022	Vantage Point Survey	VP2	3	09:30	12:30	Dry, good visibility, NW wind F5	BD	
07/04/2022	Vantage Point Survey	VP3	3	10:30	13:30	Dry, good visibility, NW wind F5	GW	
10/04/2022	Vantage Point Survey	VP1	3	14:05	17:05	Dry, good visibility, S wind F4	BD	
10/04/2022	Vantage Point Survey	VP2	3	17:25	20:25	Dry, good visibility, S wind F3	BD	No obs
11/04/2022	Vantage Point Survey	VP1	3	08:10	11:10	Heavy rain showers, good visibility, SW wind F3	BD	No obs
						Light showers, good visibility, SE		
11/04/2022	Vantage Point Survey	VP3	3	11:30	14:30	wind F4	BD	
12/04/2022	Vantage Point Survey	VP2	3	06:45	09:45	Dry, good visibility, S wind F1	BD	
12/04/2022	Vantage Point Survey	VP1	3	15:20	18:20	Dry, good visibility, NW wind F1	BD	
13/04/2022	Vantage Point Survey	VP3	3	09:55	12:55	Dry, good visibility, W wind F1	BD	
12/05/2022	Vantage Point Survey	VP2	3	06:30	09:30	Dry, good visibility, NE wind F1	GW	No obs
19/05/2022	Vantage Point Survey	VP3	3	09:30	12:30	Dry, good visibility, SW wind F3	BD	
19/05/2022	Vantage Point Survey	VP1	3	12:50	15:50	Dry, good visibility, S wind F3	BD	
19/05/2022	Vantage Point Survey	VP2	3	16:20	19:20	Dry, good visibility, S wind F2	BD	
21/05/2022	Vantage Point Survey	VP1	3	09:40	12:40	Dry, good visibility, S wind F2	BD	Cuckoo & woodpecker heard off-site
21/05/2022	Vantage Point Survey	VP3	3	14:30	17:30	Dry, good visibility, S wind F2	BD	
22/05/2022	Vantage Point Survey	VP2	3	10:25	13:25	Dry, good visibility, SW wind F2	BD	
22/05/2022	Vantage Point Survey	VP1	3	13:55	16:55	Dry, good visibility, SW wind F3	BD	
24/05/2022	Vantage Point Survey	VP1	3	15:30	18:30	Dry, good visibility, SE wind F3	GW	No obs
31/05/2022	Vantage Point Survey	VP2	3	08:55	11:55	Dry, good visibility, NW wind F3	BD	
31/05/2022	Vantage Point Survey	VP3	3	18:20	21:20	Dry, good visibility, N wind F1	BD	
01/06/2022	Vantage Point Survey	VP1	3	05:50	08:50	Dry, good visibility, W wind F2	BD	Cattle Egret seen off site.
02/06/2022	Vantage Point Survey	VP3	3	05:30	08:30	Dry, good visibility, SE wind F1	BD	
02/06/2022	Vantage Point Survey	VP2	3	08:55	11:55	Dry, good visibility, SE wind F2	BD	No obs
29/06/2022	Vantage Point Survey	VP1	3	17:20	20:20	Dry, good visibility, W wind F1	BD	
30/06/2022	Vantage Point Survey	VP2	3	13:20	16:20	Dry, good visibility, W wind F3	BD	

Dete	0	Survey	Duratio	Start	End	Manthau	0	Comments (manage)
Date	Ventage Deint Survey	Location	n (hrs)	17:15	time	Dry good visibility SW wind F1	Surveyor BD	Comments (general)
30/06/2022	Vantage Point Survey	VP3		+	20:15	Dry, good visibility, SW wind F1		No obs
02/07/2022	Vantage Point Survey	VP3	3	13:30	16:30	Dry, good visibility, S wind F2	BD	
02/07/2022	Vantage Point Survey	VP2	3	16:55	19:55	Dry, good visibility, S wind F2	BD	
03/07/2022	Vantage Point Survey	VP2	3	11:25	14:25	Dry, good visibility, W wind F2	BD	No obs
03/07/2022	Vantage Point Survey	VP1	3	15:00	18:00	Dry, good visibility, W wind F2	BD	
05/07/2022	Vantage Point Survey	VP3	3	07:15	10:15	Dry, good visibility, W wind F2	BD	No obs
05/07/2022	Vantage Point Survey	VP1	3	10:45	13:45	Dry, good visibility, W wind F2	BD	No obs
09/08/2022	Vantage Point Survey	VP3	3	18:00	21:00	Dry, good visibility, W wind F1	BD	No obs
10/08/2022	Vantage Point Survey	VP2	3	09:55	12:55	Dry, good visibility, SW wind F1	BD	
10/08/2022	Vantage Point Survey	VP1	3	13:20	16:20	Dry, good visibility, SW wind F1	BD	
24/10/2022	Vantage Point Survey	VP1	3	16:10	19:10	Dry, Good visibility, SW wind F2	MD	
25/10/2022	Vantage Point Survey	VP1	3	07:20	10:20	Dry, Good visibility, SE wind F3	MD	
25/10/2022	Vantage Point Survey	VP1	6	10:50	17:20	Drizzle, good visibility, SE wind F4	MD	Large flock of Golden Plover (ca 8k birds) circling to the east of study area (11:30 to 16:40) at approx. height between 150 and 300m. Number of birds dropping periodically due to presumed foraging.
23/10/2022	vantage i omit ourvey	VEI	- 0	10.50	17.20	Light showers, good visibility,	IVID	presumed foraging.
26/10/2022	Vantage Point Survey	VP3	6	09:00	15:30	SSW wind F5	MD	
26/10/2022	Vantage Point Survey	VP3	3	16:00	19:00	Drizzle, good visibility, SW wind F4	MD	
27/10/2022	Vantage Point Survey	VP3	3	07:20	10:20	Light showers, moderate visibility, SSE wind F3	MD	Visibility declined as mist moved in.
27/10/2022	Vantage Point Survey	VP2	6	10:50	17:20	Light showers, good visibility, SE wind F3	MD	
10/11/2022	Vantage Point Survey	VP3	6	07:55	14:25	Drizzle, good visibility, SW wind F5	MD	
10/11/2022	Vantage Point Survey	VP1	3	14:40	17:40	Drizzle, moderate visibility, SW wind F6	MD	No obs
11/11/2022	Vantage Point Survey	VP2	6	08:00	14:30	Drizzle, good visibility, SSW wind F6	MD	
11/11/2022	Vantage Point Survey	VP2	3	14:40	17:40	Drizzle, good visibility, SW wind F3	MD	

Data	C	Survey	Duratio	Start	End	Weather	0	Comments (manage)
Date	Survey type	Location	n (hrs)	time	time	Weather Drizzle, moderate visibility, SE	Surveyor	Comments (general)
12/11/2022	Vantage Point Survey	VP2	3	06:50	09:50	wind F3	MD	No obs
						Drizzle, good visibility, SE wind		
12/11/2022	Vantage Point Survey	VP1	6	10:20	16:50	F3	MD	
13/11/2022	Vantage Point Survey	VP1	3	06:50	09:50	Drizzle, good visibility, SE wind F2	MD	
04/12/2022	Vantage Point Survey	VP3	6	09:00	15:30	Light showers, good visibility, NE wind F2	MD	
05/12/2022	Vantage Point Survey	VP1	6	10:00	16:40	Light showers, good visibility, NE wind F3	MD	
06/12/2022	Vantage Point Survey	VP2	6	09:10	15:40	Dry, good visibility, NE wind F2	MD	
09/01/2023	Vantage Point Survey	VP3	6	09:10	15:40	Light showers, good visibility, W wind F5	MD	No obs
10/01/2023	Vantage Point Survey	VP2	6	09:00	15:30	Dry, good visibility, W wind F3	MD	
11/01/2023	Vantage Point Survey	VP1	6	08:50	15:20	Light showers, moderate visibility, SW wind F5	MD	
03/02/2023	Vantage Point Survey	VP1	6	08:45	15:15	Dry, good visibility, SW wind F2	MD	
04/02/2023	Vantage Point Survey	VP3	6	09:10	15:40	Light showers, moderate visibility, SW wind F3	MD	No obs
07/02/2023	Vantage Point Survey	VP2	6	11:00	17:30	Dry, good visibility, SW wind F2	MD	
02/03/2023	Vantage Point Survey	VP1	3	16:00	19:00	Dry, Good visibility, W wind F2	MD	
03/03/2023	Vantage Point Survey	VP1	3	06:20	09:20	Dry, Good visibility, WNW wind F2	MD	
03/03/2023	Vantage Point Survey	VP3	6	10:00	16:30	Dry, good visibility, W wind F2	MD	No obs
10/03/2023	Vantage Point Survey	VP2	3	06:20	09:20	Dry, Good visibility, WSW wind F2	MD	No obs
10/03/2023	Vantage Point Survey	VP1	6	09:55	16:25	Drizzle, good visibility, WSW wind F2	MD	
12/03/2023	Vantage Point Survey	VP2	6	08:50	15:20	Drizzle, good visibility, SSW wind F2	MD	
12/03/2023	Vantage Point Survey	VP2	3	16:10	19:10	Drizzle, good visibility, SSW wind F2	MD	No obs
22/05/2023	Vantage Point Survey	VP1	6	09:40	16:10	Dry, good visibility, WNW wind F2	MD	
24/05/2023	Vantage Point Survey	VP2	6	11:20	17:50	Dry, good visibility, WNW wind F3	MD	

		Survey	Duratio	Start	End			
Date	Survey type	Location	n (hrs)	time	time	Weather  Dry good visibility NINW wind	Surveyor	Comments (general)
25/05/2023	Vantage Point Survey	VP3	6	08:10	14:40	Dry, good visibility, NNW wind F3	MD	
01/06/2023	Vantage Point Survey	VP1	6	09:00	15:30	Dry, good visibility, ESE wind F2	MD	No obs
						J. 0		NO ODS
02/06/2023	Vantage Point Survey	VP2	6	08:50	15:20	Dry, good visibility, SE wind F3	MD	
21/06/2023	Vantage Point Survey	VP3	6	05:00	11:30	Dry, good visibility, SW wind F2	MD	
01/07/2023	Vantage Point Survey	VP3	6	10:00	16:30	Heavy showers, good visibility, WNW wind F2	MD	No obs
01/01/2023	variage i onit ourvey	VES	0	10.00	10.50	Light showers, good visibility,	IVID	NO ODS
04/07/2023	Vantage Point Survey	VP2	6	08:30	15:00	WSW wind F3	MD	
0 1/01/2020		11.2		00.00	10.00	Light showers, good visibility, S	2	
06/07/2023	Vantage Point Survey	VP1	6	10:10	16:40	wind F3	MD	
08/07/2023	Vantage Point Survey	VP2	6	14:40	21:10	Dry, good visibility, SSE wind F3	MD	
						Heavy showers, good visibility,		
09/07/2023	Vantage Point Survey	VP1	6	09:50	16:20	SSE wind F3	MD	
						Light showers, good visibility,		
10/07/2023	Vantage Point Survey	VP3	6	06:30	13:00	SSE wind F2	MD	No obs
						Drizzle, good visibility, WNW		
06/08/2023	Vantage Point Survey	VP1	6	11:20	17:50	wind F3	MD	No obs
07/08/2023	Vantage Point Survey	VP2	6	06:50	13:20	Dry, good visibility, SW wind F2	MD	
08/08/2023	Vantage Point Survey	VP3	6	07:00	13:30	Light showers, good visibility, NNE wind F3	MD	
12/09/2023	Vantage Point Survey	VP2	6	09:40	16:10	Dry, good visibility, N wind F3	MD	
12/09/2023	Vantage Point Survey	VP2	3	17:45	20:45	Dry, Good visibility, NNE wind F2	MD	dusk
12/00/2020	vantage i emit euros	V1 Z		17.40	20.40	Dry, Good visibility, SSW wind	IVID	duon
13/09/2023	Vantage Point Survey	VP3	3	06:20	09:20	F1 **	MD	No obs (dawn)
						Light showers, moderate		
13/09/2023	Vantage Point Survey	VP1	6	10:00	16:30	visibility, S wind F3	MD	
						Dry, moderate visibility, SW wind		
14/09/2023	Vantage Point Survey	VP3	6	08:10	14:40	F2	MD	No obs
14/09/2023	Vantage Point Survey	VP3	3	17:40	20:40	Dry, Good visibility, SW wind F2	MD	dusk
15/09/2023	Vantage Point Survey	VP2	3	06:20	09:20	Light showers, NW wind F3	MD	No obs (dawn)

Table 2: Details of Winter Walkover Surveys undertaken at Derrynadarragh Wind Farm October 2021 to September 2023.

		Survey	Duratio	Start	End			
Date	Survey type	Location	n (hrs)	time	time	Weather	Surveyor	Comments (general)
		Walkover						
11/10/2021	Winter Walkover	transect 1	2	15:00	17:00	Dry, moderate visibility, calm	GW	
		Walkover						
12/10/2021	Winter Walkover	transect 1	2	16:00	18:00	Dry, good visibility, calm	GW	
		Walkover						
08/11/2021	Winter Walkover	transect 1	2	11:00	13:00	Dry, good visibility, S wind F1	GW	
		Walkover				Dry, good visibility, WSW wind		
09/11/2021	Winter Walkover	transect 1	2	10:30	12:30	F1	GW	
		Walkover						
02/12/2021	Winter Walkover	transect 1	2	11:35	13:35	Dry, good visibility, S wind F2	GW	
		Walkover				Light rain, good visibility, WSW		
03/12/2021	Winter Walkover	transect 1	2	11:30	13:30	wind F2	GW	
		Walkover				Dry, good visibility, NNE wind		
03/01/2022	Winter Walkover	transect 1	2	11:25	13:25	F2	GW	
		Walkover						
04/01/2022	Winter Walkover	transect 1	2	11:35	13:35	Dry, good visibility, SE wind F1	GW	
		Walkover						
21/02/2022	Winter Walkover	transect 1	2	10:45	12:45	Dry, good visibility, SE wind F5	GW	Site flooded, no obs
		Walkover						
22/02/2022	Winter Walkover	transect 1	2	11:30	13:30	Dry, good visibility, E wind F1	GW	Site flooded, no obs
		Walkover						
07/03/2022	Winter Walkover	transect 1	2	11:00	11:30	Dry, good visibility, NW wind F2	GW	
		Walkover						
08/03/2022	Winter Walkover	transect 1	2	10:45	12:45	Dry, good visibility, NW wind F5	GW	
		Walkover						
31/10/2022	Winter Walkover	transect 2	6	09:15	15:05	Light showers, SW wind F3	MD	
		Walkover				Drizzle, good visibility, SE wind		
13/11/2022	Winter Walkover	transect 2	6.2	10:00	16:20	F3	MD	
10/11/2022	VIIIICI VVAIROVCI	Walkover	0.2	10.00	10.20	Dry, Good visibility, NW wind	IVID	
07/12/2022	Winter Walkover	transect 2	6.0	08:40	14:40	F2	MD	
UTTILIZUZZ	VVIIILOI VVAIILOVOI	Walkover	0.0	00.40	17.70	Drizzle, good visibility, SW wind	IVID	
12/01/2023	Winter Walkover	transect 2	6.0	09:30	15:30	F2	MD	
,0 ,,2020	THIRD TYAIROVOI	Walkover	3.5	00.00	10.00	Dry, Good visibility, WSW wind		
02/02/2023	Winter Walkover	transect 2	6.0	09:00	15:00	F3	MD	
32,32,2020	THIEST TRAINS FOR	Walkover	3.5	33.00	10.00	Drizzle, good visibility, WNW	12	
02/03/2023	Winter Walkover	transect 2	5.75	09:15	15:00	wind F2	MD	

Table 3: Details of Breeding Walkover Surveys undertaken at Derrynadarragh Wind Farm October 2021 to September 2023.

Survey type  Breeding Walkover	Walkover transect 1	n (hrs)	time	timo			
Breeding Walkover				time	Weather	Surveyor	Comments (general)
Breeding vvalkover			44.00	47.00	Day and delicities of select EA	0)4/	
		3	14:00	17:00	Dry, good visibility, SE wind F4	GW	
Daniel Branch Marilla and an	Walkover		40.00	40.00	Donato de de de de de Al Estado de EA	0)4/	
Breeding walkover		3	10:30	13:30	Dry, good visibility, NE wind F1	GW	
Dona dia m Mallanan			07.00	40.00	Dura mandadaileilite NIM odad E4	C)A/	
Breeding vvalkover		3	07:30	10:30	Dry, good visibility, NVV wind Fi	GW	
Drooding Malkeyes			11.00	14.00	Day good visibility NIM wind E1	CVA	
Breeding walkover		3	11:00	14:00	Dry, good visibility, NVV wind F1	GW	
Drooding Malkeyes			00.20	10.00	Day good visibility NE wind E2	CVA	
Breeding walkover		3	09:30	12:30	Dry, good visibility, NE wind F3	GW	
Prooding Walkeyer		9	11:00	14:00	Dry good visibility NE wind E4	CM	
Breeding Walkover		3	11.00	14.00		GVV	
Prooding Walkeyer		9	12:20	16:20		CM	
breeding walkover		3	13.30	10.30	WIIIU F3	GW	
Prooding Walkover		2	10:00	12:00	Dry good visibility SE wind E2	CVA	
Breeding Walkover		3	10.00	13.00	Dry, good visibility, SE willd F3	GW	
Prooding Walkover		2	14:20	17:20	Dry good visibility NE wind E2	CW	
Breeding Walkover		3	14.50	17.30	Dry, good visibility, NE Willa F3	GW	
Brooding Walkover		2	10:30	22:30	Dry good visibility NE wind E3	GW/	
breeding walkover		3	19.50	22.30	Dry, good visibility, NE willd F3	GW	
Brooding Walkover		2	04:30	07:30	Dry good visibility NE wind E3	GW/	
Dieeding Walkovei		3	04.50	07.50	Dry, good visibility, NE Willa 13	GW	
Breeding Walkover		3	10:00	13:00	Dry good visibility NE wind E3	GW	
Breeding Walkover		<del>                                     </del>	10.00	13.00	Dry, good visibility, NE Willa 13	OW	
Breeding Walkover		5.4	08:00	13:40	Dry Good visibility SE wind E2	MD	
Breeding Walkover		3.4	00.00	13.40	Dry, Good visibility, GE Willa 12	IVID	
Breeding Walkover		5.4	08:00	13:40	Dry Good visibility SW wind E3	MD	
Dieeding Walkovei		3.4	00.00	13.40	3.	IVID	
Breeding Walkover		5.2	13:30	19:10		MD	
Diccoming Wantever		0.2	10.00	13.10	=	IVID	
Breeding Walkover		0.2	00.30	13:50		MD	
Diccurry Warkover		0.2	00.00	10.00		1410	
Breeding Walkover		5.4	10:00	15:40	, , ,	MD	
	Breeding Walkover	Breeding Walkover	Breeding Walkover transect 1 3  Breeding Walkover transect 2 5.4  Breeding Walkover transect 2 5.4  Breeding Walkover transect 2 5.2  Breeding Walkover transect 2 5.2  Breeding Walkover transect 2 0.2  Breeding Walkover transect 2 0.2  Walkover transect 2 0.2	Breeding Walkover	Breeding Walkover	Breeding Walkover transect 1 3 07:30 10:30 Dry, good visibility, NW wind F1  Walkover transect 1 3 11:00 14:00 Dry, good visibility, NW wind F1  Walkover transect 1 3 09:30 12:30 Dry, good visibility, NE wind F3  Walkover transect 1 3 11:00 14:00 Dry, good visibility, NE wind F3  Walkover transect 1 3 11:00 14:00 Dry, good visibility, NE wind F3  Walkover transect 1 3 13:30 16:30 Wind F3  Breeding Walkover transect 1 3 10:00 13:00 Dry, good visibility, SE wind F3  Walkover transect 1 3 14:30 17:30 Dry, good visibility, NE wind F3  Walkover transect 1 3 19:30 22:30 Dry, good visibility, NE wind F3  Walkover transect 1 3 19:30 22:30 Dry, good visibility, NE wind F3  Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3  Walkover transect 1 3 10:00 Dry, good visibility, NE wind F3  Walkover transect 1 3 10:00 Dry, good visibility, NE wind F3  Walkover transect 1 3 10:00 Dry, good visibility, NE wind F3  Walkover transect 1 3 10:00 Dry, good visibility, NE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F2  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F3  Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, NW wind F3  Dry, Good visibility, NW wind F3  Dry, Good visibility, NW wind Dry, Good vis	Breeding Walkover transect 1 3 07:30 10:30 Dry, good visibility, NW wind F1 GW Walkover transect 1 3 11:00 14:00 Dry, good visibility, NW wind F1 GW Walkover transect 1 3 09:30 12:30 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 11:00 14:00 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 11:00 14:00 Dry, good visibility, NE wind F4 GW Walkover transect 1 3 13:30 16:30 wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, SE wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 14:30 17:30 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 19:30 22:30 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 19:30 22:30 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3 GW Walkover transect 1 3 10:00 13:00 Dry, good visibility, NE wind F3 GW Walkover transect 2 5.4 08:00 13:40 Dry, good visibility, SE wind F2 MD Walkover transect 2 5.4 08:00 13:40 Dry, Good visibility, SE wind F2 MD Walkover transect 2 5.2 13:30 19:10 F3 MD Dry, Good visibility, NE wind MD Dry, Good visibility, NE Wind MD Dry, Good visibility, NE Wind MD Dry, Good

Table 4: Details of Breeding Raptor Surveys undertaken at Derrynadarragh Wind Farm (and surrounding area + 2.5km) during breeding season 2023.

Date	Survey type	Survey Location	Duratio n (hrs)	Start time	End time	Weather	Surveyor	Comments (general)
						Dry, Good visibility, NW wind		, ,
22/05/2023	Breeding Raptor	BR VP 1	3	06:00	09:00	F1	MD	No obs
l						Dry, Good visibility, WNW wind		
24/05/2023	Breeding Raptor	BR VP 2	3	07:50	10:50	F1	MD	No obs
01/06/2023	Breeding Raptor	BR VP 3	3	05:30	08:30	Dry, Good visibility, SE wind F1	MD	
02/06/2023	Breeding Raptor	BR VP 4	3	16:00	19:00	Dry, Good visibility, SE wind F3	MD	No obs
06/07/2023	Breeding Raptor	BR VP 3	3	06:30	09:30	Light showers, S wind F2	MD	
						Heavy showers, moderate		
09/07/2023	Breeding Raptor	BR VP 5	3	06:20	09:20	visibility	MD	No obs

Table 5: Details of breeding wader (curlew) surveys (and surrounding area within 2km) during breeding season 2022 and 2025.

		Survey	Duratio	Start	End			
Date	Survey type	Location	n (hrs)	time	time	Weather	Surveyor	Comments (general)
13/04/2022	Breeding Wader Survey (VP)	BW VP1	3	06:45	09:45	Dry, good visibility, 0 wind F0	BD	
21/05/2022	Breeding Wader Survey (VP)	BW VP1	3	06:10	09:10	Dry, good visibility, SE wind F2	BD	
31/05/2022	Breeding Wader Survey (VP)	BW VP1	2	12:30	14:30	Dry, good visibility, W wind F4	BD	
01/06/2022	Breeding Wader Survey (VP)	BW VP1	3	09:35	12:35	Dry, good visibility, W wind F1	BD	No obs
20/04/2025	Breeding Wader Survey	BW T1	3	14:15	17:15			
	(walkover)					Dry, Good visibility, ESE wind F3	MD	
27/05/2025	Breeding Wader Survey	BW T1	3	07:00	10:00	Light showers, moderate		
	(walkover)					visibility, WS wind F1	MD	No obs
17/06/2025	Breeding Wader Survey	BW T1	3	07:10	10:00			
	(walkover)					Dry, Good visibility, SW wind F3	MD	No obs

Table 6: Details of breeding woodcock survey undertaken during breeding season 2025.

		Survey	Duratio	Start	End			
Date	Survey type	Location	n (hrs)	time	time	Weather	Surveyor	Comments (general)
	Breeding Woodcock	Woodcock				Drizzle, limited visibility (dusk),		
23/06/2025	Survey	habitat	3.0	21:00	00:00	SW wind F3	MD	dusk / nocturnal

**APPENDIX 10.3** 

**Summary Data** 

#### Appendix 10-3

#### Ornithology summary data at Derrynadarragh Wind Farm to inform Environmental Impact Assessment

Table 1: Number of observations and flight duration per species per month from VP Surveys undertaken at Derrynadarragh Wind Farm October 2021 to September 2023.

Species	Year	Parameter	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
	2021	Observations										8	6	6
	2021	Flight duration (sec)										292	150	287
Buzzard	2022	Observations	11	10	9	7	10	4	3	4		5	6	3
Buzzaru	2022	Flight duration (sec)	690	436	579	479	4995	1098	89	3330		324	276	150
	2023	Observations		4	3		8	8	11	3	10			
	2025	Flight duration (sec)		172	284		958	469	1598	281	1227			
	2021	Observations												
	2021	Flight duration (sec)												
Curlew	2022	Observations				1	1							
Curtew	2022	Flight duration (sec)				525	18							
	2023	Observations												
	2023	Flight duration (sec)												
	2021	Observations											1	
	2021	Flight duration (sec)											87	
Golden Plover	2022	Observations		5	4	9						12	2	1
Gotden Flovei	2022	Flight duration (sec)		121	121	67						6915	125	50
	2023	Observations			3									
	2023	Flight duration (sec)			205									
	2021	Observations											1	
	2021	Flight duration (sec)											87	
Hen Harrier	2022	Observations						1	1					
Tienriamei	2022	Flight duration (sec)						15	5					
	2023	Observations		2										
	2023	Flight duration (sec)		60										
	2021	Observations										3	2	4
	2021	Flight duration (sec)										196	86	333
Kestrel	2022	Observations	3	2	2		1					1	4	2
	2022	Flight duration (sec)	211	231	233		33					75	483	550
	2023	Observations	2		3			1	3	2				

Species	Year	Parameter	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
		Flight duration (sec)	275		661			86	417	202				
	2021	Observations											1	
	2021	Flight duration (sec)											123	
Lapwing	2022	Observations	1			2								1
Lapwing	2022	Flight duration (sec)	107			27								35
	2023	Observations	1		1									
	2023	Flight duration (sec)	40		13									
	2021	Observations												
	2021	Flight duration (sec)												
Mallard	2022	Observations											1	
Mattaru	2022	Flight duration (sec)											19	
	2023	Observations												
	2023	Flight duration (sec)												
	2021	Observations												1
	2021	Flight duration (sec)												23
Merlin	2022	Observations			1									
Pierun	2022	Flight duration (sec)			23									
	2023	Observations												
	2023	Flight duration (sec)												
	2021	Observations											1	
	2021	Flight duration (sec)											41	
Peregrine	2022	Observations			1									
reregime	2022	Flight duration (sec)			38									
	2023	Observations												
	2020	Flight duration (sec)												
	2021	Observations											4	2
	2021	Flight duration (sec)										82	19	
Snipe	2022	Observations												
Shipe	2022	Flight duration (sec)												
	2023	Observations												
	2023	Flight duration (sec)												
Sparrowhawk	2021	Observations											2	
Sparrownawk	2021	Flight duration (sec)											51	

Species	Year	Parameter	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
	2022	Observations			1	3	2		2			4	5	4
	2022	Flight duration (sec)			58	745	255		16			66	133	84
	2023	Observations	4	3	2				1	1	1			
	2023	Flight duration (sec)	93	31	42				13	12	22			
	2021	Observations											1	
	2021	Flight duration (sec)											51	
Who oper Swap	2022	Observations												1
Whooper Swan	2022	Flight duration (sec)												65
	2023	Observations			1									
	2023	Flight duration (sec)			40									
	2021	Observations										1		
	2021	Flight duration (sec)										15		
Woodcock	2022	Observations												1
VVOOUCOCK	2022	Flight duration (sec)												9
	2023	Observations												
	2023	Flight duration (sec)												

Table 2: Summary data from winter walkover surveys undertaken at Derrynadarragh Wind Farm October 2021 to September 2023.

Species	Year	Parameter	Oct	Nov	Dec	Jan	Feb	Mar
Buzzard	2021-2022	Observations	2					
	2021-2022	Number	2					
	2022- 2023	Observations	3			1	1	2
	2022- 2023	Number	3			1	1	2
Golden Plover	2021-2022	Observations						
	2021-2022	Number						
	2022- 2023	Observations	2		1		1	
	2022- 2023	Number	1700		18		30	
Grey Heron	2021-2022	Observations						
	2021-2022	Number						
	2022- 2023	Observations					1	1
	2022- 2023	Number					1	1
Grey Wagtail	2021-2022	Observations						
	2021-2022	Number						
	2022- 2023	Observations		2				
	2022- 2023	Number		2				
Kestrel	2021-2022	Observations	1		1			1
	2021-2022	Number	1		1			1
	2022- 2023	Observations	1	1	1			1
	2022- 2023	Number	1	1	1			1
Kingfisher	2021-2022	Observations			1			
	2021-2022	Number			1			
	2022- 2023	Observations						
	2022- 2023	Number						
Linnet	2021-2022	Observations	1		1			
	2021-2022	Number	18		12			
	2022- 2023	Observations						
	2022- 2023	Number						
Mallard	2021-2022	Observations						
	2021-2022	Number						
	2022- 2023	Observations	1		1			2
	2022- 2023	Number	3		2			5

Species	Year	Parameter	Oct	Nov	Dec	Jan	Feb	Mar
Meadow Pipit	2021-2022	Observations	2	1	1			1
	2021-2022	Number	23	15	17			1
	2022- 2023	Observations	6	5	3	1	3	8
	2022- 2023	Number	30	17	11	4	8	26
Redwing	2021-2022	Observations						
	2021-2022	Number						
	2022- 2023	Observations	5	5	7	6	6	4
	2022- 2023	Number	44	40	35	37	63	29
Skylark	2021-2022	Observations	1					
	2021-2022	Number	1					
	2022- 2023	Observations						
	2022- 2023	Number						
Snipe	2021-2022	Observations	1	1		1		
	2021-2022	Number	2	1		1		
	2022- 2023	Observations	2		3	3	1	2
	2022- 2023	Number	6		6	5	3	3
Sparrowhawk	2021-2022	Observations						1
	2021-2022	Number						1
	2022- 2023	Observations	1	2	1		1	
	2022- 2023	Number	1	2	1		1	
Woodcock	2021-2022	Observations	1					
	2021-2022	Number	1					
	2022- 2023	Observations						
	2022- 2023	Number						
Yellowhammer	2021-2022	Observations	1	1	1	2		1
	2021-2022	Number	9	5	2	2		1
	2022- 2023	Observations			1	2	2	1
	2022- 2023	Number			1	5	4	3

Table 3: Summary data from breeding walkover surveys undertaken at Derrynadarragh Wind Farm October 2021 to September 2023.

Species	Year	Parameter	Apr	May	Jun	Jul	Aug	Sept
Buzzard	2022	Observations						
	2022	Number						
	2023	Observations		3	2	2	1	1
	2023	Number		5	2	2	1	1
Curlew	2022	Observations						
	2022	Number						
	2023	Observations			1			
	2023	Number			2			
Golden Plover	2022	Observations						1
	2022	Number						8
	2023	Observations						
	2023	Number						
Grey Heron	2022	Observations						
	2022	Number						
	2023	Observations		1			1	
	2023	Number		1			1	
Grey Wagtail	2022	Observations	1					
	2022	Number	1					
	2023	Observations						
	2023	Number						
Kestrel	2022	Observations	2	2				
	2022	Number	2	2				
	2023	Observations		1				
	2023	Number		1				
Lapwing	2022	Observations						
	2022	Number						
	2023	Observations		1				
	2023	Number		2				
Mallard	2022	Observations						
	2022	Number						
	2023	Observations		3	2	1		2
	2023	Number		5	7	3		4

Species	Year	Parameter	Apr	May	Jun	Jul	Aug	Sept
Meadow Pipit	2022	Observations	3	4	3			
	2022	Number	13	30	14			
	2023	Observations		8	6	6	5	7
	2023	Number		28	19	28	33	26
Snipe	2022	Observations						
	2022	Number						
	2023	Observations						3
	2023	Number						3
Sparrowhawk	2022	Observations						
	2022	Number						
	2023	Observations						1
	2023	Number						1
Swift	2022	Observations		1				
	2022	Number		1				
	2023	Observations		2	2	2	1	
	2023	Number		4	7	5	2	
Yellowhammer	2022	Observations	5	4	4			
	2022	Number	9	22	16			
	2023	Observations		7	7	4	3	5
	2023	Number		11	15	8	4	6

Table 4: Summary data from Breeding Raptor Surveys undertaken at Derrynadarragh Wind Farm (and surrounding area + 2.5km) during breeding season 2023.

Species	Year	Parameter	May	Jun	Jul
Buzzard	2023	Observations	0	1	0
	2023	Number	0	1	0
Kestrel	2023	Observations	0	1	0
	2023	Number	0	1	0
Sparrowhawk	2023	Observations	0	0	1
	2023	Number	0	0	1

Date	VP No	Observation No	GIS ID	Species	BTO code	Number	Time	Activity	Comments
01/06/2023	3	1	48	Buzzard	BZ	1	08:18	Travelling	Adult female BZ flying SE at approx 60 metres. Lost behind forestry
01/06/2023	3	2	49	Kestrel	K	1	07:52	Hunting	Adult male K hunting. Made one unsuccessful kill attempt.
01/06/2023	3	3	50	Buzzard	BZ	1	08:15	Soaring	BZ rising on thermal to over 150 metres . Drifted South.
06/07/2023	3	1	51	Sparrowhawk	SH	1	07:16	Carrying prey	Adult male SH carrying passerine prey into forestry. Nest with chick likely in forestry.

Table 5: Summary data from breeding wader (Curlew) surveys (and surrounding area within 2km) during breeding season 2022 and 2025.

Species	Year	Parameter	Apr	May	Jun
Curlew	2022	Observations	0	2	0
	2022	Number	0	4	0
Curlew	2025	Observations	2	0	0
	2025	Number	2	0	0

Table 6: Summary data from breeding woodcock survey undertaken during breeding season 2025.

Species	Year	Parameter	Jun
Woodcock	2025	Observations	7
	2025	Number	9

APPENDIX 10.4.i

VP Data and Maps

# Appendix 4a

### Vantage Point Survey Data and Maps

Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
11/10/2021	2	1	Buzzard	1	10:35	42		0	42	42		0	42	100	42		
11/10/2021	1	4	Buzzard	1	12:05	10		0	10	10		0	10	100	10		
11/10/2021	1	6	Buzzard	1	13:35	25		0	25	25		0	25	100	25		
12/10/2021	1	8	Buzzard	1	08:25	58		0	15	15	43	43	58	100	58		
12/10/2021	1	9	Buzzard	1	09:10	38	8	8	30	30		0	38	100	38		
12/10/2021	1	12	Buzzard	1	10:15	45		0	45	45		0	45	100	45		
12/10/2021	2	13	Buzzard	1	12:25	41		0	41	41		0	41	100	41		
12/10/2021	2	14	Buzzard	1	13:45	33		0	33	33		0	33	100	33		
08/11/2021	2	22	Buzzard	1	10:11	23		0		0	23	23	23	100	23		
08/11/2021	1	25	Buzzard	1	15:36	23	23	23		0		0	23	100	23		
08/11/2021	1	26	Buzzard	1	15:44	4	4	4		0		0	4	100	4		
09/11/2021	1	28	Buzzard	1	08:36	32		0		0	32	32	32	100	32		
09/11/2021	2	30	Buzzard	1	14:35	22		0	22	22		0	22	0	0		
09/11/2021	2	33	Buzzard	1	14:05	46		0	46	46		0	46	100	46		
02/12/2021	1	31	Buzzard	1	09:20	23		0	23	23		0	23	0	0		
02/12/2021	1	32	Buzzard	1	10:05	86		0	60	60	26	26	86	100	86		
02/12/2021	2	34	Buzzard	1	15:15	41		0	41	41		0	41	100	41		
02/12/2021	2	36	Buzzard	1	15:52	22	22	22		0		0	22	100	22		
03/12/2021	1	40	Buzzard	3	14:10	88	15	45	30	90	43	129	264	100	264		
03/12/2021	1	41	Buzzard	1	16:10	27		0	27	27		0	27	100	27		
03/01/2022	2	42	Buzzard	1	10:55	88		0		0	88	88	88	100	88		
03/01/2022	1	43	Buzzard	1	13:40	122		0		0	122	122	122	100	122		
03/01/2022	1	46	Buzzard	1	15:36	28	28	28		0		0	28	100	28		
03/01/2022	1	47	Buzzard	1	15:40	35	35	35		0		0	35	100	35		
04/01/2022	1	49	Buzzard	1	09:25	43	15	15	28	28		0	43	100	43		
04/01/2022	1	51	Buzzard	1	10:58	58		0	58	58		0	58	100	58		
04/01/2022	2	52	Buzzard	2	14:57	103		0		0	103	206	206	100	206		
04/01/2022	2	53	Buzzard	1	15:04	16		0	16	16		0	16	100	16		
04/01/2022	2	55	Buzzard	1	15:35	38		0	38	38		0	38	100	38		
04/01/2022	2	56	Buzzard	1	15:46	11	11	11		0		0	11	100	11		
04/01/2022	2	58	Buzzard	1	16:05	148	45	45	103	103		0	148	100	148		
21/02/2022	1	60	Buzzard	1	09:10	69		0	69	69		0	69	100	69		
21/02/2022	2	62	Buzzard	1	14:47	21		0	21	21		0	21	100	21		
22/02/2022	2	63	Buzzard	2	08:40	102		0	102	204		0	204	100	204		
22/02/2022	2	65	Buzzard	1	08:35	22		0	22	22		0	22	100	22		
22/02/2022	2	67	Buzzard	1	09:05	18	18	18		0		0	18	18	3		
22/02/2022	2	68	Buzzard	3	09:50	48		0	48	144		0	144	100	144		
22/02/2022	2	69	Buzzard	1	09:55	23		0	23	23		0	23	100	23		

Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
22/02/2022	1	72	Buzzard	1	15:22	28	28	28		0		0	28	0	0		
22/02/2022	1	73	Buzzard	1	15:30	40		0	40	40		0	40	100	40		
22/02/2022	1	74	Buzzard	1	16:08	65		0	65	65		0	65	100	65		
07/03/2022	1	79	Buzzard	1	08:21	8		0	8	8		0	8	100	8		
07/03/2022	1	80	Buzzard	2	08:27	118		0		0	118	236	236	100	236		
07/03/2022	1	81	Buzzard	1	09:10	52		0	52	52		0	52	100	52		
07/03/2022	2	82	Buzzard	1	13:45	153		0		0	153	153	153	100	153		
08/03/2022	1	87	Buzzard	1	13:46	66		0	66	66		0	66	100	66		
08/03/2022	1	88	Buzzard	1	13:55	28	28	28		0		0	28	0	0		
08/03/2022	1	90	Buzzard	1	15:15	101		0		0	101	101	101	100	101		
08/03/2022	1	91	Buzzard	1	15:37	42		0	42	42		0	42	100	42		
08/03/2022	1	93	Buzzard	1	16:10	11		0	11	11		0	11	100	11		
10/04/2022	1	4	Buzzard	1	15:18	19		0	19	19		0	19	100	19		Calling
10/04/2022	1	6	Buzzard	2	16:58	175		0		0	175	350	350	53	185		Soaring over north end of site
11/04/2022	3	9	Buzzard	1	13:53	38		0	38	38		0	38	0	0		
12/04/2022	2	12	Buzzard	1	08:14	22		0	22	22		0	22	56	12		
12/04/2022	2	13	Buzzard	1	08:15	15		0	15	15		0	15	10	2		
13/04/2022	3	16	Buzzard	1	11:04	200	140	140	60	60		0	200	6	12		Resident pair moved to north of site.
13/04/2022	3	17	Buzzard	1	12:01	10		0	10	10		0	10	0	0		Calling female
19/05/2022	3	19	Buzzard	1	09:30	1340		0	1340	1340		0	1340	0	0		Soaring & Hunting male bird
																	Soaring & Hunting male
19/05/2022	3	20	Buzzard	1	10:27	775		0	775	775		0	775	0	0		bird
19/05/2022	3	21	Buzzard	1	11:49	310		0	310	310		0	310	43	134		Soaring & Hunting male bird
19/05/2022	2	22	Buzzard	1	17:34	430		0	430	430		0	430	0	0		Soaring & Hunting male bird
21/05/2022	3	23	Buzzard	1	14:38	300		0	300	300		0	300	0	0		Soaring & Hunting male bird, mobbed by Hooded Crows.
																	Soaring & Hunting male
21/05/2022	3	24	Buzzard	1	15:03	390		0	390	390		0	390	0	0		bird
21/05/2022	3	25	Buzzard	1	16:59	240		0	120	120	120	120	240	0	0		Soaring & Hunting male bird
31/05/2022	2	29	Buzzard	1	09:19	30	30	30		0		0	30	0	0		Carrying prey
31/05/2022	2	31	Buzzard	1	10:13	240	15	15	225	225		0	240	0	0		Hunting through site
31/05/2022	2	32	Buzzard	1	10:59	940		0		0	940	940	940	0	0		Soaring, Calling & displaying bird.
02/06/2022	3	33	Buzzard	1	06:27	36	36	36		0		0	36	0	0		Flew to perch
02/06/2022	3	34	Buzzard	1	07:38	32	32	32		0		0	32	44	14		Flew from perch
29/06/2022	1	35	Buzzard	1	17:46	1030		0		0	1030	1030	1030	79	818		High soaring
30/06/2022	2	NA	Buzzard	2	13:55	0		0		0		0	0		0		Two young in nest
02/07/2022	2	39	Buzzard	1	18:02	63	15	15	48	48		0	63	0	0		Adult female alarm calling at Sparrowhawk
02/07/2022	2	40	Buzzard	1	19:42	13	13	13	.5	0		0	13	0	0		Adult bringing in food.
02/07/2022	3	41	Buzzard	1	14:36	13	13	13		0		0	13	0			

Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
10/08/2022	2	44	Buzzard	2	10:46	175		0	175	350		0	350	0	0		Calling and soaring over site
				_							0.5	0.5					Chick calling for food
10/08/2022	2	45	Buzzard	1	12:28	95		0		0	95 1440	95	95	0	0		high ove site
10/08/2022 10/08/2022	1	46 47	Buzzard Buzzard	1	13:34 15:01	1440 1620		0		0	1620	1440 1620	1440 1620	46 47	664 755		Soaring high over site Soaring high over site
10/00/2022		.,	Buzzuid		13.01	1020					1020	1020	1020		733		perched on tree for one
24/10/2022	1	69	Buzzard	1	18:28	45	20	20	25	25	0	0	45	100	45	Hunting	minute  Mobbed by Hooded
25/10/2022	1	1	Buzzard	1	11:35	75	30	30	45	45	0	0	75	100	75	Travelling	Crows
25/10/2022	1	2	Buzzard	1	14:52	110	15	15	95	95	0	0	110	69	76	Hunting	
26/10/2022	3	14	Buzzard	1	14:16	14	11	11	3	3	0	0	14	100	14	Travelling	Flying low along treeline.
27/10/2022	2	10	Buzzard	1	15:30	80	0	0	80	80	0	0	80	100	80	Soaring	
10/11/2022	3	24	Buzzard	1	09:31	37	5	5	32	32	0	0	37	100	37	Travelling	
11/11/2022	2	22	Buzzard	1	11:38	55	55	55	0	0	0	0	55	100	55	Travelling	
11/11/2022	2	23	Buzzard	1	13:07	45	34	34	11	11	0	0	45	5	2	Travelling	
11/11/2022	2	76	Buzzard	1	14:58	16	4	4	12	12	0	0	16	100	16	Travelling	
12/11/2022	1	15	Buzzard	1	11:44	105	0	0	105	105	0	0	105	100	105	Circling	
12/11/2022	1	18	Buzzard	1	13:54	18	5	5	13	13	0	0	18	100	18	Travelling	
04/12/2022	3	38	Buzzard	1	14:23	45	10	10	35	35	0	0	45	100	45	Travelling	Adult
05/12/2022	1	27	Buzzard	1	12:09	40	0	0	40	40	0	0	40	100	40	Travelling	
06/12/2022	2	35	Buzzard	1	14:28	65	65	65	0	0	0	0	65	100	65	Travelling	Adult
03/02/2023	1	47	Buzzard	1	12:31	70	12	12	58	58	0	0	70	82	57	Travelling	
07/02/2023	2	49	Buzzard	1	13:11	25	25	25	0	0	0	0	25	100	25	Travelling	Female adult Perched on tree for 24 mins. Flushed off by tractors
07/02/2023	2	50	Buzzard	1	13:16	37	37	37	0	0	0	0	37	93	34	Travelling	Male adultPerched on tree for 19 mins before flushjed off by tractors.  Flying low along
07/02/2023	2	51	Buzzard	1	16:23	40	40	40	0	0	0	0	40	100	40	Travelling	hedgerow.
10/03/2023	1	58	Buzzard	1	12:28	25	10	10	15	15	0	0	25	96	24	Travelling	Lost view behind treeline
10/03/2023	1	59	Buzzard	1	13:45	240	0	0	240	240	0	0	240	32	77	Soaring	Rising on thermals travelling east
12/03/2023	2	60	Buzzard	1	10:13	19	19	19	0	0	0	0	19	0	0	Travelling	
22/05/2023	1	1	Buzzard	2	09:02	175	0	0	90	180	85	170	350	0	0	Soaring	Two BZ rising on thermal and mobbing each other
22/05/2023	1	2	Buzzard	1	10:32	110	0	0	110	110	0	0	110	89	97	Travelling	Circled on thermal then flew NE
22/05/2023	1	3	Buzzard	1	13:12	48	6	6	42	42	0	0	48	100	48	Travelling	Dropped low over bog
22/05/2023	1	4	Buzzard	1	14:25	75	0	0	75	75	0	0	75	45	34	Travelling	
24/05/2023	2	5	Buzzard	2	13:57	200	40	80	160	320	0	0	400	76	302	Soaring	M & F pair mobbing Corvids over treeline then dropped behind it
24/05/2023	2	6	Buzzard	1	15:04	42	5	5	37	37	0	0	42	21	9	Travelling	Adult Buzzard flew up from below treeline then flew East.

	Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
2005/2002   2   7	3410		10.00	оролог														M&F pair flew out of treeline to mob Ravens,
2-Minor   2-Mi	24/05/2023	2	7	Buzzard	2	16:17	165	15	30	150	300	0	0	330	82	271	Soaring	dropping behind treeline
	25/05/2023	3	8	Buzzard	2	10:28	143	0	0	143	286	0	0	286	100	286	Soaring	together
2006/2003   2   11   Sucand   1   11/2   70   5   5   65   65   0   0   70   70   70   Treeling   Principle and File Principle and File Principle   Principle and File Principle   Principle and File Principle	02/06/2023	2	9	Buzzard	1	09:23	22	4	4	18	18	0	0	22	100	22	Travelling	
Description	02/06/2023	2	11	Buzzard	1	11:17	70	5	5	65	65	0	0	70	100	70	Travelling	
20,06/2013   2   13   0   0   0   14   1   1259   34   0   0   0   34   34   0   0   0   34   33   33	32/00/2023			34224.4	_													female adult Flew out of trees circled and
Pair souring operation   Pair souring operat					1													
December	02/06/2023	2	13	Buzzard	1	12:59	34	0	0	34	34	0	0	34	93	32	Travelling	
20,000,000   2   15   8,000   1   14,45   27   4   4   23   23   0   0   27   100   27   77 vertiling into frees   1,100   1	02/06/2023	2	14	Buzzard	1	14:06	62	8	8	54	54	0	0	62	41	26	Soaring	then dropped behind
1/106/2023   3   16	02/05/2022	2	15	Durand	4	14.45	27	4	4	22	22	0	0	27	100	27	Tuestelline	
A	02/06/2023	2	15	Buzzard	1	14:45	27	4	4	23	23	U	0	27	100	27	Travelling	
21/66/2023 3 17 Buzzard 1 09:52 190 0 0 190 190 0 0 190 190 0 190 72 137 Sowing Hyling SW  A/07/7023 2 2 8 Buzzard 1 10:28 19 12 12 7 7 7 0 0 10 19 190 10 190 Travelling Graph Hyling SW  A/07/7023 2 79 Buzzard 1 13:11 120 0 0 0 120 120 0 0 120 120 0 0 0 5oaing.  By String or thermal Lort whething the same Hyling SW  A/07/7023 1 18 Buzzard 1 11:22 65 0 0 0 65 65 0 0 0 65 100 65 Travelling Graph Hyling SW  By String or thermal Lort whething the same Hyling SW  By String or thermal Lort whething the same Hyling SW  By String or thermal Lort whething the same Hyling SW  By String or thermal Lort whething the same Hyling SW  By String or thermal Lort whething the same Hyling SW  By String or thermal Lort whething the same Hyling SW  By String or thermal Lort whething SW  By String or thermal Lort whething SW  By String or the male Lort whething SW  By String or thermal Lort whething SW  By String or the My Sw  By String or the My Sw  By String o	21/06/2023	3	16	Buzzard	1	09:45	9	9	9	0	0	0	0	9	100	9	Travelling	
21/06/2023   3   7   Buzard   1   0.952   190   0   0   190   190   0   0   190																		thermal and displaying.
March   Marc	21/06/2023	3	17	Buzzard	1	09:52	190	0	0	190	190	0	0	190	72	137	Soaring	
OH/O/2023   2   29   Buzzard   1   13:11   120   0   0   120   120   0   0   0   120   0   0   0   0   0   0   0   0   0	04/07/2023	2	28	Buzzard	1	10:28	19	12	12	7	7	0	0	19	100	19	Travelling	D7 vision and the second back
Second Continue																		view behind trees as bird
1   18   18     18   18   18     18   18   18     18   18     18     18     18     18     18     18     18     18     18     18     18     18     18     18     18     18     18     1	04/07/2023	2	29	Buzzard	1	13:11	120	0	0	120	120	0	0	120	0	0	Soaring	
Second Column	06/07/2023	1	18	Buzzard	1	11:22	65	0	0	65	65	0	0	65	100	65	Travelling	over bog
06/07/2023 1 21 Buzzard 1 16:10 190 0 0 190 190 0 0 190 93 177 Soaring Circling at 30 Metre before climbing to 100 metres plus, then dropped to join female and Juvenille fledgling joined male in flight South Members of Soaring and Juvenille soared on the family south Company of Soaring and Soaring and Juvenille soared on the family south Company of Soaring and Juvenille soared on the family south Company of Soaring and Juvenille soared on the family sour soared on the family sour soared on the family soared																_		forestry, then lost view travelling NW over
Section   Circling at 30 Metres   Section   Circling at 30 Metres   Section   Sectio		+			-			_										forestry.
No.	06/07/2023	1	21	Buzzard	1	16:10	190	0	0	190	190	U	0	190	93	1//	Soaring	Circling at 30 Metres
No.	08/07/2023	2	30	Buzzard	1	16:44	235	0	0	235	235	0	0	235	100	235	Sparing	metres plus, then dropped to join female
Note			30	Suzzulu	_	20.77	255				255	<u> </u>				233	Journing	Adult female and Juvenile fledgling joined
Second Control of the Control of t	08/07/2023	2	31	Buzzard	2	16:46	70	0	0	70	140	0	0	140	100	140	Travelling	
09/07/2023         1         22         Buzzard         2         10:20         340         35         70         110         220         195         390         680         78         532         Soaring metres out of view.           09/07/2023         1         23         Buzzard         1         10:22         155         0         0         155         0         0         155         100         155         100         155         Circled over bog travelling North           09/07/2023         1         25         Buzzard         2         13:29         180         0         0         50         100         130         260         360         0         0         Soaring         Image: Circled over bog travelling North           09/07/2023         1         27         Buzzard         2         13:29         180         0         0         100         130         260         360         0         0         Soaring         Image: Circled over bog travelling North           09/07/2023         1         27         Buzzard         1         13:56         174         0         0         0         174         0         0         0         Soaring																		Juvenile soared on
09/07/2023         1         23         Buzzard         1         10:22         155         0         0         155         0         0         155         100         155         Circling         travelling North           09/07/2023         1         25         Buzzard         2         13:29         180         0         0         50         100         130         260         360         0         0         Soaring         Circling         travelling North           09/07/2023         1         27         Buzzard         1         13:56         174         0         0         174         0         0         174         0         0         Soaring         Circling         travelling North	09/07/2023	1	22	Buzzard	2	10:20	340	35	70	110	220	195	390	680	78	532	Soaring	metres out of view.
09/07/2023 1 27 Buzzard 1 13:56 174 0 0 174 174 0 0 174 0 0 Soaring																		
		_																
	09/07/2023 07/08/2023	2	27 34	Buzzard Buzzard	2	13:56 09:34	174 168	0	0	174 168	174 336	0	0	174 336	0	0	Soaring Soaring	

Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
07/08/2023	2	35	Buzzard	2	11:07	63	0	0	63	126	0	0	126	84	106	Travelling	Adult female flying with Juvenile
		33	Buzzuru												100		Lost from view behind
07/08/2023	2	36	Buzzard	1	12:05	50	0	0	50	50	0	0	50	77	39	Travelling	trees over bog
12/09/2023	2	41	Buzzard	1	11:50	33	7	7	26	26	0	0	33	100	33	Travelling	Lost view behind trees Joined female and
12/09/2023	2	42	Buzzard	1	12:02	405	0	0	330	330	75	75	405	85	345	Soaring	Juvenile rising on thermal in Westerly direction
12/09/2023	2	43	Buzzard	2	12:04	370	0	0	310	620	60	120	740	77	568	Soaring	Adult female and Juvenile Joined second adult in flight
12/09/2023	2	44	Buzzard	1	13:18	71	14	14	57	57	0	0	71	100	71	Travelling	
12/09/2023	2	45	Buzzard	1	13:25	120	46	46	74	74	0	0	120	100	120	Hunting	Circled and hovered over field then travelled South
12/09/2023	2	46	Buzzard	1	15:43	49	39	39	10	10	0	0	49	63	31	Travelling	
12/09/2023	2	47	Buzzard	1	16:01	70	0	0	70	70	0	0	70	100	70	Travelling	
12/09/2023	2	52	Buzzard	1	18:08	27	10	10	17	17	0	0	27	91	25	Travelling	
13/09/2023	1	39	Duzzord	2	11:09	70	0	0	70	140	0	0	140	100	140	Travelling	Adult female and Juvenile flying South
13/09/2023	1	40	Buzzard Buzzard	1	15:20	12	0	0	12	12	0	0	12	0	0	Travelling	together
11/04/2022	3	8	Curlew	1	12:44	525	0	0	300	300	225	225	525	50	264	Displaying bird	Either displaying or disturbed, lot of BZ activity seen in that area on S1 search Escorting Lesser Black
22/05/2022	1	28	Curlew	1	16:49	18	0	0	18	18	0	0	18	0	0		backed Gulls out of the conservation area
09/11/2021	2	32	Golden Plover	1000	14:31	87		0		0	87	87000	87000	100	87000		
21/02/2022	1	61	Golden Plover	70	10:36	34		0	34	2380		0	2380	100	2380		
21/02/2022	1	59	Golden Plover	150	07:52	18		0	18	2700		0	2700	100	2700		
22/02/2022	1	75	Golden Plover	100	16:35	23		0	23	2300		0	2300	100	2300		
22/02/2022	2	64	Golden Plover	100	08:53	14		0	14	1400		0	1400	100	1400		
22/02/2022	2	66	Golden Plover	200	09:01	32		0	32	6400		0	6400	100	6400		
07/03/2022	1	77	Golden Plover	25	08:02	48		0	48	1200		0	1200	100	1200		
07/03/2022	1	78	Golden Plover	110	08:15	42		0	42	4620		0	4620	100	4620		
08/03/2022	1	94	Golden Plover	100	16:11	23	_	0	23	2300		0	2300	90	2064		
08/03/2022	1	92	Golden Plover	200	16:05	8	8	1600	_	0		0	1600	100	1600		
07/04/2022	3	2	Golden Plover	11	13:16	8		0	8	88		0	88	0	0		
07/04/2022	2	1	Golden Plover Golden Plover	20	11:51	18	5	100	18	360 0		0	360	100	100		
10/04/2022 11/04/2022	3	5 10	Golden Plover Golden Plover	20 8	15:32 13:53	5 13	) 5	0	13	104		0	100 104	100	0		
11/04/2022	3	7	Golden Plover	14	11:58	5		0	5	70		0	70	0	0		
12/04/2022	1	14	Golden Plover	4	18:01	18		0		0	18	72	72	100	72		Small flock joining larger flock of 500+ off site
24/10/2022	1	68	Golden Plover	400	17:08	550	0	0	0	0	550	220000	220000	0	0	Travelling	
25/10/2022	1	66	Golden Plover	75	08:24	45	0	0	45	3375	0	0	3375	18	603	Travelling	
26/10/2022	3	72	Golden Plover	300	16:37	150	0	0	120	36000	30	9000	45000	100	45000	Travelling	


Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
26/10/2022	3	71	Golden Plover	500	16:43	95	0	0	95	47500	0	0	47500	100	47500	Travelling	
26/10/2022	3	74	Golden Plover	1500	18:20	485	0	0	50	75000	435	652500	727500	41	295201	Travelling	
26/10/2022	3	12	Golden Plover	2500	09:05	1800	0	0	1800	4500000	0	0	4500000	100	4500000	Circling	Similar flights observed throughout the entire duration of the survey.
26/10/2022	3	73	Golden Plover	4000	17:59	750	0	0	100	400000	650	2600000	3000000	99	2976920	Travelling	
27/10/2022	2	7	Golden Plover	75	11:29	40	0	0	40	3000	0	0	3000	26	780	Travelling	joined existing flock
27/10/2022	2	6	Golden Plover	250	11:23	45	0	0	0	0	45	11250	11250	72	8125	Travelling	joined existing flock
27/10/2022	2	8	Golden Plover	400	11:44	75	0	0	75	30000	0	0	30000	100	30000	Travelling	joined existing flock
27/10/2022	3	70	Golden Plover	400	10:02	180	0	0	180	72000	0	0	72000	100	72000	Travelling	Lost view due to heavy mist.
27/10/2022	2	4	Golden Plover	2500	10:51	2700	0	0	1350	3375000	1350	3375000	6750000	23	1583715	Travelling	Flock of 2500 GP circling. Similar flights and numbers observed throughout the entire duration of the survey. Referenced on map two by hatched area.
12/11/2022	1	19	Golden Plover	50	14:52	55	0	0	55	2750	0	0	2750	100	2750	Travelling	
12/11/2022	1	17	Golden Plover	120	12:23	70	0	0	70	8400	0	0	8400	90	7585	Travelling	
06/12/2022	2	34	Golden Plover	45	12:00	50	0	0	50	2250	0	0	2250	99	2227	Travelling	
02/03/2023	1	84	Golden Plover	60	17:28	85	0	0	85	5100	0	0	5100	89	4525	Travelling	
03/03/2023	1	82	Golden Plover	35	07:11	55	0	0	55	1925	0	0	1925	71	1371	Travelling	Flying north at approx. 120 metres
10/03/2023	1	56	Golden Plover	16	10:10	65	0	0	65	1040	0	0	1040	62	646	Travelling	
09/11/2021	2	29	Hen Harrier	1	13:48	87	0	0	87	87	0	0	87	100	87		
30/06/2022 05/07/2022	3	37 43	Hen Harrier Hen Harrier	1	15:14 08:37	15 5	15 5	15 5	0	0	0	0	15 5	68	3		First of the turf cutters arrived shortly before sighting.
07/02/2023	2	52	Hen Harrier	1	17:10	32	32	32	0	0	0	0	32	100	32	Travelling	Adult male flying low NE. Dropped low into scrub/ rushes possibly to roost.
07/02/2023	2	54	Hen Harrier	1	17:29	28	28	28	0	0	0	0	28	100	28	Hunting	Adult female hunting along field margins.
11/10/2021	1	5	Kestrel	1	12:15	91		0	91	91		0	91	100	91		
12/10/2021	1	10	Kestrel	1	09:45	82		0	30	30	52	52	82	100	82		
12/10/2021	2	15	Kestrel	1	13:45	23		0	23	23		0	23	0	0		
08/11/2021	2	23	Kestrel	1	10:12	86		0	86	86		0	86	100	86		
09/11/2021	2	31	Kestrel	1	14:16			0		0		0	0	100	0		
02/12/2021	1	33	Kestrel	1	10:15	72		0	45	45	27	27	72	100	72		
02/12/2021	2	35	Kestrel	1	15:45	68	45	45	15	15	8	8	68	100	68		
02/12/2021	2	37	Kestrel	1	16:13	92		0	90	90	2	2	92	100	92		
03/12/2021	2	39	Kestrel	1	09:51	101		0	30	30	71	71	101	122	123		
03/01/2022	1	48	Kestrel	1	15:48	112	35	35	77	77		0	112	89	99		
04/01/2022	2	54	Kestrel	1	15:15	58		0	58	58		0	58	31	18		
04/01/2022	2	57	Kestrel	1	16:00	41	ļ	0	41	41		0	41	93	38	<u> </u>	
22/02/2022	2	70	Kestrel	1	10:32	105	45	45	60	60		0	105	100	105		

Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
22/02/2022	1	71	Kestrel	1	14:05	126		0		0	126	126	126	100	126		
07/03/2022	2	83	Kestrel	1	14:01	127		0	127	127		0	127	79	101		
08/03/2022	1	95	Kestrel	1	16:12	106		0	106	106		0	106	100	106		
22/05/2022	2	27	Kestrel	1	11:53	33	18	18	15	15		0	33	0	0		Flying through, no behaviour displayed
26/10/2022	3	13	Kestrel	1	12:40	75	10	10	65	65	0	0	75	100	75	Hunting	bellaviour displayed
10/11/2022	3	25	Kestrel	1	12:10	80	4	4	76	76	0	0	80	100	80	Hunting	
11/11/2022	2	21	Kestrel	1	1135	245	155	155	90	90	0	0	245	100	245	Hunting	
11/11/2022	2	21	RESTICE		1133	243	133	155	30	30	0	-	243	100	243	Halleng	Made two failed kill
11/11/2022	2	75	Kestrel	1	14:46	150	150	150	0	0	0	0	150	100	150	Hunting	attempts
11/11/2022	2	79	Kestrel	1	16:43	8	8	8	0	0	0	0	8	100	8	Travelling	Nacional de la constantina
06/12/2022	2	33	Kestrel	1	11:55	390	340	340	50	50	0	0	390	100	390	Hunting	Male adult made two failed kill attempts
06/12/2022	2	36	Kestrel	1	14:43	160	140	140	20	20	0	0	160	100	160	Hunting	male adult
									-	-	-	-					M/A made a successful
10/01/2023	2	44	Kestrel	1	13:17	190	140	140	50	50	0	0	190	100	190	Hunting	kill and carried off prey.
11/01/2023	1	39	Kestrel	1	09:03	85	70	70	15	15	0	0	85	100	85	Hunting	
10/03/2023	1	55	Kestrel	1	10:07	140	55	55	85	85	0	0	140	100	140	Hunting	Dropped behind forestry  Adult male hunting
12/03/2023	2	63	Kestrel	1	13:27	510	170	170	340	340	0	0	510	100	510	Hunting	between 15 and 35 metres.
12/03/2023	2	64	Kestrel	1	14:54	11	11	11	0	0	0	0	11	100	11	Travelling	Perched on tree for 20 seconds.
02/06/2023	2	10	Kestrel	1	10:14	86	71	71	15	15	0	0	86	15	13	Hunting	female adult
06/07/2023	1	19	Kestrel	1	12:04	142	32	32	110	110	0	0	142	100	142	Hunting	Temale dadit
											<del>-</del>						Adult male perched on
08/07/2023	2	32	Kestrel	1	19:20	258	173	173	85	85	0	0	258	100	258	Hunting	tree for 40 seconds
09/07/2023	1	24	Kestrel	1	12:11	17	0	0	17	17	0	0	17	100	17	Hunting	Male adult perched on
07/08/2023	2	33	Kestrel	1	08:25	185	133	133	52	52	0	0	185	100	185	Hunting	tree for 2 mins
08/08/2023	3	37	Kestrel	1	08:17	17	0	0	17	17	0	0	17	100	17		Male Adult
08/11/2021	1	27	Lapwing	150	15:55	123		0		0	123	18450	18450	62	11469		
03/01/2022	1	45	Lapwing	30	14:20	107		0		0	107	3210	3210	100	3210		
07/04/2022	3	3	Lapwing	1	13:25	27		0	15	15	12	12	27	0	0		
06/12/2022	2	32	Lapwing	13	10:27	35	0	0	35	455	0	0	455	4	16	Travelling	
11/01/2023	1	40	Lapwing	17	09:53	40	0	0	40	680	0	0	680	90	610	Travelling	
12/03/2023	2	62	Lapwing	8	12:35	13	8	64	5	40	0	0	104	0	0	Travelling	Flock circled south and dropped behind treeline
13/11/2022	1	81	Mallard	2	08:40	19	0	0	19	38	0	0	38	100	38	Travelling	Male and female flying NE over bog.
02/12/2021	2	38	Merlin	1	16:35	23	15	15	8	8	0	0	23	100	23		
08/03/2022	2	84	Merlin	1	08:43	23	23	23	0	0	0	0	23	100	23		
08/11/2021	2	19	Peregrine	1	08:53	41	15	15	26	26	0	0	41	100	41		
08/03/2022	2	86	Peregrine	1	09:49	38	0	0	30	30	8	8	38	0	0		
11/10/2021	2	2	Snipe	1	09:05	28	0	0	28	28	0	0	28	0	0		
11/10/2021	1	7	Snipe	1	13:20	34	15	15	15	15	4	4	34	100	34		
12/10/2021	1	11	Snipe	1	10:15	16	0	0	16	16	0	0	16	100	16		
12/10/2021	2	16	Snipe	1	13:50	4	0	0	4	4	0	0	4	59	2		


Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
08/11/2021	2	17	Snipe	1	07:57	8	0	0	8	8	0	0	8	100	8		
08/11/2021	2	18	Snipe	1	08:25	11	0	0	11	11	0	0	11	100	11		
03/01/2022	1	44	Snipe	1	13:43	8	0	0	8	8	0	0	8	100	8		
04/01/2022	1	50	Snipe	1	09:31	22	15	15	7	7	0	0	22	100	22		
07/03/2022	1	76	Snipe	1	07:40	11	0	0	11	11	0	0	11	100	11		
08/03/2022	2	85	Snipe	2	09:48	12	12	24	0	0	0	0	24	96	23		
25/10/2022	1	65	Snipe	4	07:47	33	0	0	33	132	0	0	132	100	132	Travelling	
25/10/2022	1	67	Snipe	11	08:30	28	0	0	28	308	0	0	308	96	295	Travelling	
12/09/2023	2	53	Snipe	2	19:54	21	21	42	0	0	0	0	42	17	7	Travelling	
14/09/2023	3	55	Snipe	2	19:50	15	0	0	15	30	0	0	30	100	30	Travelling	
14/09/2023	3	56	Snipe	1	20:02	18	0	0	18	18	0	0	18	59	11	Travelling	
08/11/2021	2	20	Sparrowhawk	1	09:15	23	23	23	0	0	0	0	23	100	23		
08/11/2021	1	24	Sparrowhawk	1	14:40	28	0	0	28	28	0	0	28	100	28		
08/03/2022	1	89	Sparrowhawk	1	13:57	58	58	58	0	0	0	0	58	100	58		
11/04/2022	3	11	Sparrowhawk	1	14:07	20	0	0	0	0	20	20	20	0	0		Hunting high over site
13/04/2022	3	15	Sparrowhawk	1	10:47	695	0	0	0	0	695	695	695	20	141		Soaring / displaying female
13/04/2022	3	18	Sparrowhawk	1	12:28	30	30	30	0	0	0	0	30	0	0		Low flight at speed into forest, probable nest area.
21/05/2022	3	26	Sparrowhawk	1	16:59	240	0	0	0	0	240	240	240	0	0		Soaring bird
31/05/2022	2	30	Sparrowhawk	1	09:47	15	15	15	0	0	0	0	15	0	0		Hunting through site
02/07/2022	2	38	Sparrowhawk	1	17:58	9	9	9	0	0	0	0	9	0	0		
03/07/2022	1	42	Sparrowhawk	1	16:44	7	7	7	0	0	0	0	7	100	7		
25/10/2022	1	3	Sparrowhawk	1	16:10	12	12	12	0	0	0	0	12	100	12	Travelling	
26/10/2022	3	11	Sparrowhawk	1	09:01	17	17	17	0	0	0	0	17	100	17	Hunting	Observed on approach to VP ( Female Adult)
27/10/2022	2	5	Sparrowhawk	1	11:06	14	14	14	0	0	0	0	14	100	14	Hunting	Female Adult
27/10/2022	2	9	Sparrowhawk	1	13:48	23	23	23	0	0	0	0	23	21	5	Hunting Hunting	Female Adult
11/11/2022	2	20	Sparrowhawk	1	10:02	40	40	40	0	0	0	0	40	22	9	passerines	
11/11/2022	2	77	Sparrowhawk	1	15:23	27	27	27	0	0	0	0	27	71	19	Travelling	
11/11/2022	2	78	Sparrowhawk	1	15:41	33	33	33	0	0	0	0	33	100	33	Travelling	Perched on post for 50 seconds
12/11/2022	1	16	Sparrowhawk	1	12:07	12	12	12	0	0	0	0	12	79	10	Travelling	
13/11/2022	1	80	Sparrowhawk	1	07:52	21	21	21	0	0	0	0	21	100	21	Travelling	
04/12/2022	3	37	Sparrowhawk	1	10:17	10	10	10	0	0	0	0	10	98	10	Hunting	Hunting passerines along hedgerow ( male adult)
05/12/2022	1	26	Sparrowhawk	1	10:34	25	25	25	0	0	0	0	25	99	25	Hunting	Hunting passerines ( Female adult)
05/12/2022	1	28	Sparrowhawk	1	13:55	25	25	25	0	0	0	0	25	100	25	Travelling	Male adult
06/12/2022	2	31	Sparrowhawk	1	10:03	24	24	24	0	0	0	0	24	49	12	Hunting	Hunting passerines along hedgerow (female adult)
10/01/2023	2	42	Sparrowhawk	1	09:40	16	16	16	0	0	0	0	16	37	6	Travelling	F/A
10/01/2023	2	43	Sparrowhawk	1	12:46	30	30	30	0	0	0	0	30	40	12	Travelling	F/A
10/01/2023	2	45	Sparrowhawk	1	13:23	28	28	28	0	0	0	0	28	83	23	Hunting	F/A Chased flock of Linnet

Date	VP No	Map label	Species	Number	Time	Flight Duration	Band 1 (0-25m)	Total flight time Band 1	Band 2 (25- 180m)	Total flight time Band 2	Band 3 (>180m)	Total flight time Band 3	Total Flight Time	Proportion of flightline in viewshed	Time flight / In viewshed	Activity	Comments
11/01/2023	1	41	Sparrowhawk	1	13:22	19	19	19	0	0	0	0	19	100	19	Hunting	
03/02/2023	1	46	Sparrowhawk	1	09:13	9	9	9	0	0	0	0	9	97	9	Hunting	Male adult Chasing Passerines
03/02/2023	1	48	Sparrowhawk	1	13:10	15	15	15	0	0	0	0	15	71	11	Travelling	Male adult Flying low NW along hedgerow
07/02/2023	2	53	Sparrowhawk	1	17:10	7	7	7	0	0	0	0	7	100	7	Mobbing	Mobbe male HH.
02/03/2023	1	83	Sparrowhawk	1	16:34	20	20	20	0	0	0	0	20	100	20	Travelling	
12/03/2023	2	61	Sparrowhawk	1	12:33	22	22	22	0	0	0	0	22	82	18	Travelling	Female adult flying low along fence line
09/07/2023	1	26	Sparrowhawk	1	13:31	13	13	13	0	0	0	0	13	97	13	Travelling	Female adult brief chase of passerines
08/08/2023	3	38	Sparrowhawk	1	12:02	12	12	12	0	0	0	0	12	100	12	Travelling	Female Adult
14/09/2023	3	54	Sparrowhawk	1	17:55	22	22	22	0	0	0	0	22	85	19	Travelling	Female Juvenile perched on tree then flew West into forestry
08/11/2021	2	21	Whooper Swan	4	10:05	51	51	204	0	0	0	0	204	100	204		
05/12/2022	1	29	Whooper Swan	7	16:21	65	0	0	65	455	0	0	455	56	253	Travelling	
10/03/2023	1	57	Whooper Swan	8	10:16	40	0	0	40	320	0	0	320	0	0	Travelling	Flying at approz 90 metres
11/10/2021	2	3	Woodcock	1	08:55	15	7	7	8	8		0	15	100	15		
05/12/2022	1	30	Woodcock	1	16:28	9	9	9	0	0	0	0	9	80	7	Travelling	flying low over hedgerow


### **Buzzard: Winter 2021-22**




## **Buzzard: Summer 2022**




## **Buzzard: Winter 2022-23**




## **Buzzard: Summer 2023**




### **Curlew: Summer 2022**




### **Golden Plover: Winter 2021-22**




# Golden Plover (wintering): Summer 2022 (April)




# Golden Plover (wintering): Winter 22-23




### Hen Harrier: Winter 21-22




### Hen Harrier: Summer 22




### Hen Harrier: Winter 22-23




### **Kestrel: Winter 2021-22**




### **Kestrel: Summer 2022**




### **Kestrel: Winter 2022-23**




### **Kestrel: Winter 2023**




# Lapwing: Winter 2021-22




# Lapwing: Summer 2022




# Lapwing: Winter 2022-23




### Mallard: Winter 2022-23




### Merlin: Winter 2021-22




# Peregrine: Winter 2021-22




## **Sparrowhawk: Winter 2021-22**




## Sparrowhawk: Summer 2022




## Sparrowhawk: Winter 2022-23




## **Sparrowhawk: Summer 2023**




Snipe: Winter 2021-22




Snipe: Summer 2023




### **Woodcock: Winter 21-22**




### Woodcock: Winter 2022-23



# Whooper Swan: Winter 21-22



# Whooper Swan: Winter 22-23



APPENDIX 10.4.ii

Walkover Surveys Data and Maps

## Appendix 4a


## Winter Walkover Survey Data and Maps

Survey date	Map Label	Species	Number	Habitat	Comments	Age / Sex
11/10/2021	2	Buzzard	1			
11/10/2021	1	Linnet	18			
11/10/2021	6	Meadow Pipit	4			
11/10/2021	4	Snipe	2			
11/10/2021	5	Woodcock	1			
11/10/2021	3	Yellowhammer	9			
12/10/2021	5	Buzzard	1			
12/10/2021	2	Kestrel	1			
12/10/2021	1	Meadow Pipit	19			
12/10/2021	4	Skylark	1			
08/11/2021	2	Meadow Pipit	15			
08/11/2021	1	Snipe	1			
09/11/2021	1	Yellowhammer	5			
02/12/2021	2	Linnet	12			
02/12/2021	1	Yellowhammer	2			
03/12/2021	1	Kestrel	1			
03/12/2021	2	Kingfisher	1			
03/12/2021	3	Meadow Pipit	17			
03/01/2022	2	Snipe	1			
03/01/2022	1	Yellowhammer	1			
04/01/2022	1	Yellowhammer	1			
07/03/2022	1	Yellowhammer	1			
08/03/2022	3	Kestrel	1			
08/03/2022	2	Meadow Pipit	1			
08/03/2022	1	Sparrowhawk	1			
31/10/2022	6	Buzzard	1	GA1	Soaring	Α
31/10/2022	18	Buzzard	1	PB	Soaring	Α
31/10/2022	19	Buzzard	1	GA1	Travelling	Α
31/10/2022	3	Golden Plover	1500	GA1	Circling	
31/10/2022	21	Golden Plover	200	PB	Circling	
31/10/2022	9	Kestrel	1	GA1	Hunting	M/A
31/10/2022	20	Mallard	3	GA1	Travelling	
31/10/2022	2	Meadow Pipit	8	GS	Foraging/ Flushed	
31/10/2022	5	Meadow Pipit	3	GA1	Foraging	
31/10/2022	7	Meadow Pipit	5	GA1	Foraging/ flushed	
31/10/2022	10	Meadow Pipit	3	GA1/WLI	Foaging	
31/10/2022	13	Meadow Pipit	7	GS	Foraging	
31/10/2022	16	Meadow Pipit	4	GA1	Foraging	
31/10/2022	1	Redwing	11	WLI	Foraging	
31/10/2022	4	Redwing	4	GA1	Foraging/ Travelling	
31/10/2022	8	Redwing	2	GA1	Travelling	
31/10/2022	15	Redwing	2	WLI	Travelling	
31/10/2022	17	Redwing	25	GA1	Foraging/ Travelling	
31/10/2022	11	Snipe	1	GA1	Flushed	


Survey date	Map Label	Species	Number	Habitat	Comments	Age / Sex
31/10/2022	12	Snipe	5	PB	Travelling	
31/10/2022	14	Sparrowhawk	1	WLI	Hunting	F/A
13/11/2022	6	Grey Wagtail	1	FW2	Foraging	Α
13/11/2022	15	Grey Wagtail	1	GA1	Foraging	Α
13/11/2022	4	Kestrel	1	GA1	Hunting	M/A
13/11/2022	3	Meadow Pipit	3	GS	Foraging	Α
13/11/2022	5	Meadow Pipit	3	GA1	Foraging/ Flushed	Α
13/11/2022	7	Meadow Pipit	2	GS	Foraging	Α
13/11/2022	9	Meadow Pipit	1	PB4	Flushed	Α
13/11/2022	13	Meadow Pipit	8	GA1	Foraging	Α
13/11/2022	1	Redwing	4	WLE	Foraging	А
13/11/2022	2	Redwing	11	GA1	Foraging	Α
13/11/2022	8	Redwing	6	GA1	Foraging	Α
13/11/2022	10	Redwing	5	WS1	Foraging	Α
13/11/2022	14	Redwing	14	FGA1	Foraging	Α
13/11/2022	11	Sparrowhawk	1	WS1	Hunting	F/A
13/11/2022	12	Sparrowhawk	1	WS1	Travelling	F/A
07/12/2022	14	Golden Plover	18	GA1	Travelling	.,,,,
07/12/2022	13	Kestrel	1	PB	Hunting	M/A
07/12/2022	8	Mallard	2	FW2	Flushed	1 177
07/12/2022	3	Meadow Pipit	4	PB	Foraging	
07/12/2022	5	Meadow Pipit	2	GA1	Foraging/ Flushed	
07/12/2022	12	Meadow Pipit	5	GS	Foraging/ Flushed	
07/12/2022	1	Redwing	7	WL1	Foraging	
07/12/2022	4	Redwing	12	GA1	Foraging	
07/12/2022	7	Redwing	4	GA1	Foraging	
07/12/2022	9	Redwing	5	GA1	For	
07/12/2022	11	Redwing	3	WS1	Foraging	
07/12/2022	15	Redwing	2	WS1	Foraging	
07/12/2022	16	Redwing	2	GA1	Foraging	
07/12/2022	2	Snipe	3	PB	Flushed	
07/12/2022	10	Snipe	1	PB	Flushed	
07/12/2022	18	Snipe	2	GA1	Travelling	
07/12/2022	17	Sparrowhawk	1	GA1	Hunting	F/A
07/12/2022	6	Yellowhammer	1	WL1	Perched	M/A
12/01/2023	11	Buzzard	1	GA1	Travelling	1 177
12/01/2023	3	Meadow Pipit	4	GA1	Foraging	
12/01/2023	1	Redwing	8	GA1	Foraging	
12/01/2023	5	Redwing	5	WL1	Foraging	
12/01/2023	6	Redwing	2	WL1	Foraging	
12/01/2023	9	Redwing	4	WS1	Travelling	
12/01/2023	10	Redwing	7	WS1	Foraging	
12/01/2023	12	Redwing	11	GA1	Foraging	
12/01/2023	2	Snipe	3	PB	Flushed	
12/01/2023	4	Snipe	1	GA1	Flushed	
12/01/2023	7	Snipe	1	GA1	Flushed	
12/01/2023	8	Yellowhammer	3	WL1	Foraging	
12/01/2023	13	Yellowhammer	2	WL1	Perched	

Survey date	Map Label	Species	Number	Habitat	Comments	Age / Sex
02/02/2023	11	Buzzard	1	WL2	Perched	
02/02/2023	14	Golden Plover	30	GA1	Travelling	
02/02/2023	9	Grey Heron	1	FW2	Flushed	
02/02/2023	4	Meadow Pipit	4	GS	Foraging	
02/02/2023	5	Meadow Pipit	2	GS	Flushed	
02/02/2023	7	Meadow Pipit	2	GA1	Foraging	
02/02/2023	1	Redwing	12	GA1	Foraging	
02/02/2023	6	Redwing	7	GA1	Foraging	
02/02/2023	8	Redwing	17	GA1	Foraging	
02/02/2023	13	Redwing	8	GA1	Foraging	
02/02/2023	15	Redwing	4	GA1	Foraging	
02/02/2023	16	Redwing	15	GA1	Foraging	
02/02/2023	3	Snipe	3	PB	Flushed	
02/02/2023	10	Sparrowhawk	1	WL1	Hunting	
02/02/2023	2	Yellowhammer	1	WL1	Perched	
02/02/2023	12	Yellowhammer	3	WL1	Foraging	
02/03/2023	19	Buzzard	1	GA1	Hunting	
02/03/2023	21	Buzzard	1	WL2	Perched	
02/03/2023	16	Grey Heron	1	GA1	Foraging	
02/03/2023	7	Kestrel	1	GA1	Hunting	
02/03/2023	14	Mallard	2	FW2	Flushed	
02/03/2023	15	Mallard	3	FS	Flushed	
02/03/2023	1	Meadow Pipit	3	GA1	Foraging	
02/03/2023	4	Meadow Pipit	4	PB	Foraging/Displaying	
02/03/2023	6	Meadow Pipit	2	GA1	Displaying	
02/03/2023	8	Meadow Pipit	2	GA1	Displaying	
02/03/2023	10	Meadow Pipit	4	GA1	Foraging	
02/03/2023	12	Meadow Pipit	2	GS	Foraging	
02/03/2023	17	Meadow Pipit	5	GA1	Foraging/Displaying	
02/03/2023	20	Meadow Pipit	4	GA1	Foraging	
02/03/2023	5	Redwing	9	GA1	Travelling	
02/03/2023	11	Redwing	5	WS1	Foraging	
02/03/2023	13	Redwing	4	WL1	Foraging	
02/03/2023	18	Redwing	11	GA1	Travelling	
02/03/2023	2	Snipe	1	PB	Flushed	
02/03/2023	3	Snipe	2	PB	Flushed	
02/03/2023	9	Yellowhammer	3	WL1	Perched	


Winter walkover: 11/10/21




Winter walkover: 12/10/21



Winter walkover: 08/11/21



Winter walkover: 9/11/21




#### Winter walkover: 02/12/21




Winter walkover: 3/12/21




#### Winter walkover: 3/1/22




Winter walkover: 4/1/22




Winter walkover: 21/2/22




Winter walkover: 22/2/22



#### Winter walkover: 7/3/22




Winter walkover: 8/3/22




#### Winter Walkover - 31/10/2022



#### Winter Walkover - 31/11/22




#### Winter Walkover - 7/12/22




Winter Walkover - 12/01/2023



#### Winter Walkover - 2/2/23



#### Winter Walkover - 02/03/23



## **Breeding Walkover Survey Data and Maps**

Survey date         eyor         label         Species         Number         Sex/ age         Habitat         Comments           07/04/2022         GW         Meadow Pipit         6         Mixed         Ground feeding           07/04/2022         GW         Yellowhammer         1         Ground feeding           08/04/2022         GW         Kestrel         1         Male         Hunting           08/04/2022         GW         Yellowhammer         4         Mixed         Carrying food           21/04/2022         GW         Grey Wagtail         1         Male         Carrying food           21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed         Singing           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s	nging
07/04/2022         GW         Yellowhammer         1         Ground feeding           08/04/2022         GW         Kestrel         1         Male         Hunting           08/04/2022         GW         Meadow Pipit         1         Adult           08/04/2022         GW         Yellowhammer         4         Mixed           21/04/2022         GW         Grey Wagtail         1         Male         Carrying food           21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         1         Male         Family party           21/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family	nging
08/04/2022         GW         Kestrel         1         Male         Hunting           08/04/2022         GW         Meadow Pipit         1         Adult           08/04/2022         GW         Yellowhammer         4         Mixed           21/04/2022         GW         Grey Wagtail         1         Male         Carrying food           21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Yellowhammer         1         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male	nging
08/04/2022         GW         Meadow Pipit         1         Adult           08/04/2022         GW         Yellowhammer         4         Mixed           21/04/2022         GW         Grey Wagtail         1         Male         Carrying food           21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Meadow Pipit         12         Mixed         <	nging
08/04/2022         GW         Yellowhammer         4         Mixed           21/04/2022         GW         Grey Wagtail         1         Male         Carrying food           21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Meadow Pip	nging
21/04/2022         GW         Grey Wagtail         1         Male         Carrying food           21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Hunting           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022	nging
21/04/2022         GW         Kestrel         1         Female         Hunting           21/04/2022         GW         Meadow Pipit         6         Mixed         Singing           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed         Hunting           24/05/2022	nging
21/04/2022         GW         Meadow Pipit         6         Mixed           21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed         Hunting           24/05/2022         GW         Kestrel         1         Male         Hunting	nging
21/04/2022         GW         Yellowhammer         1         Male         Singing           21/04/2022         GW         Yellowhammer         2         Pair         Pair present           21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	nging
21/04/2022GWYellowhammer2PairPair present21/04/2022GWYellowhammer1MaleSinging12/05/2022GWMeadow Pipit6MixedFamily party12/05/2022GWYellowhammer5Pair2 pairs plus 1 adult male s13/05/2022GWMeadow Pipit9MixedFamily party13/05/2022GWYellowhammer9MixedFamily party23/05/2022GWKestrel1MaleHunting23/05/2022GWMeadow Pipit12MixedAdults with food23/05/2022GWSwift1AdultIn flight23/05/2022GWYellowhammer5Mixed24/05/2022GWKestrel1MaleHunting	nging
21/04/2022         GW         Yellowhammer         1         Male         Singing           12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	nging
12/05/2022         GW         Meadow Pipit         6         Mixed         Family party           12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	nging
12/05/2022         GW         Yellowhammer         5         Pair         2 pairs plus 1 adult male s           13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	nging
13/05/2022         GW         Meadow Pipit         9         Mixed         Family party           13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	nging
13/05/2022         GW         Yellowhammer         9         Mixed         Family party           23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	
23/05/2022         GW         Kestrel         1         Male         Hunting           23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	
23/05/2022         GW         Meadow Pipit         12         Mixed         Adults with food           23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	
23/05/2022         GW         Swift         1         Adult         In flight           23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	
23/05/2022         GW         Yellowhammer         5         Mixed           24/05/2022         GW         Kestrel         1         Male         Hunting	
24/05/2022         GW         Kestrel         1         Male         Hunting	
24/05/2022 GW   Meadow Pinit 3   Mixed	
Z-7/00/2022 OVV   1/0000W11pit O   1/11/60	
24/05/2022 GW Yellowhammer 3 Mixed Family party	
09/06/2022         GW         Meadow Pipit         6         Mixed	
09/06/2022 GW Yellowhammer 1 Male	
09/06/2022 GW Yellowhammer 4 Mixed	
10/06/2022 GW Meadow Pipit 1 Male	
10/06/2022 GW Meadow Pipit 7 Mixed	
10/06/2022 GW Yellowhammer 4 Mixed	
10/06/2022 GW Yellowhammer 7 Mixed	
27/05/2023 MD 1 Buzzard 2 WD4 Soaring pair	
27/05/2023 MD 11 Buzzard 2 WS pair soaring	
27/05/2023 MD 22 Buzzard 1 PB soaring	
27/05/2023 MD 12 Grey Heron 1 FW2 travelling	
27/05/2023 MD 16 Kestrel 1 PB hunting	
27/05/2023 MD 7 Lapwing 2 GS breeding pair/ chick alarn	call
27/05/2023 MD 6 Mallard 1 PB flushed	
27/05/2023 MD 19 Mallard 2 FW2 flushed	
27/05/2023 MD 20 Mallard 2 FW2 foraging	
27/05/2023 MD 4 Meadow Pipit 3 GS foraging	
27/05/2023 MD 5 Meadow Pipit 2 PB flushed	
27/05/2023 MD 8 Meadow Pipit 4 GS flushed/ carrying food	
27/05/2023 MD 10 Meadow Pipit 6 GA1 flushed/ carrying food	
27/05/2023 MD 15 Meadow Pipit 4 GS foraging	
27/05/2023 MD 17 Meadow Pipit 2 GS flushed	
27/05/2023 MD 21 Meadow Pipit 5 GA1 flushed carrying food	
27/05/2023 MD 24 Meadow Pipit 2 GA1 adult and fledgeling	
27/05/2023 MD 23 Swift 1 GA1 foraging	


Survey date	Surv eyor	Map label	Species	Number	Sex/ age	Habitat	Comments
27/05/2023	MD	26	Swift	3		PB	foraging
27/05/2023	MD	2	Yellowhammer	2		WL1	foraging
27/05/2023	MD	3	Yellowhammer	1		WL1	perched/ singing
27/05/2023	MD	9	Yellowhammer	1		WL1	singing
27/05/2023	MD	13	Yellowhammer	1		WL1	perched
27/05/2023	MD	14	Yellowhammer	2		GA1	foraging
27/05/2023	MD	18	Yellowhammer	3		GA1	foraging
27/05/2023	MD	25	Yellowhammer	1		GA1	singing
03/06/2023	MD	11	Buzzard	1	F/A & Juv	GA1	Soaring
03/06/2023	MD	17	Buzzard	1	M/A	GA1	Soaring
03/06/2023	MD	8	Curlew	2	Α	GA1	2 Possible adult Curlew calling and alarm calling on possible breeding ground
03/06/2023	MD	9	Mallard	5	F/A & Juv	WFW2	Adult female / 4 Juv
03/06/2023	MD	16	Mallard	2	M/A	FW2	Flushed
03/06/2023	MD	2	Meadow Pipit	2	A	GS	Foraging
03/06/2023	MD	3	Meadow Pipit	2	A & Juv	PB	Foraging
03/06/2023	MD	4	Meadow Pipit	5	AQJUV	GA1	
03/06/2023	MD	6	·	3	۸		Foraging
			Meadow Pipit		A	GA1	Foraging
03/06/2023	MD	14	Meadow Pipit	2	A	GS	Foraging
03/06/2023	MD	19	Meadow Pipit	5	A	GA1	Foraging
03/06/2023	MD	10	Swift	4	A	GA1	Foraging
03/06/2023	MD	18	Swift	3	A	GA1	Foraging
03/06/2023	MD	1	Yellowhammer	4	m& f/ A	WL1	Perched
03/06/2023	MD	5	Yellowhammer	2	M/A	WL1	Calling
03/06/2023	MD	7	Yellowhammer	1	M/A	GA1	Calling
03/06/2023	MD	12	Yellowhammer	2	M&F/ A	GA1	Foraging
03/06/2023	MD	13	Yellowhammer	1	M/A	FW1	Calling
03/06/2023	MD	15	Yellowhammer	3	M&F/ A	WL1	Perched
03/06/2023	MD	20	Yellowhammer	2	M&F/ A	GA1	Foraging
10/07/2023	MD	5	Buzzard	1	F/A	GA1	Travelling
10/07/2023	MD	11	Buzzard	1	A	GA1	Saoring
10/07/2023	MD	9	Mallard	3	M&F A	GA1	Travelling
10/07/2023	MD	2	Meadow Pipit	3	А	PB	Foraging/ Displaying
10/07/2023	MD	3	Meadow Pipit	4	A& JUV	PB	Foraging
10/07/2023	MD	4	Meadow Pipit	2	Α	PB	Travelling
10/07/2023	MD	6	Meadow Pipit	6	A&JUV	GA1	Foraging/ travelling
10/07/2023	MD	12	Meadow Pipit	4	Α	PB	Foraging
10/07/2023	MD	14	Meadow Pipit	9	A& JUV	GA1	Foraging/ Displaying
10/07/2023	MD	8	Swift	3	Α	GA1	Foraging
10/07/2023	MD	10	Swift	2	Α	GA1	Foraging
10/07/2023	MD	1	Yellowhammer	2	M/A	WL1	Calling
10/07/2023	MD	7	Yellowhammer	1	F/A	GA1	Foraging
10/07/2023	MD	13	Yellowhammer	3	M&F A	WL1	Foraging
10/07/2023	MD	15	Yellowhammer	2	M/A	WL1	Calling
05/08/2023	MD	6	Buzzard	1	А	WL1	Perched
05/08/2023	MD	9	Grey Heron	1	А	FW2	Flushed
05/08/2023	MD	3	Meadow Pipit	6	А	GA1	Foraging
05/08/2023	MD	4	Meadow Pipit	11	Α	GA1	Foraging
05/08/2023	MD	7	Meadow Pipit	5	Α	GA1	Foraging/ Travelling

Survey date	Surv eyor	Map label	Species	Number	Sex/ age	Habitat	Comments
05/08/2023	MD	8	Meadow Pipit	4	A A	GA1	
***************************************				7			Travelling/ Perched
05/08/2023	MD	10	Meadow Pipit	-	A	GA1	Foraging/ flushed
05/08/2023	MD	2	Swift	2	Α	GA1	Foraging
05/08/2023	MD	1	Yellowhammer	2	M&F A	WL2	Foraging
05/08/2023	MD	5	Yellowhammer	1	M/A	GA1	Foraging
05/08/2023	MD	11	Yellowhammer	1	M/A	GA1	Calling
15/09/2023	MD	12	Buzzard	1	JUV	WS	Perched
15/09/2023	MD	20	Golden Plover	8		PB	Travelling
15/09/2023	MD	7	Mallard	3	M&F A	FW2	Flushed
15/09/2023	MD	15	Mallard	1	M/A	FW2	Flushed
15/09/2023	MD	2	Meadow Pipit	4	Α	PB	Foraging/ Travelling
15/09/2023	MD	5	Meadow Pipit	7	Α	GA1	Foraging/ Flushed
15/09/2023	MD	9	Meadow Pipit	5		PB	Travelling
15/09/2023	MD	11	Meadow Pipit	2	А	PB	Foraging
15/09/2023	MD	14	Meadow Pipit	1	А	GA1	Flushed
15/09/2023	MD	16	Meadow Pipit	5	А	GA1	Foraging/ Flushed
15/09/2023	MD	18	Meadow Pipit	2	А	GA1	Foraging
15/09/2023	MD	3	Snipe	1		РВ	Flushed
15/09/2023	MD	4	Snipe	1		РВ	Flushed
15/09/2023	MD	8	Snipe	1		GA1	Flushed
15/09/2023	MD	10	Sparrowhawk	1	M/A	WS	Hunting
15/09/2023	MD	1	Yellowhammer	1	F/A	GA1	Foraging
15/09/2023	MD	6	Yellowhammer	1		WL1	Perched
15/09/2023	MD	13	Yellowhammer	2	M&F A	GA1	Foraging
15/09/2023	MD	17	Yellowhammer	1	А	GA1	Travelling
15/09/2023	MD	19	Yellowhammer	1	M/A	WL1	Perched

#### Breeding Walkover - 7/4/2022



Breeding Walkover - 8/4/2022




#### Breeding Walkover - 21/4/22 (early AM)



**Breeding Walkover - 21/4/22 (late AM)** 




#### Breeding Walkover - 13/5/22



Breeding Walkover - 23/5/22



#### Breeding Walkover - 24/5/22



Breeding Walkover - 9/6/22 (PM)



#### Breeding Walkover - 9/6/22 (Dusk)



Breeding Walkover - 10/6/22 (Dawn)




#### Breeding Walkover - 10/6/22 AM (late)




Breeding Walkover - 27/05/23




#### Breeding Walkover - 03/06/23




#### Breeding Walkover - 10/07/23



#### Breeding Walkover - 05/08/23



#### **Breeding Walkover - 15/09/23**



APPENDIX 10.4.iii

Sensitive Species Survey Confidential Information Internal Use Only

#### **Appendix 4a III with Maps**

# Confidential information For internal use only

#### **Sensitive Species Survey Data and Maps**

Maps showing exact location data of breeding sites of sensitive species are confidential and have been submitted to the planning Authorities, National Parks and Wildlife service and marked as confidential information and for internal use only, and additional version of the appendix has been prepared without maps for public file.

## **Woodcock Survey Data and Maps**June 2025

Survey date	Transect	Observation No	Species	BTO code	Number	Sex/ age	Activity	Comments
								Male displaying
								and calling over
								forestry.
								Followed closely
								by second WK,
23/06/2025	1	1	Woodcock	WK	2	A M&F	Roding	likely female
								Male roding NE
23/06/2025	1	2	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding SW
23/06/2025	1	3	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding SE
23/06/2025	1	4	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding NE
23/06/2025	1	5	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding NE
23/06/2025	1	6	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding SW
								over foorestry
				5				followed closely
23/06/2025	1	7	Woodcock	WK	2	A M&F	Roding	by female

## Woodcock Survey: 23/06/2025



#### **Breeding Wader (Curlew) Surveys Data and Maps**

April to June 2022 and April to June 2025

Survey date	Transect / VP	Observation No	Species	Number	Sex/ age	Habitat	Comments
13/04/2022	VP	1	Curlew	0		GS	No obs
21/05/2022	VP	1	Curlew	3		GS	Three curlew observed in flight
31/05/2022	VP	2	Curlew	1		GS	Adult female feeding
01/06/2022	VP	na	Curlew	0		GS	No obs
20/04/2025	1	1	Curlew	1	F/A	GS	Foraging
20/04/2025	1	2	Curlew	1	M/A	GS	Flushed then displayed before landing to forage
07/05/0005							No curlew recorded, Curlew last audio recorded on 7th
27/05/2025	1	na	Curlew	0		GS	May. Two snipe drumming.
17/06/2025	1	na	Curlew				No obs

**Breeding Curlew Survey: 13/04/2022** 



**Breeding Curlew Survey: 21/05/2022** 



## **Breeding Curlew Survey: 31/05/2022**



**Breeding Curlew Survey: 20/04/2025** 




#### **Breeding Raptor Surveys Data and Maps**


May to July 2023

Date	Map reference	VP	Species	BTO code	Number	Time	Activity	Comment s
01/06/2023	1	BRVP3	Buzzard	BZ	1	08:18	Travelling	Adult female BZ flying SE at approx 60 metres. Lost behind forestry
01/06/2023	2	BRVP3	Kestrel	К	1	07:52	Hunting	Adult male K hunting. Made one unsuccessf ul kill attempt.
01/06/2023	3	BRVP3	Buzzard	BZ	1	08:15	Soaring	BZ rising on thermal to over 150 metres . Drifted South
06/07/2023	1	BRVP3	Sparrowhawk	SH	1	07:16	Carrying prey	Adult male SH carrying passerine prey into forestry. Nest with chick likely in forestry

## **Breeding Raptor Survey: 1/06/2023**




## **Breeding Raptor Survey: 6/07/2023**



## **Breeding Lapwing Nest Location:**



### **Buzzard Nest Location: Summer 2022**



onidential whomation for Internal USE

				4 4	<b>^</b>	
	PEN	11 1	ıv	7 1	1 /1	
AP	PFI				14	
/ \ \			I / \	\	J. T.	

Walkover Surveys Data without Maps

#### **Appendix 4a III without Maps**

#### **Woodcock Survey Data**

June 2025

Survey date	Transect	Observation No	Species	BTO code	Number	Sex/ age	Activity	Comments
								Male displaying
								and calling over
								forestry.
								Followed closely
								by second WK,
23/06/2025	1	1	Woodcock	WK	2	A M&F	Roding	likely female
								Male roding NE
23/06/2025	1	2	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding SW
23/06/2025	1	3	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding SE
23/06/2025	1	4	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding NE
23/06/2025	1	5	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding NE
23/06/2025	1	6	Woodcock	WK	1	A/M	Roding	over forestry
								Male roding SW
								over forestry
								followed closely
23/06/2025	1	7	Woodcock	WK	2	A M&F	Roding	by female

Note: Maps showing exact location data of breeding sites of sensitive species are confidential and have been submitted to the planning Authorities, National Parks and Wildlife service and marked as confidential information and for internal use only.

#### **Breeding Wader (Curlew) Surveys Data**

April to June 2022 and April to June 2025

Survey date	Transect / VP	Observation No	Species	Number	Sex/ age	Habitat	Comments
13/04/2022	VP	1	Curlew	0		GS	No obs
21/05/2022	VP	1	Curlew	3		GS	Three curlew observed in flight
31/05/2022	VP	2	Curlew	1		GS	Adult female feeding
01/06/2022	VP	na	Curlew	0		GS	No obs
20/04/2025	1	1	Curlew	1	F/A	GS	Foraging
20/04/2025	1	2	Curlew	1	M/A	GS	Flushed then displayed before landing to forage
							No curlew recorded, Curlew last audio recorded on 7th
27/05/2025	1	na	Curlew	0		GS	May. Two snipe drumming.
17/06/2025	1	na	Curlew				No obs

Note: Maps showing exact location data of breeding sites of sensitive species are confidential and have been submitted to the planning Authorities, National Parks and Wildlife service and marked as confidential information and for internal use only.

## **Breeding Raptor Surveys Data**

May to July 2023

Date	Мар	VP	Species	BTO	Number	Time	Activity	Comment
Dute	reference	••	Openies	code	Italiisei		Activity	s
01/06/2023	1	BRVP3	Buzzard	BZ	1	08:18	Travelling	Adult female BZ flying SE at approx 60 metres. Lost behind forestry
01/06/2023	2	BRVP3	Kestrel	К	1	07:52	Hunting	Adult male K hunting. Made one unsuccessf ul kill attempt.
01/06/2023	3	BRVP3	Buzzard	BZ	1	08:15	Soaring	BZ rising on thermal to over 150 metres . Drifted South
06/07/2023	1	BRVP3	Sparrowhawk	SH	1	07:16	Carrying prey	Adult male SH carrying passerine prey into forestry. Nest with chick likely in forestry

Note: Maps showing exact location data of breeding sites of sensitive species are confidential and have been submitted to each Planning Authorities, National Parks and Wildlife service and marked as confidential information and internal use only.

**APPENDIX 10.5** 

Collision Risk Model

## **Derrynadarragh Wind Farm**


## **Collision Risk Modelling**

**Prepared for:** 

**Dara Energy Limited** 

August 2025

By




Wetland Surveys Ireland Ltd.
The Shed @ The Mill
Killarney Road
Gortamullin
Kenmare
Co Kerry

T: 064 6642524

E: info@wetlandsurveys.ie
W: www.WetlandSurveys.ie

#### **Document Control Sheet**

Client	Dara Energy Limited
Project Title	Derrynadarragh Collision Risk Modelling
Document Title	Collision Risk Modelling
Project Number	WS0818
Document No.	DaraCRM_002



#### CONTENTS

CON	TIEN15	
	Pag	e
1	INTRODUCTION	3
2	METHODOLOGY	4
3	RESULTS	
4	REFERENCES	9
FIG	URES	
FIGUR FIGUR FIGUR	E 1: LAYOUT OF DERRYNADARRAGH WINDFARM SHOWING SITE BOUNDARY, TURBINE LOCATION (No. 9), BIRD SURVEY AREA AND VANTAGE POINT LOCATIONS.  E 2: VIEWSHED FROM VP1 (20M HEIGHT).  E 3: VIEWSHED FROM VP2 (20M HEIGHT).  E 4: VIEWSHED FROM VP3 (20M HEIGHT).  E 5: OVERALL COVERAGE OF STUDY AREA BY THREE VP VIEWSHEDS (20M HEIGHT).	7 7 8
TAB	LES	
TABLE TABLE TABLE TABLE TABLE TABLE TABLE	1: BIRD BIOMETRICS DATA FOR TARGET SPECIES.  2: TURBINE PARAMETERS FOR THE PROPOSED TURBINE MODEL AT DERRYNADARRAGH WIND FARM.  3: DETAILS OF VANTAGE POINT WATCHES CARRIED OUT AT DERRYNADARRAGH WIND FARM.  5: BIRD SPECIES RECORDED DURING VP WATCHES AT THE PROPOSED DERRYNADARRAGH WIND FARM. ANNEX I REFERS TO WHETHER THE SPECIES IS LISTED IN ANNEX I OF THE EU BIRDS DIRECTIVE.  6: AVERAGE BIRD DENSITY (BIRDS / KM2) OF BIRD SPECIES RECORDED DURING VP WATCHES AT THE PROPOSED DERRYNADARRAGH WIND FARM.  18: PROPORTION OF BIRDS FLYING AT RISK HEIGHT.  9: EXPECTED NUMBER OF COLLISIONS PER YEAR (ASSUMING AVOIDANCE BEHAVIOUR) FOR BIRD SPECIES AT THE PROPOSE DERRYNADARRAGH WIND FARM.  10: UNCERTAINTY VALUE ASSOCIATED WITH BIRD DENSITY FOR EACH TARGET SPECIES.  11: COMBINED UNCERTAINTY VALUES FOR EACH TARGET SPECIES.  12: ESTIMATED NUMBER OF COLLISIONS PER YEAR WITH UNCERTAINTY VALUES.  1	6 9 2 2 3 D 4 5 7
Appe Appe	endices  ndix I – Calculating bird density  ndix II – Calculating proportion of birds at risk height  ndix III – Collision probability (outcome of Stage A – Stage E calculations)	

#### 1 INTRODUCTION

Wind Farm Developments have the potential to impact bird species in a number of ways, including displacement, barrier effects, habitat effects, and collision risk. Collison risk can be assessed using Collision Risk Modelling (CRM). Wetland Surveys Ireland Ltd. were commissioned by Dara Energy Limited Ltd. to assess the collision risk for bird species at the proposed Derrynadarragh Wind Farm, Co. Offaly and Co. Kildare.

CRM is a method to estimate the number of birds likely to collide with turbines at a proposed wind farm site. This method uses vantage point data collected during field surveys to calculate the risk of collision. In this case, vantage point data collected over two years (two breeding seasons and two winter seasons) at the proposed Derrynadarragh Wind Farm site was used. The vantage point surveys were undertaken over a 24-month period from October 2021 to September 2023 at two vantage point locations (VP1 and VP2). A third vantage point, VP3, was established in April 2022 and was surveyed along with VP1 and VP2 until September 2023 (see Figure 1). For the purposes of the CRM, the parameters used to inform turbine characteristics are based on the Vestas V-162 model of turbine.




Figure 1: Layout of Derrynadarragh Windfarm showing site boundary, turbine location (No. 9), bird survey area and Vantage Point locations.

#### 2 METHODOLOGY

The vantage point surveys were carried out following Scottish Natural Heritage guidelines (SNH 2017). CRM uses a mathematical model to estimate the number of birds of a particular species that are likely to collide with the proposed turbines. The CRM method followed here is that of Scottish Natural Heritage, which is also known as the Band Model (Band 2000, Band *et al.* 2007) as updated in 2024 (Band 2024). The excel calculation sheet available for download from the SNH website<sup>1</sup> was used for the current CRM and follows the updated approach of Band (2024). The Collision Risk sheet within the calculation excel requires data to be input relating to the target bird species, the wind farm, and the turbines. These data are then used within Stages A - E of the collision risk calculation, which are clearly delineated within the excel. Additional data input is also required for Stages A, D, and E within the calculation excel.

#### 2.1 BIRD DATA

For each target species several parameters must be entered into the excel calculation sheet including bird length, wingspan, and bird flight speed. Bird biometric data were obtained from the Royal Society for the Protection of Birds<sup>2</sup>. It is recommended (Band 2024) that bird biometrics are obtained from standard reference works (e.g. Cramp & Simmons 1983) or from British Trust for Ornithology (BTO) Bird Facts. BTO Bird Facts<sup>3</sup> were consulted in February 2025, however the required biometric data was not displayed for the bird species required. This data was found on the Royal Society for the Protection of Birds website and so was used in place of BTO data (Table 1).

The calculation excel requires a nocturnal activity ranking to be selected for each target species. The ranking ranges from 1-5, where 1 represents no nocturnal activity (birds are inactive at night) and 5 represents high levels of nocturnal activity (birds are as active at night as they are during the day). A ranking of 1 was assigned to all target bird species recorded, except for Golden Plover, Snipe, and Lapwing which were given a nocturnal activity ranking of 2, which represents 25% nocturnal activity (birds are 25% as active at night as they are during the daytime).

For all target bird species it was assumed that flight speed was the same upwind and downwind. The calculations were run for both gliding and or flapping flight depending on the typical flight of each species. Where both gliding and flapping are calculated then the two values are averaged.

4

<sup>&</sup>lt;sup>1</sup> https://www.nature.scot/doc/collision-risk-model-onshore-wind-farms-spreadsheet-2024

<sup>&</sup>lt;sup>2</sup> <u>https://www.rspb.org.uk/birds-and-wildlife</u>

<sup>&</sup>lt;sup>3</sup> https://www.bto.org/understanding-birds/welcome-birdfacts

For each target species 'normal approach' or 'birds on migration' needed to be specified in the calculation excel. All species recorded during regular vantage point watches were selected as 'normal approach'.

To account for a bird's ability to detect and avoid turbines, an avoidance factor is applied to the annual collision mortality rate. Based on empirical evidence and ongoing studies, avoidance rates for most species are typically 98-99% or higher (SNH, 2018). For Golden Plover, an avoidance rate of 99.8% was used as it was determined by Gittings (2022) to be appropriate based on a review of four onshore windfarms in the UK. The avoidance rate used for Hen Harrier was 99%, Whooper Swan was 99.5%, and Kestrel was 95%. For the other species included in this collision risk, the SNH guidance specifies a default avoidance rate of 98% (see Table 1).

Table 1: Bird biometrics data for target species.

Species	Avoidance Rates (%)	Length (m)	Wingspan (m)	Average speed (m/s)
Buzzard	98	0.54	1.21	11.6
Curlew	98	0.55	0.9	16.3
Golden Plover	99.8	0.28	0.72	17.9
Hen Harrier	99	0.48	1.1	9.1
Kestrel	95	0.34	0.76	10.1
Lapwing	98	0.3	0.85	12.8
Mallard	98	0.57	0.9	18.5
Merlin	98	0.28	0.56	11.2
Peregrine	98	0.45	1.05	12.1
Snipe	98	0.26	0.42	17.1
Sparrowhawk	98	0.33	0.63	11.3
Whooper Swan	99.5	1.5	2.2	17.3
Woodcock	98	0.34	0.6	17.1

Length and wingspan from RSPB. Flight speed from Alerstam et al. (2007); for Golden plover, value for grey plover was used; for woodcock, value for snipe was used

#### 2.2 WINDFARM DATA

The latitude of Derrynadarragh windfarm is 53.2 degrees (at its most northerly point). This value was entered into the calculation excel which then automatically calculated the total daylight hours per month for the windfarm site. The number of proposed turbines for the site is 9 and this value was also entered into the calculation excel.

#### 2.2.1 Turbine Data

The turbine model used to inform the CRM is the Vestas V-162. The turbine parameters as per the manufacturer's specifications are presented in Table 2 were used in the CRM. Blade profile

data (a separate sheet in the calculation excel) were not altered and default values were used, as the specific data for the turbine model was not available.

Table 2: Turbine parameters for the proposed turbine model at Derrynadarragh Wind Farm.

Turbine Model	V-162 (Vestas)
Number of turbines	9
Hub height	105m
Rotor radius	81m
Number of blades	3
Rotation speed⁴	12.1rpm
Maximum blade width	4.3m
Blade pitch	15 degrees <sup>5</sup>

#### 2.3 STAGES OF COLLISION RISK ASESSMENT

The five stages (A to E) involved in CRM (as per Band 2024) are as follows:

#### Stage A Flight Activity:

Vantage point survey data of birds flying in the study area are used to determine the density of birds flying in the vicinity of the proposed turbines and the proportion flying at risk height (between the lowest and highest points of the rotors).

#### Bird Density

Two years of survey data (October 2021 – September 2023) were used for this CRM analysis. Data was collected at dedicated vantage point (VP) locations overlooking the proposed windfarm site as illustrated in Figure 1. A total of 159 hours of survey effort was carried out at VP1 and VP2 individually over the entire survey period. The total survey effort at VP3 was 117 hours. The survey effort at VP3 was lower than that at VP1 and VP2 as VP3 was only established in Summer 2022. Survey effort per season is summarised in Table 3.

The three VP locations afforded views over the proposed wind farm site and a 500 m buffer around each proposed turbine. The viewshed from each VP is illustrated in Figure 2 - Figure 4 below. The viewsheds were determined by surveyors and confirmed using spatial analyst GIS software tools. Both a 0m (ground level) and 20m (above ground level) viewshed were established for each VP. The viewsheds were used to calculate the area visible from each VP. The cumulative coverage of the survey area by the 20m elevation viewshed from all VPs is illustrated in Figure 5 below.

<sup>4</sup> The dynamic operation range (the rate at which the blades rotate) of the turbines is approximately 4-12.1 revolutions per minute (rpm) which is influenced by wind speed. Taking a precautionary approach the higher rate of 12.1 is used in the CRM.

6

<sup>&</sup>lt;sup>5</sup> A pitch value of 15 degrees was used as this is accepted as a recognised average when a turbine is operating at around its mean rotational speed (Band 2024).




Figure 2: Viewshed from VP1 (20m height).




Figure 3: Viewshed from VP2 (20m height).




Figure 4: Viewshed from VP3 (20m height).




Figure 5: Overall coverage of study area by three VP viewsheds (20m height).

Table 3: Details of vantage point watches carried out at Derrynadarragh Wind Farm

		Seasonal surveys	Total	VP Location
			survey	
	Viewshed area (km²)		effort (hrs)	
VP1	3.24	Winter (Oct 21 – Mar 22): 36hrs	159	658138,
		Summer (Apr – Sep 22): 33hrs		716055
		Winter (Oct 22 – Mar 23): 54hrs		
		Summer (Apr – Sep 232): 36hrs		
VP2	3.65	Winter (Oct 21 – Mar 22): 36hrs	159	660008,
		Summer (Apr – Sep 22): 33hrs		715795
		Winter (Oct 22 – Mar 23): 48hrs		
		Summer (Apr – Sep 23): 42hrs		
VP3	1.79	Winter (Oct 21 – Mar 22): na	117	660224,
		Summer (Apr – Sep 22): 33hrs		714647
		Winter (Oct 22 – Mar 23): 42hrs		
		Summer (Apr – Sep 23): 42hrs		

<sup>\*</sup> VP3 has a lower survey effort compared to VP1 and VP2 as it was not established until April 2022

Flightlines were recorded during each VP survey, noting the species of bird, number of individuals and time spent flying at various height bands<sup>6</sup>. Any flightlines that occurred entirely outside of the relevant viewshed were excluded from the analysis. Flightlines that partly occurred within the relevant viewshed were clipped to the viewshed and the duration of the flight was recalculated using the proportion of the original flightline occurring within the viewshed. This recalculation assumes that flight height distribution and flight speed were similar in the segments inside and outside of the viewshed.

Multiplying the number of birds by the time recorded flying for each species of interest provided the total flying time for that species during a given season in bird-seconds. This total flying time was then divided by the total watch time (s) and the area surveyed (viewshed) (km²) to calculate the average density of birds in flight per km².

Vantage Point data was aggregated into two periods: winter season (October - March) and breeding season (April – September) for each year following the approach used in Band (2024). As there is no significant difference in habitat covered by each of the VP locations, the data for all VPs were also aggregated. There were variations in the level of flight activity recorded for individual species between years, however activity was not consistently higher in one year for all species. Therefore, data for the two years at all VPs was aggregated, resulting in mean bird density values for the winter season and the breeding season. These average values were used

-

<sup>\*</sup> A number of additional watches were undertaken during winter 2022-23 and summer 2023 to increase coverage of the Spring and Autumn migration periods.

<sup>&</sup>lt;sup>6</sup> Three flight bands were used to record flightlines during bird surveys at Derrynadarragh: 0-25m, 25-180m, and >180m

to populate daytime bird density values in the calculation excel for their corresponding months. Calculations for bird density are presented in Appendix I.

#### <u>Proportion flying at risk height</u>

In order to determine the proportion of birds flying at risk height the proportion of flight time recorded within each of the flight height bands is calculated using the height range of the proposed turbine model.

The risk height range of the selected turbine is 24-186m above ground. The following flight bands were used to record flightlines during VP surveys: Band A: 0-25m, Band B: 25-180m, and Band C >180m. These bands were established in advance of knowing the turbine dimensions and hence the risk height range differs slightly from Band B. In order to determine the proportion of birds within Band A and Band C that may be at height risk, a proportion of flights in each band were assigned as occurring within the flight risk height.

It is assumed that flight heights were distributed uniformly within each of the height bands that were used to record flightline data.

An upper ceiling of 400m was applied to Band C as this is likely to represent the upper height that most birds were observed. The risk height range for the proposed turbine models is 24-186m (hub height = 105m and rotor radius = 81m). For the flight height bands used, 1m of the rotor height span falls within the 0-25m band, 155m falls within the 25-180m band, and 6m falls within the 180-400m band. The flight time recorded within each flight height band for each species was expressed as a percentage of the total flight time for each species to determine the proportion of time spent within each flight height band for each species. This value was then multiplied by the proportion of the rotor height within the flight band, and this value for each flight band was summed to obtain the total proportion of flights falling within rotor risk height. The outcome of these calculations are presented in Table 6.

**Stage B Number of flights through rotors:** Using bird density and proportion of birds at risk height (Stage A), an estimate is made of the number of bird passages through the turbine rotors over a given time period. At this stage it is assumed that birds will continue to make flights within the windfarm area at the same intensity as prior to the establishment of the windfarm.

The potential number of flights through turbine rotors depends on turbine size. The rotor radius for turbines is 81m and nine turbines are proposed for the site. Bird flight speed is also required for this calculation. Values for each species were obtained from Alerstam *et al.* (2007).

The result of this calculation at stage B as produced by the excel spreadsheet is the projected number of rotor transits per month and per year. Projected number of transits per year are presented in Table 7.

**Stage C Probability of collision for a single transit:** The probability of a collision during a single rotor transit by a bird is calculated.

In this stage, the projected number of rotor transits calculated in Stage B are used to determine the single transit collision risk for each target species as presented in Table 7.

**Stage D Expected collisions per year:** The outputs of Stage B and Stage C are multiplied to give the potential collision rate for each bird species. Current levels of bird usage at the site are still assumed at this stage, but an adjustment is made to allow for the amount of time that the turbines are operational.

In this case a value of 85% was used as the actual percentage of operational time for the proposed windfarm site is unknown. It is known that wind turbines are not active 100% of the time and 85% is seen as an upper limit for time that a wind turbine is typically active (Wind Europe).

**Stage E Allowing for avoidance and attraction:** This stage takes into account the proportion of birds likely to avoid the windfarm or turbines, either due to displacement, evasive action, or attraction to the windfarm site.

For this part of the CRM analysis avoidance rates as presented in SNH (2018) were used (see Table 1). An exception however is in relation to Golden Plover, rather than applying the default 98% avoidance rate, a species specific rate of 99.8% was used. This approach is informed by a study by Gittings (2022) who reviewed data from four onshore wind farms which had confirmed avoidance rates ranging from 99.6 to 99.8.

In the case of all target bird species it was assumed that there is no reason for the proposed windfarm site to attract a higher number of species than that already present.

As the proposed windfarm comprises nine turbines, the large array correction was not applied (required for sites with 50 turbines or more).

#### Birds on Migration

There were peak counts of Golden Plover recorded around the Autumn migration period in both years with a flock of 4,000 birds observed in Autumn 2022. It was determined that the flights did not represent migration flights but are more likely to represent staging behaviour. The migration approach was therefore not applied to the bird observations at the site.

#### 3 RESULTS

A total of 13 target bird species were recorded during VP watches (Table 4).

Table 4: Bird species recorded during VP watches at the proposed Derrynadarragh Wind Farm. Annex I refers to whether the species is listed in Annex I of the EU Birds Directive.

Species	Conservation Status	Annex I
Buzzard	Green Listed	No
Curlew	Red Listed	No
Golden Plover	Red Listed	Yes
Hen Harrier	Amber Listed	Yes
Kestrel	Red Listed	No
Mallard	Amber Listed	No
Lapwing	Red Listed	No
Merlin	Amber Listed	Yes
Peregrine	Green Listed	Yes
Snipe	Red Listed	No
Sparrowhawk	Green Listed	No
Whooper Swan	Amber Listed	Yes
Woodcock	Red Listed	No

The average bird density value calculated for each species recorded during VP watches is presented in Table 5 below.

The average bird density was 0 (based on rounding to four decimal places) in both seasons for Mallard, Merlin, Peregrine, and Woodcock. Therefore, these species were not included in the Collision Risk Modelling analysis.

Table 5: Average bird density (birds / km²) of bird species recorded during VP watches at the proposed Derrynadarragh Wind Farm

Species	Winter season	Breeding Season
Buzzard	0.0017	0.0028
Curlew	0.0000	0.0002
Golden Plover	6.4338	0.0001
Hen Harrier	0.0001	0.0000
Kestrel	0.0013	0.0002
Lapwing	0.0072	0.0000
Merlin	0.0000	0.0000
Peregrine	0.0000	0.0000
Snipe	0.0002	0.0000
Sparrowhawk	0.0002	0.0001

Species	Winter season	Breeding Season
Whooper Swan	0.0002	0.0000
Woodcock	0.0000	0.0000

Summary results for the calculation of proportion of birds at risk height are presented in Table 6 below (for more details see Appendix III) and were input as Proportion at risk height ( $Q_{2R}$ ) for each species in the excel spreadsheet.

Table 6: Proportion of birds flying at risk height

3	
Species	Proportion at risk height (24-186m)
Buzzard	58.2%
Curlew	60.1%
Golden Plover	56.2%
Hen Harrier	53.9%
Kestrel	52.9%
Lapwing	7.6%
Snipe	66.4%
Sparrowhawk	5.2%
Whooper Swan	79.8%

The outcome of the collision risk modelling (number of expected collisions per year with avoidance behaviour) is presented in Table 7. All input data and calculations are presented in Appendix I-III.

Table 7: Expected number of collisions per year (assuming avoidance behaviour) for bird species at the proposed Derrynadarragh Wind Farm

		Collision R	isk (single tra	nsit risk)		Collision Rate					
Species	Projected number of rotor transits per year	Flapping	Gliding	Average	Without avoidance			Estimated collisions over a 30-year period			
Buzzard	296	6.87%	6.80%	6.84%	17	98	0.3	9			
Curlew	22	5.53%	5.47%	5.50%	1	98	0	0			
Golden Plover	486686	4.96%	NA	4.96%	20511	99.8	41	1230			
Hen Harrier	2	7.85%	7.80%	7.83%	0.14	99	0	0			
Kestrel	60	6.37%	6.32%	6.35%	3	95	0.2	6			
Lapwing	69	5.28%	NA	5.28%	3	98	0.1	3			
Snipe	22	4.30%	NA	4.30%	1	98	0	0			
Sparrowhawk	1	5.80%		5.80%	0.09	98	0	0			
Whooper Swan	1	8.82%	NA	8.82%	0.07	99.5	0	0			

#### 3.1 OVERVIEW OF UNCERTAINTIES

It should be noted that CRM makes the following assumptions:

- That a bird can be modelled by a simple cruciform shape
- That a turbine blade has a width and pitch, but no thickness
- That birds fly through turbines in straight lines
- That a bird's flight will be unaffected by a near miss, despite the slipstream around a turbine blade
- That no action is taken by a bird to avoid collision and so the figures represent worst case scenarios.

It is also accepted that there are uncertainties with the input data which should be considered to give an overall level of uncertainty regarding the estimated collision risk. Following Band (2024) there are five error sources within collision risk modelling:

#### 1. Uncertainty in bird density (e<sub>1</sub>)

Survey data shows that there are variations in bird density between surveys.

The standard deviation of survey results has been calculated for the winter and breeding seasons. The square root of the sum of these values was then determined to allow for the fact that errors in one season may be offset by errors in the other direction in the other period. This standard deviation value was then applied to the sum of the average bird density values for the winter and breeding seasons to determine the associated percentage value and e value as presented in Table 8.

Table 8: Uncertainty value associated with bird density for each target species.

Species	e <sub>1</sub> value
Buzzard	0.06
Curlew	0.02
Golden Plover	3.58
Hen Harrier	0.01
Kestrel	0.04
Lapwing	0.12
Snipe	0.02
Sparrowhawk	0.02
Whooper Swan	0.02

#### 2. Uncertainty in level of nocturnal activity (e<sub>2</sub>)

The actual nocturnal activity of bird species is unknown due to the absence of nighttime survey data.

The number of daylight hours used in the calculation is assumed to be accurate. However there is uncertainty regarding nocturnal activity. It was assumed that none of the target species were active at night, with the exception of Golden Plover, Snipe, and Lapwing, which were assumed to be 25% as active at night as during the day (nocturnal activity factor = 2 in the excel spreadsheet). While it cannot be entirely ruled out due to the absence of data, it is not seen that it would be greater than 5%. Therefore the level of uncertainty for all species is  $e_2$ =0.05, with the exception of Golden Plover, Lapwing and Snipe where  $e_2$ =0 (as nocturnal activity is already accounted for in the calculations for this species.

#### 3. Uncertainty in proportion flying at risk height (e<sub>3</sub>)

Despite bird surveyors being fully trained and very experienced, it is possible that bird flights can be recorded within the wrong flight height bands.

In particular, it is possible that birds recorded in the 0-25m flight band may actually have been in the 25-180m flight band and vice versa. If the visual estimate was out by  $\pm 5m$  at the two lowest flight bands this would have implications for the proportion of birds flying at risk height for the proposed turbine model. The flight patterns of raptors and Whooper Swan make it unlikely that there would be errors in recording flight heights, so a low uncertainty level ( $e_3 = 0.05$ ) has been assigned to these species, with a slightly higher uncertainty level ( $e_3 = 0.1$ ) being assigned to the remaining species (Curlew, Golden Plover, Lapwing, Snipe).

#### 4. Uncertainty in estimating numbers of individuals in large flocks (e<sub>4</sub>)

Some species of birds often fly in large flocks, making an accurate estimation of the number of individuals present in the flock difficult.

Golden Plover was the only species recorded in large flocks during vantage point watches with a maximum of 4,000 birds recorded in one flock. Given the large size and mobile nature of these flocks it is likely that under or overestimates regarding the number of birds were made. Lapwing was the only other bird species recorded in significant flocks (maximum of 150 birds). Given the smaller size of the flocks there is less chance of uncertainty regarding the estimate, however a small level of uncertainty does remain.

For all other target bird species an uncertainty value of  $e_4$  = 0 was assigned as these species typically occur singly or in very low numbers, eliminating the chance of making an incorrect estimate of numbers. For Lapwing, an uncertainty of 5% ( $e_4$  = 0.05) was assigned due to the occurrence of some smaller flocks. The very large numbers of Golden Plover increases the uncertainty of making accurate estimates of numbers, therefore an uncertainty of 20% ( $e_4$  = 0.20) is assigned to Golden Plover.

#### Uncertainty due to distance effects (e₅)

It has been found that higher densities of flightlines are recorded in proximity to vantage point locations, while very few flightlines are recorded in the more distant parts of viewsheds.

Analysis of vantage point data has revealed that there are very strong distance effects on bird detection rates with very low detection rates at distances over 1km from the vantage point location. It has been suggested that correcting for under-detection due to distance could increase collision risk by a factor of 1.6-6.3 times (Gittings 2024). Three vantage points were used to gain comprehensive views over the proposed wind farm site, with some overlap in viewshed areas. In addition, the furthest limit of the 500m turbine buffer from each vantage point location is not greater than 1.5km, increasing the likelihood of all birds being recorded. The underestimation of bird activity at the outer limits of the viewsheds is estimated to be approximately 15% (reduced from the estimates provided by Gittings (2024)) due to the presence of three vantage points with some overlap in viewsheds and the proximity of the vantage points to the outer limits of the 500m turbine buffers. Therefore,  $e_5 = 0.15$  for all target species, with the exception of Whooper Swan and Golden Plover. The large size of Whooper Swan and the large flock size of Golden Plover reduce the chance of under recording these species, even at the outer limits of a viewshed. Therefore the uncertainty for this species is reduced to 5% ( $e_5 = 0.05$ ) for these two species.

#### 6. Uncertainty in operational time (e<sub>6</sub>)

An estimate of the operational time of the turbines is used as the actual operational time is unknown

A value of 85% was used in the calculation as an upper limit of operational time as provided by Wind Energy Europe. Although this value is subject to some variation it is reasonably precise and so no uncertainty is assigned ( $e_6$ =0 for all species).

#### 7. Uncertainty due to simplifications in the model (e<sub>7</sub>)

The collision risk model involves a number of simplifications such as assuming that a bird can be modelled by a simple cruciform shape, that birds fly through turbines in straight lines, and the use of an average pitch for turbine blades.

Following the worked example presented in Band (2024) an uncertainty of  $\pm$  20% is assumed ( $e_7$ =0.20 for all species).

The combined uncertainty values for each target species and each proposed turbine model is presented in Table 9 below. These uncertainty values can be applied to the relevant calculated collision risk values presented in Table 10.

Table 9: Combined uncertainty values for each target species.

Species	Uncertainty value
Buzzard	± 0.51 (51%)

Species	Uncertainty value
Curlew	± 0.52 (52%)
Golden Plover	± 4.13 (413%)
Hen Harrier	± 0.46 (46%)
Kestrel	± 0.49 (49%)
Lapwing	± 0.62 (62%)
Snipe	± 0.47 (47%)
Sparrowhawk	± 0.47 (47%)
Whooper Swan	± 0.37 (37%)

Table 10: Estimated number of collisions per year with uncertainty values

Species	Estimated number of collisions per year with avoidance and
	associated uncertainty values
Buzzard	0.3 ± 0.15
Curlew	0 ± 0
Golden Plover	41 ± 169 <sup>7</sup>
Hen Harrier	0 ± 0
Kestrel	0.2 ± 0.1
Lapwing	$0.1 \pm 0.06$
Snipe	0 ± 0
Sparrowhawk	0 ± 0
Whooper Swan	0 ± 0

18

<sup>&</sup>lt;sup>7</sup> The uncertainty in relation to Golden Plover is mostly related to the standard deviation associated with bird densities (e1) variation due to irregular presence of large flocks and is most likely an overestimate.

#### 4 REFERENCES

Alerstam, T., Rosen M., Backman J., G P., Ericson P & Hellgren O. 2007. Flight Speeds among Bird Species: Allometric and Phylogenetic Effects. PLoS Biol, 5, 1656-1662. DOI:10.1371/journal.pbio.0050197

Band, W. (2024) Using a collision risk model to assess bird collision risks for onshore wind farms. NatureScot Research Report 909.

Band, W. (2012) Using a collision risk model to assess bird collision risks for offshore windfarms.

Band, W., Madders, M. and Whitfield, D.P. (2007). Developing field and analytical methods to assess avian collision risk at wind farms. In: Birds and wind power: risk assessment and mitigation. M. De Lucas, G.F.E. Janss and M. Ferrer, Eds.: 259-275. Quercus, Madrid.

British Trust of Ornithology (BTO) BirdFacts. Available online at https://www.bto.org/understanding-birds/birdfacts

Gittings, T. (2022). Ballivor Wind Farm: Golden Plover avoidance rates. unpublished report included as an appendix to the Ballivor Wind Farm Environmental Impact Assessment Report.

Gittings, T. (2024) Distance effects on detection rates in wind farm vantage point surveys: Implications for avian collision risk modelling. CIEEM inpractice, Issue 126 (December 2024), 40-44.

Royal Society for the Protection of Birds (RSPB) Birds and Wildlife. Available online at <a href="https://www.rspb.org.uk/birds-and-wildlife/">https://www.rspb.org.uk/birds-and-wildlife/</a>

Scottish Natural Heritage (2017). Recommended bird survey methods to inform impact assessment of onshore wind farms.

Scottish Natural Heritage (2018). Avoidance Rates for the onshore SNH Wind Farm Collision Risk Model. September 2018 v2.

Scottish Natural Heritage (2025). Wind farm impacts on birds – Use of Avoidance Rates in the NatureScot Wind Farm Collision Risk Model. (Updated March 2025).

Wind Europe FAQ. Available online at <a href="https://www.ewea.org/wind-energy-basics/faq/">https://www.ewea.org/wind-energy-basics/faq/</a>

## Appendix I

## Calculating bird density for use in Stage A calculations

1. Total time in flight (bird seconds) for each target species recorded at each VP during the four surveys seasons

			Year 1				Year 2						
	W	/inter 21/22		Sur	nmer 2022	2		Winter 22/23	Summer 2023				
	VP1	VP2	VP3	VP1	VP2	VP3	VP1	VP2	VP3	VP1	VP2	VP3	
Kestrel	576	630				,	225	1664	155	159	456	17	
Sparrowhawk	86	23		7		141	151	158	27	13		31	
Buzzard	1588	1325		2441	14	159	518	318	96	1299	2614	432	
Curlew						264							
Golden Plover	16864	94800	0	172	0	0	17480	1624847	7936621	0	0	0	
Hen Harrier		87				3		60					
Lapwing	14679						610	16					
Mallard							38						
Merlin		46											
Peregrine		41			)								
Snipe	91	44					427				7	41	
Whooper Swan		204					253						
Woodcock		15		-			7						

#### 2. Time in flight (total watch time divided by total watch time)

			١	/ear 1		Year 2						
	Wir	nter 21/22	ter 21/22 Summer 2022					Winter 22/2	23	Summer 2023		
	VP1	VP2	VP3	VP1	VP2	VP3	VP1	VP2	VP3	VP1	VP2	VP3
Kestrel	0.0044	0.0049		0.0000	0.0000	0.0000	0.0012	0.0096	0.0010	0.0012	0.0030	0.0001
Sparrowhawk	0.0007	0.0002		0.0001	0.0000	0.0012	0.0008	0.0009	0.0002	0.0001	0.0000	0.0002
Buzzard	0.0123	0.0102		0.0205	0.0001	0.0013	0.0027	0.0018	0.0006	0.0100	0.0173	0.0029
Curlew	0.0000	0.0000		0.0000	0.0000	0.0022	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Golden Plover	0.1301	0.7315		0.0014	0.0000	0.0000	0.0899	9.4030	52.4909	0.0000	0.0000	0.0000
Hen Harrier	0.0000	0.0007		0.0000	0.0000	0.0000	0.0000	0.0003	0.0000	0.0000	0.0000	0.0000
Lapwing	0.1133	0.0000		0.0000	0.0000	0.0000	0.0031	0.0001	0.0000	0.0000	0.0000	0.0000
Mallard	0.0000	0.0000		0.0000	0.0000	0.0000	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000
Merlin	0.0000	0.0004		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Peregrine	0.0000	0.0003		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Snipe	0.0007	0.0003		0.0000	0.0000	0.0000	0.0022	0.0000	0.0000	0.0000	0.0000	0.0003
Whooper Swan	0.0000	0.0016		0.0000	0.0000	0.0000	0.0013	0.0000	0.0000	0.0000	0.0000	0.0000
Woodcock	0.0000	0.0001		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

#### 3. Bird Density (time in flight divided by area)

	Year 1					Year 2						
	Winter 21/22 Summer 2022				Winter 22/23			Summer 2023				
	VP1	VP2	VP3	VP1	VP2	VP3	VP1	VP2	VP3	VP1	VP2	VP3
Kestrel	0.0014	0.0013		0.0000	0.0000	0.0000	0.0004	0.0026	0.0006	0.0004	0.0008	0.0001
Sparrowhawk	0.0002	0.0000		0.0000	0.0000	0.0007	0.0002	0.0003	0.0001	0.0000	0.0000	0.0001
Buzzard	0.0038	0.0028		0.0063	0.0000	0.0007	0.0008	0.0005	0.0004	0.0031	0.0047	0.0016
Curlew	0.0000	0.0000		0.0000	0.0000	0.0012	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Golden Plover	0.0402	0.2004		0.0004	0.0000	0.0000	0.0278	2.5762	29.3245	0.0000	0.0000	0.0000
Hen Harrier	0.0000	0.0002		0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000
Lapwing	0.0350	0.0000		0.0000	0.0000	0.0000	0.0010	0.0000	0.0000	0.0000	0.0000	0.0000
Mallard	0.0000	0.0000		0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000
Merlin	0.0000	0.0001		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Peregrine	0.0000	0.0001		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Snipe	0.0002	0.0001		0.0000	0.0000	0.0000	0.0007	0.0000	0.0000	0.0000	0.0000	0.0002
Whooper Swan	0.0000	0.0004		0.0000	0.0000	0.0000	0.0004	0.0000	0.0000	0.0000	0.0000	0.0000
Woodcock	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

#### 4. Mean bird density according to season for birds recorded during Vantage Point watches

	Wi	nter season	Breeding Season		
	Average	Standard Deviation	Average	Standard Deviation	
Buzzard	0.0017	0.0015	0.0028	0.0024	
Curlew	0.0000	0.0000	0.0002	0.0005	
Kestrel	0.0013	0.0009	0.0002	0.0003	
Golden Plover	6.4338	12.8417	0.0001	0.0002	
Hen Harrier	0.0001	0.0001	0.0000	0.0000	
Lapwing	0.0072	0.0155	0.0000	0.0000	
Mallard	0.0000	0.0000	0.0000	0.0000	
Merlin	0.0000	0.0000	0.0000	0.0000	
Peregrine	0.0000	0.0000	0.0000	0.0000	
Snipe	0.0002	0.0003	0.0000	0.0000	
Sparrowhawk	0.0002	0.0001	0.0001	0.0003	
Whooper Swan	0.0002	0.0002	0.0000	0.0000	
Woodcock	0.0000	0.0000	0.0000	0.0000	

## Appendix II

# Calculations for proportion of birds flying at risk height for use in Stage A calculations

Species	Proportion observed 0-25m	Proportion observed 25- 180m	Proportion observed 180- 200m	Proportion between 24-186m (based on proportion of flight time in risk zone)
Buzzard	6	57	37	(1/25)*6% + (155/155)*57% + (6/220)*37% = <b>58.2</b> %
Curlew	0	59	41	(1/25)*0% + (155/155)*59% + (6/220)*41% = <b>60.1</b> %
Golden Plover	0	55	45	(1/25)*0% + (155/155)*55% + (6/220)*45% = <b>56.2</b> %
Hen Harrier	48	52	0	(1/25)*48% + (155/155)*52% + (6/220)*0% = <b>53.9%</b>
Kestrel	42	51	7	(1/25)*42% + (155/155)*51% + (6/220)*7% = <b>52.9</b> %
Lapwing	0.5	5	94.5	(1/25)*0.5% + (155/155)*5% + (6/220)*94.5% = <b>7.6%</b>
Mallard	0	100	0	(1/25)*0.0% + (155/155)*100% + (6/220)*0% = <b>100%</b>
Merlin	83	17	0	(1/25)*83% + (155/155)*17% + (6/220)*0% = <b>20.3</b> %
Peregrine	19	71	10	(1/25)*19% + (155/155)*71% + (6/220)*10% = <b>72%</b>
Snipe	33	65	2	(1/25)*33% + (155/155)*65% + (6/220)*2% = <b>66.4%</b>
Sparrowhawk	34	2	64	(1/25)*34% + (155/155)*2% + (6/220)*64% = <b>5.1</b> %
Whooper Swan	21	79	0	(1/25)*21% + (155/155)*79% + (6/220)*0% = <b>79.8%</b>
Woodcock	67	33	0	(1/25)*67% + (155/155)*33% + (6/220)*0% = <b>35.7</b> %

## Appendix III

## Collision probability

Outcome of Stage A – Stage E in collision risk model

		Collision Risk (single transit risk)			Collision Rate			
Species	Projected number of rotor transits per year	Flapping	Gliding	Average	Without avoidance	Avoidance rate	With avoidance and associated uncertainty value	Estimated collisions over a 30-year period
Buzzard	296	6.87%	6.80%	6.84%	17	98	0.3 ± 0.15	9 ± 4.5
Curlew	22	5.53%	5.47%	5.50%	1	98	0 ± 0	0 ± 0
Golden Plover	486686	4.96%	NA	4.96%	20511	99.8	41 ± 169	1230 ± 5070 <sup>8</sup>
Hen Harrier	2	7.85%	7.80%	7.83%	0.14	99	0 ± 0	0 ± 0
Kestrel	60	6.37%	6.32%	6.35%	3	95	0.2 ± 0.1	6 ± 3
Lapwing	69	5.28%	NA	5.28%	3	98	0.1 ± 0.06	3 ± 1.8
Snipe	22	4.30%	NA	4.30%	1	98	0 ± 0	0 ± 0
Sparrowhawk	1	5.80%		5.80%	0.09	98	0 ± 0	0 ± 0
Whooper Swan	1	8.82%	NA	8.82%	0.07	99.5	0 ± 0	0 ± 0

25

<sup>&</sup>lt;sup>8</sup> The uncertainty in relation to Golden Plover is mostly related to the standard deviation associated with bird densities (e1) variation due to irregular presence of large flocks and is most likely an overestimate.





## DESIGNING AND DELIVERING A SUSTAINABLE FUTURE

www.fehilytimoney.ie









NSAI Certified



