

# OBSERVATION/SUBMISSION TO PLANNING APPLICATION

Case Reference: 323761

Kevin Rooney  
Cahernaglass  
Abbeyknockmoy  
H54A388  
Galway

To: An Coimisiún Pleanála  
64 Marlborough Street  
Dublin 1  
D01 V902

Date: 15 November 2025

**Re: Observation/Submission to proposed wind energy development at Cooloo Wind Farm**

Location: Cloondahamper, Cloonascragh, Elmhill, Cooloo, Lecarrow, Dangan Eighter, Lissavally, Slievegorm  
- Co. Galway

Applicant: Neoen Renewables Ireland Limited

Dear Sir/Madam,

My name is Kevin Rooney. I reside in Abbeyknockmoy with my partner and children. I am very concerned about the cumulative effects of all the renewable energy projects earmarked for the north east Galway area. I am aware of at least 5 windfarms currently in the planning phase including this development in Cooloo. There is also a planned solar farm, the Belville Solar Project, which will be less than 5 miles away from this proposed development in Cooloo. A large swath of agricultural land is planned to be converted into industrial use. I am concerned about the cumulative impact so many renewable energy projects will have on the landscape of north east Galway. If they all go ahead I will be surrounded by Windturbines in the distance, and a large amount of solar panels, which will have a severe adverse effect on the landscape and visual amenity. East Galway should not be used as waste ground for wind and solar projects. It is an area of productive farmland that should not be lost to all these renewable energy projects. I am greatly concerned about the impact this development will have on our tapwater. We get our water from the Mid-Galway Scheme which is sourced from the Source Protection Area in Cooloo that two of the Cooloo Windturbines are planned to be built upon. This raises serious concerns around water safety and security.

I have outlined these issues and other concerns below that An Coimisiún Pleanála should take into consideration to refuse this development in Cooloo.

## **Planning Framework and Guidelines**

The ongoing reliance on the Wind Energy Development Guidelines 2006 is increasingly inappropriate given the advancements in wind energy technology almost twenty years ago. At the time, turbines rarely exceeded 100 metres in height and produced 1–2 MW of power. In contrast, the turbines proposed in this development will reach 180 metres and generate approximately 6 MW, resulting in significantly greater impacts than those envisaged by the 2006 Guidelines.

These guidelines have repeatedly been acknowledged in the Dáil as outdated. In 2013, Deputy Micheál Martin informed then-Taoiseach Enda Kenny that the guidelines did not account for contemporary technology. In 2025, Tánaiste Simon Harris reiterated in the Dáil that the guidelines remain outdated.

Accordingly, it is unreasonable and inconsistent with principles of proper planning and sustainable development for An Coimisiún Pleanála to rely solely on the 2006 Guidelines. Any decision must be informed by current standards and technological realities.

## **Mid Galway Public Water Scheme**

I use the water from the Mid Galway Public Water Scheme as my main source of drinking water for my household. I am very concerned that pollution of various types such as silt, sediment and other contaminants will enter the water source, causing me and my family harm. With the location of two Turbines within the Source Protection Area (SPA) I believe the Cooloo Windfarm should not be granted permission whatsoever, especially in such a highly karstified and hydrologically sensitive area.

## **Right to Peaceful Enjoyment of Property**

Article 1, Protocol 1 of the European Convention on Human Rights (ECHR) safeguards every individual's right to the peaceful enjoyment of their possessions. It provides that: "Every natural or legal person is entitled to the peaceful enjoyment of his possessions. No one shall be deprived of his possessions except in the public interest and subject to the conditions provided for by law and by the general principles of international law."

Approval of this proposed wind farm would constitute a clear interference with this right. If the development proceeds, I will be deprived of the peaceful enjoyment of my home and property. The construction and operation phases would bring significant and continuous disturbance — including persistent noise pollution, low-frequency noise (LFN), shadow flicker, and heavy vehicle movements. The tranquillity and visual amenity of my surroundings, which form an intrinsic part of my home environment and well-being, would be irreversibly diminished.

During construction, the constant flow of heavy machinery and associated noise would cause ongoing disruption and stress, further impacting daily life. Once operational, the presence of industrial-scale turbines dominating the landscape would permanently alter the character of the area, stripping residents of the quiet enjoyment of their homes and lands. This level of intrusion cannot be considered proportionate or justified in the public interest, and therefore conflicts with the protections afforded under Article 1, Protocol 1 of the ECHR.

## **Impact of Wind Turbines on the Neurodiverse within the Community**

Numerous studies and planning inspectors with An Coimisiún Pleanála have acknowledged that wind turbines can have negative effects on neurodiverse individuals. Research by Howell (2015) found that people with autism are more sensitive to environmental noise, experiencing higher rates of sleep disturbance, cognitive difficulties, and stress due to low-frequency noise (LFN). The neurodiverse community often struggles to filter background sounds, and constant turbine noise and vibration could cause pain, anxiety, and loss of concentration, reducing quality of life.

These impacts extend to education. Local schools and preschools, including Brierfield National School which has a special class for children with autism, would be particularly affected. Senior planning inspectors have previously noted that facilities for children with additional educational needs may become unviable near large-scale wind farms due to such disturbances.

Shadow flicker poses further risks, as studies (Becchio et al., 2010) show that individuals on the autistic spectrum may fixate on spinning movements, heightening distress. Those with epilepsy or neurological conditions may also be affected.

Ireland's obligations under the UN Convention on the Rights of Persons with Disabilities require protection from harm and equal enjoyment of rights. Allowing this development would contradict those principles.

While more research is needed, there is no definitive evidence proving that wind farms are safe for, and do not significantly impact, the neurodiverse community—and the absence of evidence is not evidence of absence.

#### References:

- An Bord Pleanála. (2016). PA0041 – Assisting report to Senior Inspector [PDF].  
<https://www.pleanala.ie/anbordpleanala/media/abp/cases/reports/pa0/rpa0041a.pdf>
- An Bord Pleanála. (2015). Inspector's report: ABP-PA0038 [PDF].  
<https://www.pleanala.ie/anbordpleanala/media/abp/cases/reports/pa0/rpa0038.pdf>
- Howell, G. (2015). Autism and the effect of introducing a new noise source into quiet rural communities: risk factor from industrial wind power generation
- Becchio C, Mari M, Castiello U (2010) Perception of Shadows in Children with Autism Spectrum Disorders. PLoS ONE 5(5): e10582.  
<https://doi.org/10.1371/journal.pone.0010582>

#### **Brierfield National School**

Brierfield National School is 1.35 km away from Turbine No 1

The turbines being this close to the school will no doubt have an impact on the education of the children in Brierfield NS. The school will suffer from noise pollution, infrasound and shadow flicker. In addition to this, during the construction phase and while laying cabling the roads to and from the school will be impacted by road closures, traffic, additional noise and dust. Again, all of this will impact on the children of the school.

Brierfield NS also has a special class for children with Autism. These children process noise and light differently to other children. The noise, infrasound and shadow flicker will no doubt impact on their daily lives in school.

I am also concerned that if planning permission is granted less people will be moving to or building in the catchment area of Brierfield NS. This will lead to fewer children in the community and may lead to the school losing teachers, and ultimately the school closure.

#### **Biodiversity impact**

I object to the proposed development on the grounds of its significant and permanent impact on biodiversity, including legally protected habitats and species.

The project's Environmental Impact Assessment Report (EIAR) acknowledges a residual adverse effect on Degraded Raised Bog (habitat 7120), a habitat of County Importance with capacity for natural regeneration (EIAR Ch. 6, p. 142). Construction of the proposed floating access road between turbines T7 and T9 will directly remove approximately 0.18 ha of this sensitive peatland and disrupt its hydrological balance (EIAR Ch. 6, Sec. 6.5.2.1.1). This is contrary to the conservation obligations set out under the EU Habitats Directive

(92/43/EEC).

The site supports cutover bogs (PB4) and Marsh Fritillary (*Euphydryas aurinia*), an Annex II species protected under European law. Breeding webs were recorded near turbine T5 within metres of proposed construction works (EIAR Ch. 6, Sec. 6.4.3.3). The disturbance, dust, and drainage changes associated with turbine and road construction threaten the species' survival locally, directly conflicting with Ireland's duty to maintain favourable conservation status for Annex II species.

The EIAR highlights potential effects on hydrology and connected wetland systems that could degrade otter (*Lutra lutra*) habitat and aquatic fauna (EIAR Ch. 6, Sec. 6.5.2.1.1 and 6.2.2). Otters are also protected under Annex II of the Habitats Directive, and any degradation of their habitat represents a breach of Ireland's legal obligations.

These outcomes are inconsistent with the objectives of the National Biodiversity Action Plan 2023–2030, which seeks to prevent net biodiversity loss. Allowing this development to proceed would contradict national policy commitments and international conservation obligations.

Given the acknowledged residual adverse effects on protected habitats and species, I respectfully request that An Coimisiún Pleanála refuse permission for this development. The permanent loss and degradation of biodiversity cannot be justified, particularly where protected species and habitats are involved.

References:

- EU Habitats Directive (92/43/EEC)
- National Biodiversity Action Plan 2023–2030
- EIAR Chapter 6 (Biodiversity)
- An Coimisiún Pleanála Case 323761

### **Biodiversity Impact - Bats**

I object on the grounds that the assessment of bat mortality risk is inadequate and fails to meet current scientific standards for acoustic monitoring and mitigation.

Wind turbines are well-documented sources of bat mortality through collision and barotrauma. Recent peer-reviewed research by Behr et al. (2023, *Mammal Review*, 53: 65–71) confirms that bat fatalities can be reliably estimated only where standardised, referenced acoustic monitoring protocols are applied. The Coolool Wind Farm EIA does not demonstrate compliance with these standards.

- No evidence of standardised, referenced acoustic monitoring at nacelle level
- Ground-level acoustic surveys and short-term transects are insufficient and cannot predict turbine-specific collision risk
- The proposed tall, large-rotor turbines increase collision risk and monitoring uncertainty
- No commitment to validated curtailment systems (such as ProBat) which have been shown to substantially reduce bat mortality
- Absence of site-specific validation and continuous monitoring means bat fatalities may be severely underestimated

Under the EU Habitats Directive (Articles 12 and 16) and the Wildlife Acts 1976–2018, all Irish bat species are strictly protected. Developers and planning authorities have a legal duty to ensure projects do not result in deliberate killing or disturbance of bats or deterioration of their breeding or resting sites. The absence of scientifically robust, standardised acoustic monitoring represents a significant procedural and ecological shortcoming.

I respectfully request that An Coimisiún Pleanála require:

- Standardised, referenced acoustic monitoring following international best practice
- Nacelle-mounted, calibrated detectors to monitor bat activity continuously throughout operation

- Validated curtailment systems (e.g. ProBat) to automatically shut down turbines during high bat activity
- Independent review and public reporting of all monitoring protocols and data
- Precautionary curtailment during high-risk seasons until adequate local reference data are available

Reference:

- Behr, O., Brinkmann, R., Mages, J., Niermann, I., Korner-Nievergelt, F., & Voigt, C. C. (2023). Standardised and referenced acoustic monitoring reliably estimates bat fatalities at wind turbines. *Mammal Review*, 53(1), 65–71. <https://doi.org/10.1111/mam.12302>

### **Lack of detailed traffic management plan**

This submission objects to the proposed development due to insufficient traffic management and risk assessment in Appendix 15-2 (Traffic Management Plan). The plan omits essential quantitative data—such as expected abnormal load numbers, peak-phase traffic volumes, and route-specific scheduling—required to evaluate construction impacts. Narrow rural roads near Barnaderg and Cooloo lack the capacity for large turbine transport without pre-works strengthening or verge reinforcement. No detailed programme for road condition monitoring or reinstatement is provided. The TMP also fails to model cumulative or worst-case haulage scenarios, nor does it include enforceable mitigation measures for school transport, farm access or local business continuity. In the absence of these specifics, the project's potential impacts on road safety, infrastructure integrity and rural amenity remain unacceptably high. The application states that locals will be kept informed about traffic construction. Judging by how poorly locals were informed about the windfarm initially, I would be very sceptical as to whether we would be kept informed once construction was to commence. The Board should refuse permission or impose strict, verifiable traffic and haulage conditions.

### **Climate impact**

As a local farmer, I am deeply concerned that the Cooloo Wind Farm will lead to further peat drainage and the felling of productive forest land. This will increase national land-use emissions and make it harder for Ireland's agriculture and forestry sectors to stay within their climate ceilings. Under the Climate Action and Low Carbon Development Act 2021, every sector must remain within its own emission limits. Projects that raise LULUCF emissions add to future pressure on rural landowners, who may face restrictions such as mandatory rewetting or livestock reductions to make up the shortfall. This proposal benefits energy targets but harms the land sector and undermines fair burden-sharing under national climate law.

### **Battery storage and substation safety risks**

I object on the grounds of unacceptable risks to public health, fire safety, and water contamination posed by the proposed substation and Battery Energy Storage System (BESS).

The developer's own Appendix 12-3 Battery Storage Noise Assessment (Sept 2025) identifies fifteen CATL EnerC+ battery containers containing lithium-ion (LiFePO<sub>4</sub>) systems manufactured by CATL. Predicted operational noise levels reach up to 31 dB LAeq at nearby homes, representing an increase of +11 to +14 dB above background levels. The report itself classifies this as a "significant adverse impact" on residential amenity. Scientific research shows that chronic noise above 30 dB can raise risks of cardiovascular disease and sleep disturbance.

Lithium-ion Battery Energy Storage System (BESS) installations worldwide have experienced fires and explosions that release toxic gases such as hydrogen fluoride and hydrogen cyanide. Research shows that fire-water run-off from lithium-ion battery fires can contain hydrofluoric acid, dissolved metals, and fluorinated organic compounds, which may contaminate nearby soil and waterways if not properly contained.

This proposed Substation and BESS would have a major impact on The Lough Corrib Special Area of Conservation, as a nearby stream eventually flows into Lough Corrib, potentially harming aquatic life and

drinking water sources.

Based on the absence of any Fire Safety Management Plan within Appendix 12-3, it appears that nearby fire services are not equipped or trained to respond effectively to large-scale lithium-ion battery fires.

In *Grace & Others v. An Bórd Pleanála* (2017), the Supreme Court ruled that a residence within one kilometer of a proposed development site had standing to argue against consent. This case emphasizes the significance of thoroughly evaluating related infrastructure such as the substation and BESS, which ought to be included in the same consenting procedure as the wind farm itself.

With homes, farmland, and livestock within a few hundred metres of the proposed site, this industrial-scale development poses an unacceptable risk to community health, safety, and environmental integrity. Until independent noise, fire-safety, and hydrological risk audits are completed and verified by competent authorities, I urge An Bord Pleanála to refuse this application in accordance with the Precautionary Principle.

References:

- National Fire Protection Association (NFPA) (2020) Hazard Assessment of Lithium-Ion Battery Energy Storage Systems
- TNEI Ireland (2025) Appendix 12-3 Battery Storage Noise Assessment
- World Health Organization (WHO) (2018) Environmental Noise Guidelines for the European Region
- Irish Legal News (2017) Supreme Court: Challenge to wind farm development referred to CJEU

### **Bird collision risk**

I object to the proposed development on the grounds that the Collision Risk Assessment (Appendix 7-6, MKO 2025) is methodologically and scientifically inadequate to protect legally protected bird species.

The assessment relies on the theoretical Band Model, which assumes fixed avoidance rates and static behaviour, without validation using telemetry or local field data. Survey coverage is temporally and spatially limited, missing key migration and nocturnal flight periods. This approach fails to capture the real-world behaviour of birds in the area.

The use of a 99.5% avoidance rate for Whooper Swans, without local validation, significantly underestimates the risk of collision. Evidence from Irish Wetlands Bird Survey (I-WeBS) and BirdWatch Ireland indicates that Whooper Swans routinely commute between Horseleap Lough and surrounding feeding areas at low altitudes that overlap turbine rotor heights. The conclusion of 'negligible risk' is therefore unsupported and unreliable.

The report fails to consider cumulative impacts with other regional wind farms or infrastructure, contrary to EU Directive 2009/147/EC (Birds Directive) and Article 6(3) of the Habitats Directive. This is a serious omission given the presence of multiple wind energy developments in the region.

Mitigation measures are undefined and untested. Key figures such as flightline maps (e.g., Figure 7-6-1) are omitted, hindering independent review and transparency. Without clear, evidence-based mitigation strategies, there is no guarantee that collision risks can be managed effectively.

Under the Birds Directive (2009/147/EC) and the Habitats Directive, Ireland has a legal obligation to protect migratory and resident bird populations. The assessment as presented does not provide sufficient evidence that these obligations can be met.

I respectfully request that the planning authority reject or defer this application pending an independent, peer-reviewed reassessment. This should include:

- Full telemetry and radar data for local bird populations
- Expanded seasonal coverage including migration and nocturnal periods
- Transparent disclosure of all field survey data and model assumptions
- Cumulative impact assessment with regional wind farms
- Defined, evidence-based mitigation strategies

## References:

- MKO (2025). Appendix 7-6 Collision Risk Assessment, Cooloo Wind Farm EIA
- Band, W., Madders, M. & Whitfield, D. (2007). Developing field and analytical methods to assess avian collision risk at wind farms
- Scottish Natural Heritage (2018). Avoidance Rates for the Onshore Wind Farm Collision Risk Model
- NatureScot (2021). Research Report 909: Using a collision risk model to assess bird collision risks onshore wind farms
- Rees, E. (2006). Whooper Swans: Biology and Conservation. T & AD Poyser
- Crowe, O. et al. (2019). Migration and Roosting of Whooper Swans. Irish Birds 43
- BirdWatch Ireland (2024). Whooper Swan Species Profile & Irish Wetlands Bird Survey (I-WeBS)
- European Commission (2021). Wind Energy and Natura 2000

## Visual Impact

The proposed turbines would be highly intrusive and visually dominant, overwhelming the existing rural character of the local landscape. Their visibility from multiple vantage points would transform a natural and agricultural setting into an industrial-scale development.

The proposal is out of scale with the surrounding environment. The turbines' extreme height and size would cause visual clutter and a loss of scenic amenity, remaining visible even at long distances and creating continuous visual intrusion.

When combined with existing or approved wind farms in the region, this development would lead to visual saturation and skyline dominance, further eroding the landscape's character and reducing its recreational value.

The developer's visual impact assessment understates the visibility and significance of the turbines. Photomontages appear selective and fail to represent the true extent of visual intrusion likely to be experienced by residents and visitors.

The proposal would diminish the rural amenity, tranquillity, and identity of the local region. It threatens the area's sense of place and the quality of life for residents who value the natural and agricultural landscape.

The local wind farm's size and visual impact are excessive and inconsistent with the character of the area. While supporting renewable energy, developments must respect the local landscape — this project does not. The proposal should therefore be refused on the grounds of unacceptable visual and landscape impacts.

## Conclusion

In light of the serious concerns outlined above I respectfully urge An Coimisiún Pleanála to refuse permission for this development. The proposal is not compatible with the principles of proper planning or sustainable development. This proposal has also divided our community and in time, if this development is allowed to go ahead, it will destroy relationships within the community and no doubt have an impact on the population of the community.

If permission is not refused outright, I request that an oral hearing be held so that the community can have our say on the impacts of this development.

Yours Sincerely,

KEVIN Rooney

Name: Kevin Rooney

Date: 15 November 2025