

## NOTE: DOUBLE CAMBER REQUIRED FOR HANDOVER 6000 CLEARANCE MINIMUM (AREA TO BE FREE FROM OBSTRUCTIONS SUCH AS BRANCHES, POSTS AND FENCES) MIN 4500 USEFUL CARRAIGEWAY SINGLE LAYER OF NAUE COMBIGRID 30/30 Q1 GEOGRID / GEOTEXTILE MATERIAL PLACED ON UNDISTURBED GROUND (LAP LENGTH = 900mm) SINGLE LAYER OF NAUE SECUGRID 30/30 Q1 GEOGRID MATERIAL (LAP LENGTH =300mm)

## TYPICAL SECTION - NEW FLOATING ACCESS TRACK - (CBR = 1%)



## TRANSITION BETWEEN FLOATING AND FOUNDED TRACK SCALE 1:50



NOTES:

1 FIGURED DIMENSIONS ONLY TO BE TAKEN FROM THIS DRAWING.

2 ALL DRAWINGS TO BE CHECKED BY THE CONTRACTOR ON SITE.

3 ENGINEER TO BE INFORMED OF ANY DISCREPANCIES BEFORE THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS. THIS DRAWING IS NOT TO BE USED AS A CONSTRUCTION DRAWING. P:\/dd-jcbe\6289 Tirasley WF\700 Drawings\703 Planning\300 - Road Details\6289-FL-300\_301.dag CONSTANT ENERGY LTD Project TIRAWLEY WIND FARM CO. MAYO

PLANNING

Title

ACCESS TRACKS CONSTRUCTION DETAILS SHEET 2

Scales

1:50 (A3)

urveyed Prepared Checked Approved Date JOD

MG / DT DK 07/2025



JENNINGS O'DONOVAN AND PARTNERS LIMITED

FINISKLIN SLIGO **IRELAND**  Tel (+353) 719 161 416 Email. info@jodireland.com www.jodireland.com

@JOD\_Sligo in Jennings O'Donovan & Partners Jennings O'Don

PL-301

Job No. 6289