

From: [Communications](#)
To: [Marine](#)
Subject: FW: Reference ACP-323780-25 Ballinlee Wind Farm HSA:027000000202
Date: Monday 9 March 2026 11:19:44
Attachments: [image.png](#)
[An Coimisiun Pleanala ACP-323780-25 -OOS.pdf](#)

From: Dermot O'Callaghan <dermot_ocallaghan@hsa.ie>
Sent: Monday, March 9, 2026 10:30 AM
To: Communications <communications@pleanala.ie>
Subject: Reference ACP-323780-25 Ballinlee Wind Farm HSA:027000000202

You don't often get email from dermot_ocallaghan@hsa.ie. [Learn why this is important](#)

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Dear Sir/Madam,
Please find advice attached.

Regards,
Dermot
Dermot O'Callaghan
Inspector CCPS Unit
Tel: +353 1-7997886
Email: dermot_ocallaghan@hsa.ie
Web: www.hsa.ie

Health and Safety Authority
3rd Floor
1A South Mall
Cork
T12 R7WC
IRELAND

An tÚdarás Sláinte agus Sábháilteachta
An 3ú hUrlár
1A An Meal Theas
Corcaigh
T12 R7WC
Éire



An tÚdarás Sláinte agus Sábháilteachta
Health and Safety Authority

Ár bhFís: Saolta agus fiontair shláintiúla, shábháilte agus tháirgiúla
Our Vision: Healthy, safe and productive lives and enterprises

[HSA Twitter](#)
[HSA Facebook](#)
[HSA YouTube](#)

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

The Health and Safety Authority, its servants or agents, accept no liability for any errors or omissions in the information provided in this correspondence or for any loss or damage occasioned to any person as a result of using the information provided.

This footnote also confirms that this email message has been swept for the presence of computer viruses.

An Coimisiun Pleanála,
64 Marlboro Street,
Dublin 1
D01 V902

communications@pleanala.ie

Our Ref: **CAS-93469-L6G3**

09/03/2026

Re: ref: ACP-323780-25 Permission for development at Ballinlee Wind Farm and associated site works.

Dear Sir/Madam,

The Health and Safety Authority (the Authority), acting as the Central Competent Authority under the Chemicals Act (Control of Major Accident Hazards Involving Dangerous Substances) Regulations 2015 (S.I. 209 of 2015) gives technical advice to the Planning Authority when requested, under regulation 24(2) in relation to:

- (a) the siting and development of new establishments;
- (b) modifications to establishments of the type described in Regulation 12(1);
- (c) new developments including transport routes, locations of public use and residential areas in the vicinity of establishments, where the siting, modifications or developments may be the source of, or increase the risk or consequences of, a major accident.

Since the above-referenced application appears to be outside the scope of the Regulations, the Authority has no observations to forward.

If you have any queries please contact the undersigned.

Yours sincerely



**Inspector,
COMAH, Chemical Production & Storage (CCPS)**