


Our Case Number: ACP-323799-25



An
Coimisiún
Pleanála

Anthony and Grainne Burke
Hillfield House
Newtownmoyaghy
Kilcock
Co. Meath
W23 C42V

Date: 27 November 2025

Re: Proposed road improvement scheme
at Newtownmoyaghy Stream, Kilcock, County Meath.

Dear Sir / Madam,

An Coimisiún Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter.

Please note that the proposed development shall not be carried out unless the Commission has approved it with or without modifications.

If you have any queries in relation to the matter please contact the undersigned officer of the Commission at laps@pleanala.ie

Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

Eimear Reilly
Executive Officer
Direct Line: 01-8737184

AA02

Tel (01) 858 8100
Gao Áitiúil LoCall 1800 275 175
Facs (01) 872 2684
Láithreán Gréasáin Website www.pleanala.ie
Ríomhphost Email communications@pleanala.ie

64 Sráid Maoilbhríde 64 Marlborough Street
Baile Átha Cliath 1 Dublin 1
D01 V902 D01 V902

Eimear Reilly

From: LAPS
Sent: Thursday 27 November 2025 14:57
To: 'grainne burke'
Subject: RE: Submission Newtownmoyaghy Stream Improvement Scheme

Good afternoon Grainne and Anthony

I acknowledge receipt of your email. A formal acknowledgement will issue to you by post today.

Kind regards
Eimear Reilly
Executive Officer
SIDS/LAPS

From: grainne burke <g.burke@yahoo.ie>
Sent: Tuesday 25 November 2025 12:13
To: LAPS <laps@pleanala.ie>
Subject: Submission Newtownmoyaghy Stream Improvement Scheme

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Please find attached a submission to the Newtownmoyaghy Stream / Road Improvement Scheme
Ref :

Case reference: [JP17.323799](#).

Anthony and Grainne Burke

Hillfield Hse
Kilcock
Co Meath
W23C42V

[Sent from Yahoo Mail for iPhone](#)

An Coimisiún Pleanála - Case reference: JP17.323799

Submission on the Newtownmoyaghy Road /Stream Improvement Scheme
Kilcock Co-Meath .

Anthony & Grainne Burke ,Hillfield Hse, Kilcock ,Meath W23 C42V

We welcome the proposed upgrade to the Newtownmoyaghy Road improvement scheme and recognise the significant benefits it will bring in terms of safety, accessibility, and flood management.

In particular, we note that the proposed works — including the diversion of the river — appear to reduce the risk of flooding and may remove our lands from Flood Zone A as currently designated. We are the only house on this road . This would represent a very positive outcome for affected landowners and the wider area.

However, we respectfully request that Meath County Council, in consultation with the Office of Public Works (OPW), carry out a detailed review and confirmation of the flooding assessment to ensure that:

- The revised river alignment and drainage measures are appropriately designed to deliver this reduced flood risk; and
- The updated flow patterns and hydrological impacts are fully reflected in future flood zone mapping.

We welcome this improvement scheme and look forward to its delivery, provided the final design continues to safeguard and improve local flood resilience

Anthony Burke

Grainne Burke