

Minister of Housing, Local Government and Heritage  
Minister's Office,  
Department of Housing, Local Government and Heritage  
Custom House  
Dublin  
D01 W6X0

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Minister of Climate, Energy and the Environment  
Office of the Minister for Climate  
Energy and the Environment  
Tom Johnson House  
Haddington Road  
Dublin 4 D04 K7X4

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Carlow County Council  
County Buildings  
Athy Road  
Carlow  
R93 E7R7

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads 'Richard Deeney'.

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Waterford County Council  
Planning Department,  
1st Floor,  
Menapia Building,  
The Mall,  
Waterford  
X91 PK15

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads 'Richard Deeney'. The signature is written in black ink and is positioned above a horizontal line.

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)





DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Wexford County Council  
Planning Customer Services  
Block B  
County Hall  
Carricklawn  
Wexford  
Y35 WY93

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Kilkenny County Council  
Planning Department County Hall  
John Street  
Kilkenny  
R95 A39T

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney  
for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Cork City Council  
City Hall  
Anglesea Street  
Cork  
Ireland  
T12 T997

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Cork County Council  
Planning Department Ground Floor  
County Hall  
Carrigrohane Road  
Cork  
T12 R2NC

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney  
for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)





DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Kerry County Council  
Room 13  
Planning Department Rathass  
Tralee  
Co. Kerry

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney  
for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)

Clare County Council  
Planning Placemaking & Economic Development Department  
Áras Contae an Chláir  
New Road Ennis  
Co. Clare  
V95 DXP2

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Limerick City and County Council  
Dooradoyle  
Limerick  
V94 XF67

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Tipperary County Council  
Civic Offices,  
Nenagh  
Co. Tipperary

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)





DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Southern Regional Assembly, Assembly House  
O'Connell Street Waterford  
Ireland  
X91 F8PC

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads 'Richard Deeney'.

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Transport Infrastructure Ireland (TII)  
Transport Infrastructure Ireland  
Parkgate Business Centre  
Parkgate Street  
Dublin 8  
D08 DK10

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

National Transport Authority  
Haymarket House  
Smithfield  
Dublin 7  
D07 CF98

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

An Taisce  
5 Foster Place  
Temple Bar  
Dublin 2  
D02 V0P9

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads 'Richard Deeney'.

---

Richard Deeney  
for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)





DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Uisce Éireann  
Colvill House  
24-26 Talbot Street  
Dublin 1  
D01 NP86

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Inland Fisheries Ireland (IFI)  
Inland Fisheries Ireland  
3044 Lake Drive Citywest Business Campus  
Dublin  
D24 CK66

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)

Waterways Ireland  
2 Sligo Road  
Enniskillen Fermanagh  
BT74 7JY



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney  
for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Department of Transport  
Office of the Minister for Transport  
Leeson Lane  
Dublin 2  
D02 TR60

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)





DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Environmental Protection Agency (EPA)  
Johnstown Castle Estate  
Co. Wexford  
Y35 W821

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

HSE  
Dr. Steevens' Hospital  
Steeven's Lane  
Dublin 8  
D08 W2A8

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads 'Richard Deeney'.

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Health and Safety Authority (HSA)  
The Metropolitan Building  
James Joyce Street  
Dublin 1  
D01 KOY8

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Commission for Regulation of Utilities (CRU)  
CRU Customer Care Team  
PO Box 11934  
D24 PXW0

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)





DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

Office of Public Works (OPW)  
Jonathan Swift Street  
Trim  
Co Meath  
C15 NX36

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)

ESB  
ESB Head Office  
27 Fitzwilliam Street Lower  
Dublin 2  
D02 KT92

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads 'Richard Deeney'.

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)



DESIGNING AND DELIVERING  
A SUSTAINABLE FUTURE

EirGrid plc  
Block 2  
The Oval  
160 Shelbourne Road  
Ballsbridge  
Dublin 4  
D04 FW28

04 December 2025

**Re: Notice of Direct Planning Application to An Coimisiún Pleanála in Respect of a Strategic Infrastructure Development**

Dear Sir/Madam,

In accordance with Section 37E of the Planning and Development Act 2000, as amended, SRCL Ireland Ltd (trading as Stericycle) gives notice of its intention to make an application for permission to An Coimisiún Pleanála for the following proposed development at Block 8003, Blarney Business Park, Shean Upper, Blarney, County Cork, T23 EYH5.

The Proposed Development

The proposed development will comprise the installation and operation of Healthcare Waste Treatment and Transfer Facility at the proposed development site. The facility will accept up to 15,000 tonnes of packaged healthcare waste per annum for management and will provide healthcare waste management capacity for the southern and western regions of Ireland. The proposed development constitutes a change of use of the site.

The following additions/alterations to existing infrastructure on-site will be made to facilitate the proposed development:

1. The installation of plant and facilities inside the existing light-industrial/warehouse building on-site to accommodate healthcare waste management operations and associated commercial activities.
2. The installation of a multi-flue stack (1.5 m x 2.0 m) at the existing roof of the building.
3. Modifications to increase the height of 2 x rear station doors from 3.0 m to 4.0 m.

Waste management activities on-site will be undertaken entirely within the existing building on-site.

An Environmental Impact Assessment Report (EIAR) has been prepared in respect of the proposed development. The proposed development comprises an activity requiring an Industrial Emissions licence from the Environmental Protection Agency.



### The Planning Application for the Proposed Development

A copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR) for the proposed development is enclosed for your information. This documentation may also be viewed/downloaded from the following website:

- [www.stericycle-sid.ie](http://www.stericycle-sid.ie)

### Planning Application Procedures

The Commission may in respect of an application for permission may decide to: (a) (i) grant the permission, or (ii) make such modifications to the proposed development as it specifies in its decision and grant permission in respect of the proposed development as so modified, or (iii) grant permission in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind), and any of the above decisions may be subject to or without conditions, or (b) refuse to grant the permission.

Submissions or observations may be made only to An Coimisiún Pleanála in writing to the Commission's address at 64 Marlborough Street, Dublin 1, D01 V902 or online at [www.pleanala.ie](http://www.pleanala.ie) during the above-mentioned period of seven weeks relating to: (i) the implications of the proposed development for proper planning and sustainable development of the area concerned; (ii) the likely effects on the environment of the proposed development, if carried out, and (iii) the likely effects or adverse effects on the integrity of a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies) and must be received by the Commission not later than 5.30 p.m. on 08/02/2026 (having regard to the prescribed holiday period).

### Concluding Remarks

If you should require any further information please do not hesitate to contact the undersigned.

Yours sincerely,

A handwritten signature in cursive script that reads "Richard Deeney".

---

Richard Deeney

for and on behalf of Fehily Timoney and Company

Enc.

- Copy of the Strategic Infrastructure planning application and the accompanying Environmental Impact Assessment Report (EIAR)