

Appendix 12.6 – Tabulated Omni-directional Results – Cumulative – Nordex N163

NSL Ref.	Parameter Description	dB LA90 Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
101	Predicted	21.4	21.4	25.7	30.2	30.8	30.8	30.8	30.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
102	Predicted	21.6	21.6	25.8	30.3	30.9	31	31	31
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
103	Predicted	22.4	22.4	26.6	31.1	31.7	31.8	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
104	Predicted	23.1	23.1	27.2	31.7	32.4	32.4	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
105	Predicted	20.7	20.7	24.8	29.3	30	30	30	30
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
106	Predicted	23	23	26.9	31.4	32.1	32.1	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
107	Predicted	24	24	27.8	32.3	33	33.1	33.1	33.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
108	Predicted	24.4	24.4	28.2	32.7	33.4	33.5	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
109	Predicted	23.4	23.4	27.4	31.9	32.6	32.6	32.7	32.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
110	Predicted	23.7	23.7	27.8	32.2	32.9	33	33	33
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
111	Predicted	23.8	23.8	27.9	32.4	33	33.1	33.1	33.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
112	Predicted	23.9	23.9	28	32.5	33.1	33.2	33.2	33.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
113	Predicted	24.8	24.8	28.6	33.1	33.8	33.9	33.9	33.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
114	Predicted	24	24	27.7	32.2	32.9	33	33	33
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
115	Predicted	24.4	24.4	28.3	32.8	33.5	33.6	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
116	Predicted	22.9	22.9	26.5	30.9	31.7	31.8	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
117	Predicted	22.4	22.4	26	30.5	31.2	31.4	31.4	31.4

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
118	Predicted	22.3	22.3	25.9	30.3	31.1	31.2	31.2	31.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
119	Predicted	22.4	22.4	26	30.4	31.2	31.3	31.3	31.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
120	Predicted	22.4	22.4	25.7	30.2	31	31.2	31.2	31.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
121	Predicted	22.2	22.2	25.5	30	30.8	30.9	31	31
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
122	Predicted	21.5	21.5	24.9	29.3	30.1	30.3	30.3	30.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
123	Predicted	21.1	21.1	24.5	29	29.8	29.9	30	30
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
124	Predicted	21	21	24.4	28.8	29.6	29.8	29.8	29.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
125	Predicted	20.5	20.5	24.1	28.6	29.3	29.4	29.5	29.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
126	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	19.7	19.7	23.8	28.3	28.9	29	29	29
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
127	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	20.3	20.3	24.1	28.6	29.3	29.4	29.4	29.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
128	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	19.4	19.4	23.5	28	28.7	28.7	28.7	28.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
129	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	23.1	23.1	26.6	31.1	31.9	32	32	32
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
130	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	23.3	23.3	26.8	31.3	32	32.2	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
131	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	23.7	23.7	27.2	31.7	32.5	32.6	32.6	32.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
132	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	22.6	22.6	26	30.4	31.3	31.4	31.4	31.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
133	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	19.6	19.6	23.2	27.6	28.4	28.5	28.6	28.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
134	Predicted	20.2	20.2	23.8	28.2	29	29.1	29.1	29.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
135	Predicted	20.5	20.5	24.1	28.6	29.3	29.4	29.5	29.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
136	Predicted	20.1	20.1	23.7	28.2	29	29.1	29.1	29.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
137	Predicted	19.8	19.8	23.4	27.8	28.6	28.8	28.8	28.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
138	Predicted	19.5	19.5	23.4	27.9	28.6	28.7	28.7	28.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
140	Predicted	19.2	19.2	23.1	27.6	28.3	28.4	28.4	28.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
142	Predicted	20.1	20.1	24.1	28.5	29.2	29.3	29.3	29.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
143	Predicted	20.6	20.6	24.6	29	29.7	29.8	29.8	29.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
144	Predicted	20.3	20.3	24.2	28.7	29.4	29.5	29.5	29.5
	Daytime Criterion	40	40	40	45	45	45	45	45

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
145	Predicted	19.7	19.7	23.5	27.9	28.7	28.8	28.8	28.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
146	Predicted	19.7	19.7	23.5	27.9	28.6	28.7	28.7	28.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
152	Predicted	21	21	25	29.4	30.1	30.2	30.2	30.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
153	Predicted	21.7	21.7	25.2	29.6	30.4	30.6	30.6	30.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
154	Predicted	22	22	25.5	29.9	30.7	30.8	30.9	30.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
155	Predicted	21.7	21.7	25.6	30.1	30.8	30.8	30.9	30.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
156	Predicted	22	22	25.9	30.3	31	31.1	31.1	31.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
157	Predicted	22.9	22.9	26.5	30.9	31.7	31.8	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
158	Predicted	23	23	26.6	31	31.8	32	32	32
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
159	Predicted	23.2	23.2	26.8	31.2	31.9	32.1	32.1	32.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
160	Predicted	23.7	23.7	27.3	31.7	32.5	32.6	32.6	32.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
161	Predicted	23.9	23.9	27.5	31.9	32.6	32.8	32.8	32.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
162	Predicted	23.8	23.8	27.6	32.1	32.8	32.9	32.9	32.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
163	Predicted	24.1	24.1	27.7	32.1	32.9	33	33	33
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
164	Predicted	24.3	24.3	27.9	32.3	33.1	33.2	33.2	33.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
165	Predicted	24.2	24.2	27.7	32.1	32.9	33	33.1	33.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
166	Predicted	24.7	24.7	28.3	32.6	33.4	33.5	33.6	33.6

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
167	Predicted	25.1	25.1	28.8	33.2	33.9	34	34.1	34.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
168	Predicted	28.7	28.7	32.6	37.0	37.7	37.8	37.8	37.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
169	Predicted	29.1	29.1	33.1	37.5	38.2	38.3	38.3	38.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
170	Predicted	29.7	29.7	33.7	38.1	38.8	38.9	38.9	38.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
171	Predicted	31.6	31.6	35.6	40	40.7	40.8	40.8	40.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
172	Predicted	32.7	32.7	36.9	41.3	41.9	42	42	42
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
173	Predicted	30.3	30.3	34.4	38.8	39.5	39.6	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
174	Predicted	30.3	30.3	34.5	38.9	39.6	39.6	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
175	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.3	30.3	34.4	38.9	39.5	39.6	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
176	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.3	30.3	34.5	38.9	39.6	39.6	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
177	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	31.5	31.5	35.7	40.2	40.8	40.8	40.8	40.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
178	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	31.8	31.8	36.1	40.5	41.2	41.2	41.2	41.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
179	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	31.3	31.3	35.5	40	40.6	40.6	40.6	40.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
180	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	32.3	32.3	36.6	41	41.7	41.7	41.7	41.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
181	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.2	28.2	32.4	36.8	37.5	37.5	37.6	37.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
182	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.3	28.3	32.5	36.9	37.6	37.6	37.6	37.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
183	Predicted	30.3	30.3	34.6	39.1	39.7	39.7	39.7	39.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
230	Predicted	23.8	23.8	27	30.9	31.8	32.2	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
231	Predicted	23.4	23.4	26.7	30.7	31.5	31.9	31.9	31.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
232	Predicted	24.6	24.6	27.7	31.5	32.4	32.8	32.9	32.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
234	Predicted	25.1	25.1	28.3	32	32.9	33.4	33.4	33.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
235	Predicted	25	25	28.3	32	32.9	33.4	33.4	33.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
236	Predicted	25.3	25.3	28.7	32.3	33.2	33.6	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
237	Predicted	25.2	25.2	28.6	32.2	33.0	33.5	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
240	Predicted	26.7	26.7	29.8	33.6	34.5	34.9	35	35
	Daytime Criterion	40	40	40	45	45	45	45	45

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
241	Predicted	27	27	30.5	34	34.8	35.3	35.3	35.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
242	Predicted	29.8	29.8	32.1	36	37.1	37.6	37.7	37.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
243	Predicted	29.5	29.5	32.5	36	37	37.6	37.6	37.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
245	Predicted	29.5	29.5	32.6	36	37	37.6	37.6	37.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
249	Predicted	29.7	29.7	32	36	37.2	37.6	37.7	37.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
250	Predicted	29.5	29.5	31.8	35.9	37	37.4	37.5	37.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
251	Predicted	29.5	29.5	31.7	35.9	37	37.4	37.4	37.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
253	Predicted	27.4	27.4	29.8	33.8	34.9	35.3	35.4	35.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
254	Predicted	27.9	27.9	30.4	34.5	35.6	35.9	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
255	Predicted	28.5	28.5	31.1	35.3	36.3	36.7	36.7	36.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
256	Predicted	28	28	30.8	35	36	36.3	36.3	36.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
257	Predicted	28.1	28.1	30.9	35.2	36.1	36.4	36.5	36.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
258	Predicted	28	28	30.9	35.1	36.1	36.3	36.4	36.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
259	Predicted	27.9	27.9	30.9	35.2	36.1	36.3	36.4	36.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
260	Predicted	27.3	27.3	30.4	34.6	35.5	35.8	35.8	35.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
261	Predicted	27.8	27.8	30.9	35.2	36.1	36.3	36.4	36.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
262	Predicted	27.7	27.7	30.9	35.2	36	36.3	36.3	36.3

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
263	Predicted	27.5	27.5	30.7	35	35.9	36.1	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
264	Predicted	27.7	27.7	30.9	35.2	36.1	36.3	36.3	36.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
265	Predicted	27.1	27.1	30.5	34.8	35.6	35.8	35.9	35.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
266	Predicted	27.3	27.3	30.7	35.1	35.9	36.1	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
267	Predicted	27	27	30.5	34.8	35.6	35.8	35.8	35.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
270	Predicted	37.3	37.3	39.4	43.7	44.9	45.2	45.3	45.3
	Daytime Criterion	45	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	0.2	0.3	0.3
	Night-time Criterion	45	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	0.2	0.3	0.3
271	Predicted	36.4	36.4	38.5	42.8	44	44.4	44.4	44.4
	Daytime Criterion	45	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--	--
272	Predicted	35.6	35.6	37.5	41.8	43.1	43.4	43.5	43.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
273	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	0.1	0.4	0.5	0.5
	Predicted	33.9	33.9	36.7	41.1	42.1	42.3	42.4	42.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
274	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	33.7	33.7	36.4	40.8	41.8	42.1	42.1	42.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
275	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.9	30.9	33.8	38.1	39.1	39.4	39.5	39.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
276	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.5	30.5	33.3	37.6	38.7	39	39.1	39.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
277	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.7	28.7	31.5	35.8	36.9	37.3	37.4	37.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
278	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.4	28.4	31.3	35.5	36.7	37	37.2	37.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
279	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.1	28.1	31	35.3	36.4	36.8	36.9	36.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
280	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.8	27.8	30.7	34.9	36.1	36.5	36.6	36.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
281	Predicted	32.1	32.1	33.7	37.9	39.2	39.7	39.8	39.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
282	Predicted	31.5	31.5	33.1	37.2	38.6	39.1	39.2	39.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
283	Predicted	32	32	33.4	37.5	38.9	39.5	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
284	Predicted	32.9	32.9	34.1	38.2	39.7	40.3	40.4	40.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
285	Predicted	34.6	34.6	35.5	39.6	41.2	41.8	41.9	41.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
286	Predicted	30.5	30.5	32.4	36.5	37.8	38.3	38.4	38.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
287	Predicted	30.2	30.2	32.1	36.2	37.5	38	38.1	38.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
288	Predicted	29.4	29.4	31.6	35.7	36.9	37.4	37.5	37.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
289	Predicted	28.6	28.6	31.1	35.2	36.4	36.8	36.9	36.9
	Daytime Criterion	40	40	40	45	45	45	45	45

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
290	Predicted	28.4	28.4	31	35	36.2	36.6	36.8	36.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
291	Predicted	28.2	28.2	30.8	34.9	36	36.5	36.6	36.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
292	Predicted	27	27	29.8	33.9	35	35.5	35.6	35.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
293	Predicted	25.9	25.9	29	32.9	34	34.5	34.6	34.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
300	Predicted	23.7	23.7	27	30.9	32	32.5	32.7	32.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
301	Predicted	24.1	24.1	27.6	31.5	32.8	33.3	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
302	Predicted	24.1	24.1	27.7	31.6	32.8	33.3	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
303	Predicted	24.5	24.5	27.9	31.8	33	33.5	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
304	Predicted	24.4	24.4	27.7	31.7	32.9	33.4	33.6	33.6
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
305	Predicted	24.4	24.4	27.8	31.7	32.9	33.4	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
306	Predicted	24.5	24.5	27.8	31.8	33	33.5	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
307	Predicted	24.5	24.5	27.9	31.9	33.1	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
308	Predicted	24.5	24.5	27.8	31.8	33	33.5	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
309	Predicted	24.3	24.3	27.7	31.7	32.8	33.3	33.5	33.5
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
311	Predicted	24.3	24.3	27.7	31.7	32.9	33.4	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
312	Predicted	24.1	24.1	27.4	31.5	32.7	33.2	33.4	33.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
313	Predicted	24.3	24.3	27.6	31.7	32.9	33.3	33.5	33.5

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
314	Predicted	24.5	24.5	27.8	31.9	33.1	33.5	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
315	Predicted	24.5	24.5	27.8	31.8	33	33.5	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
316	Predicted	24.6	24.6	28	32	33.2	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
318	Predicted	24.5	24.5	27.8	31.8	33.1	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
319	Predicted	24.6	24.6	27.9	32	33.2	33.7	34	34
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
320	Predicted	24.4	24.4	27.7	31.8	33	33.5	33.7	33.7
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
321	Predicted	24.4	24.4	27.7	31.7	32.9	33.4	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
322	Predicted	24.6	24.6	28.1	32.2	33.6	34.2	34.6	34.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
323	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	24.6	24.6	28.1	32.2	33.7	34.3	34.7	34.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
324	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	24.7	24.7	28	32.1	33.2	33.7	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
325	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	24.9	24.9	28.2	32.3	33.5	34	34.2	34.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
326	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	25.6	25.6	29	33.2	34.5	34.9	35.2	35.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
327	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	25.7	25.7	29.1	33.3	34.6	35	35.3	35.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
328	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.4	26.4	30	34.3	35.5	36	36.2	36.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
329	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.5	26.5	30.1	34.3	35.7	36.2	36.5	36.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
330	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.6	26.6	30.2	34.4	35.8	36.3	36.6	36.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
331	Predicted	26.7	26.7	30.4	34.6	36	36.5	36.8	36.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
332	Predicted	26.8	26.8	30.3	34.6	36	36.6	36.9	36.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
333	Predicted	26.7	26.7	30.3	34.5	36	36.6	37	37
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
334	Predicted	26.8	26.8	30.3	34.6	36.2	36.8	37.2	37.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
335	Predicted	27.1	27.1	30.6	34.9	36.6	37.3	37.8	37.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
336	Predicted	27.6	27.6	31.4	35.8	37.1	37.5	37.8	37.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
337	Predicted	27.4	27.4	31.4	35.8	37	37.4	37.7	37.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
338	Predicted	27.6	27.6	31.5	35.9	37.2	37.6	37.9	37.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
339	Predicted	28.8	28.8	32.5	36.9	38	38.4	38.6	38.6
	Daytime Criterion	40	40	40	45	45	45	45	45

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
340	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.9	28.9	32.7	37	38.2	38.5	38.7	38.7
	Daytime Criterion	40	40	40	45	45	45	45	45
341	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.9	28.9	32.7	37.1	38.2	38.6	38.8	38.8
	Daytime Criterion	40	40	40	45	45	45	45	45
342	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	29	29	32.9	37.3	38.5	38.8	39.1	39.1
	Daytime Criterion	40	40	40	45	45	45	45	45
343	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	29.4	29.4	33.4	37.8	38.9	39.2	39.4	39.4
	Daytime Criterion	40	40	40	45	45	45	45	45
344	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	29.2	29.2	33.2	37.6	38.7	39	39.2	39.2
	Daytime Criterion	40	40	40	45	45	45	45	45
345	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.6	27.6	31.8	36.2	37.2	37.5	37.7	37.7
	Daytime Criterion	40	40	40	45	45	45	45	45
346	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.2	27.2	31.1	35.5	37.1	37.6	38.1	38.1
	Daytime Criterion	40	45	45	45	45	45	47.6	47.6
347	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27	27	30.9	35.3	36.9	37.4	37.8	37.8
347	Daytime Criterion	40	45	45	45	45	45	47.6	47.6
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
348	Predicted	29.8	29.8	33.8	38.2	39.2	39.4	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
349	Predicted	27	27	31.1	35.5	36.6	37	37.2	37.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
350	Predicted	31.6	31.6	35.8	40.2	41	41.1	41.2	41.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
351	Predicted	32	32	36.2	40.6	41.3	41.4	41.5	41.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
352	Predicted	32.2	32.2	36.3	40.7	41.5	41.6	41.6	41.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
353	Predicted	31.4	31.4	35.5	39.9	40.7	40.8	40.9	40.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
354	Predicted	31.5	31.5	35.6	40.1	40.8	40.9	41	41
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
355	Predicted	30.8	30.8	35	39.4	40.2	40.3	40.4	40.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
356	Predicted	31.3	31.3	35.5	39.9	40.7	40.8	40.8	40.8

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
357	Predicted	31.5	31.5	35.6	40.1	40.8	40.9	41	41
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
358	Predicted	31.5	31.5	35.6	40.1	40.8	40.9	41	41
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
359	Predicted	33.1	33.1	37.3	41.7	42.4	42.5	42.5	42.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
360	Predicted	31.7	31.7	35.9	40.3	41	41.1	41.2	41.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
361	Predicted	30.3	30.3	34.6	39	39.7	39.8	39.9	39.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
362	Predicted	30.7	30.7	34.9	39.4	40.1	40.2	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
363	Predicted	30	30	34.3	38.7	39.5	39.6	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
364	Predicted	30	30	34.2	38.7	39.4	39.5	39.5	39.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
365	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	29	29	33.2	37.6	38.4	38.5	38.5	38.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
366	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.8	27.8	31.9	36.3	37.2	37.3	37.4	37.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
367	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.2	27.2	31.2	35.6	36.5	36.7	36.8	36.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
368	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27	27	31	35.5	36.4	36.6	36.7	36.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
369	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.8	26.8	30.7	35.2	36.1	36.3	36.5	36.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
370	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.6	26.6	30.5	35	35.9	36.2	36.3	36.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
371	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26	26	30	34.4	35.5	35.8	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
372	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26	26	29.9	34.3	35.4	35.7	35.9	35.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
373	Predicted	25.7	25.7	29.6	34	35.2	35.5	35.8	35.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
374	Predicted	25.4	25.4	29.3	33.7	35	35.4	35.7	35.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
375	Predicted	25.8	25.8	29.8	34.2	35.4	35.8	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
376	Predicted	25.7	25.7	29.6	34	35.3	35.7	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
377	Predicted	25.5	25.5	29.4	33.8	35.3	35.8	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
378	Predicted	25.2	25.2	29.1	33.4	35	35.6	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
379	Predicted	25	25	28.8	33.2	34.9	35.5	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
380	Predicted	25.1	25.1	28.9	33.3	34.9	35.5	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
381	Predicted	25.1	25.1	29	33.4	35	35.6	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
382	Predicted	25.3	25.3	29.1	33.5	35.1	35.6	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
383	Predicted	24.9	24.9	28.7	33.1	34.6	35.1	35.5	35.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
384	Predicted	25.1	25.1	29	33.4	34.9	35.4	35.8	35.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
385	Predicted	25.1	25.1	29	33.3	35.1	35.7	36.2	36.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
386	Predicted	25	25	28.9	33.3	35.1	35.7	36.2	36.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
387	Predicted	25	25	28.9	33.2	35	35.6	36.2	36.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
388	Predicted	24.5	24.5	28.4	32.7	34.4	35	35.4	35.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
389	Predicted	24.8	24.8	28.7	33	34.8	35.5	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
390	Predicted	26.3	26.3	30.3	34.6	36.6	37.3	37.9	37.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
391	Predicted	26.6	26.6	30.6	34.9	36.8	37.4	38	38
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
392	Predicted	27.1	27.1	31.1	35.4	37.5	38.2	38.8	38.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
393	Predicted	27.1	27.1	31	35.3	37.2	38	38.5	38.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
394	Predicted	28.3	28.3	32.4	36.6	38.8	39.6	40.3	40.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
395	Predicted	25.5	25.5	29.6	33.8	36	36.8	37.4	37.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
396	Predicted	24.4	24.4	28.4	32.7	34.8	35.6	36.2	36.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
397	Predicted	26.2	26.2	30.2	34.5	36.8	37.6	38.3	38.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
398	Predicted	26.7	26.7	30.8	35.1	37.4	38.3	39	39

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
399	Predicted	27.1	27.1	31.3	35.6	38	38.9	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
400	Predicted	27.2	27.2	31.5	35.8	38.2	39.1	39.9	39.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
401	Predicted	29.9	29.9	34.3	38.6	41.2	42.1	42.8	42.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
402	Predicted	28.5	28.5	32.5	36.8	39	39.8	40.5	40.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
403	Predicted	28.9	28.9	32.9	37.2	39.5	40.3	41	41
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
404	Predicted	28.6	28.6	32.6	36.9	39.1	39.9	40.6	40.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
405	Predicted	28.5	28.5	32.5	36.8	39	39.9	40.5	40.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
406	Predicted	27.8	27.8	31.6	35.8	37.9	38.6	39.2	39.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
407	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.4	27.4	31.2	35.5	37.4	38	38.6	38.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
408	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27.6	27.6	31.5	35.8	37.8	38.5	39.1	39.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
409	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.2	26.2	29.9	34.1	36.1	36.8	37.3	37.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
410	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	25.5	25.5	29.1	33.3	35.2	35.9	36.4	36.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
411	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	23.3	23.3	26.9	31.1	33.1	33.8	34.4	34.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
412	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	21.8	21.8	25.7	29.9	32	32.9	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
413	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	22.4	22.4	26.3	30.5	32.6	33.3	33.9	33.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
414	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	23.1	23.1	26.7	30.9	33.3	34.1	34.8	34.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
415	Predicted	23.9	23.9	27.8	32.0	34.5	35.4	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
501	Predicted	18	18	22	26.4	27.5	27.8	28	28
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
502	Predicted	18.3	18.3	22.3	26.7	27.8	28.1	28.3	28.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
503	Predicted	18.6	18.6	22.5	27	28	28.3	28.5	28.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
504	Predicted	22.9	22.9	26.6	31	32	32.2	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
505	Predicted	23.4	23.4	27.4	31.8	33.1	33.5	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
506	Predicted	24.4	24.4	28.3	32.7	34	34.3	34.6	34.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
507	Predicted	24.2	24.2	28	32.5	33.6	34	34.2	34.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
508	Predicted	19.2	19.2	23.4	27.9	28.7	28.8	28.9	28.9
	Daytime Criterion	40	40	40	45	45	45	45	45

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
509	Predicted	19.3	19.3	23.4	27.9	28.7	28.9	29	29
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
510	Predicted	20.2	20.2	24.3	28.8	29.6	29.8	29.8	29.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
511	Predicted	20.4	20.4	24.6	29.1	29.8	30	30	30
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
512	Predicted	20.3	20.3	24.4	28.9	29.7	29.8	29.9	29.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
513	Predicted	20.8	20.8	24.9	29.4	30.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
514	Predicted	20.8	20.8	25	29.4	30.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
515	Predicted	21	21	25.1	29.6	30.4	30.5	30.6	30.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
516	Predicted	21.2	21.2	25.3	29.8	30.6	30.7	30.8	30.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
517	Predicted	21.4	21.4	25.6	30.1	30.8	30.9	31	31
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
518	Predicted	21.7	21.7	25.9	30.4	31.1	31.2	31.3	31.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
519	Predicted	21.9	21.9	26.1	30.6	31.3	31.4	31.5	31.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
520	Predicted	22.1	22.1	26.3	30.8	31.5	31.6	31.7	31.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
521	Predicted	22.2	22.2	26.4	30.9	31.6	31.7	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
522	Predicted	22	22	26.2	30.7	31.4	31.5	31.6	31.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
523	Predicted	20.5	20.5	24.7	29.2	29.9	30	30.1	30.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
524	Predicted	22.2	22.2	26.4	30.9	31.7	31.7	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
525	Predicted	21.7	21.7	25.9	30.4	31.1	31.2	31.3	31.3

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
526	Predicted	22.6	22.6	26.8	31.3	32	32	32.1	32.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
527	Predicted	22.7	22.7	26.9	31.4	32.1	32.2	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
528	Predicted	22.5	22.5	26.7	31.2	31.9	32	32	32
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
529	Predicted	22.3	22.3	26.5	31	31.7	31.8	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
530	Predicted	22.6	22.6	26.8	31.3	32	32.1	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
531	Predicted	22.8	22.8	27	31.5	32.2	32.3	32.3	32.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
532	Predicted	22.9	22.9	27.1	31.6	32.3	32.4	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
533	Predicted	23.1	23.1	27.3	31.8	32.5	32.6	32.7	32.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
534	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	23.6	23.6	27.8	32.3	33	33	33.1	33.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
535	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	24	24	28.2	32.7	33.4	33.5	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
536	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	25.3	25.3	29.6	34.1	34.7	34.8	34.8	34.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
537	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.2	26.2	30.4	34.9	35.6	35.6	35.7	35.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
538	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26	26	30.3	34.8	35.4	35.4	35.5	35.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
539	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.3	26.3	30.5	35	35.7	35.8	35.8	35.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
540	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	26.7	26.7	30.9	35.4	36	36.1	36.1	36.1
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
541	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	28.6	28.6	32.9	37.4	38	38.1	38.1	38.1
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
542	Predicted	30.2	30.2	34.4	38.9	39.6	39.6	39.6	39.6
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
543	Predicted	30	30	34.2	38.7	39.4	39.4	39.4	39.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
544	Predicted	29.9	29.9	34.1	38.6	39.2	39.3	39.4	39.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
545	Predicted	29.9	29.9	34.1	38.5	39.2	39.3	39.3	39.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
546	Predicted	30.5	30.5	34.7	39.2	39.9	40	40	40
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
547	Predicted	30.8	30.8	35	39.5	40.2	40.2	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
548	Predicted	31.3	31.3	35.6	40	40.7	40.8	40.8	40.8
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
549	Predicted	31.7	31.7	35.9	40.4	41	41.1	41.1	41.1
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
550	Predicted	31.8	31.8	36	40.5	41.1	41.2	41.2	41.2
	Daytime Criterion	40	40	45	45	45	45	45	48

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
551	Predicted	32.5	32.5	36.8	41.2	41.9	41.9	41.9	41.9
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
552	Predicted	32.4	32.4	36.6	41.1	41.7	41.8	41.8	41.8
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
553	Predicted	33	33	37.3	41.8	42.4	42.4	42.4	42.4
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
554	Predicted	33.4	33.4	37.7	42.2	42.8	42.8	42.8	42.8
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
555	Predicted	32.7	32.7	37	41.4	42.1	42.1	42.1	42.1
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
556	Predicted	33.3	33.3	37.6	42	42.7	42.7	42.7	42.7
	Daytime Criterion	40	40	45	45	45	45	45	48
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
557	Predicted	34.4	34.4	38.7	43.2	43.8	43.8	43.8	43.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	0.2	0.8	0.8	0.8	0.8
601	Predicted	18.4	18.4	22.8	27.3	27.9	27.9	27.9	27.9
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
602	Predicted	18.7	18.7	23.1	27.6	28.2	28.2	28.2	28.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
603	Predicted	18.9	18.9	23.3	27.8	28.4	28.4	28.4	28.4
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
604	Predicted	19.0	19.0	23.4	27.9	28.5	28.5	28.5	28.5
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
605	Predicted	19.1	19.1	23.4	27.9	28.6	28.6	28.6	28.6
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
606	Predicted	20.4	20.4	24.7	29.2	29.8	29.8	29.8	29.8
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
607	Predicted	20.4	20.4	24.7	29.2	29.9	29.9	29.9	29.9
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
608	Predicted	19.4	19.4	23.7	28.2	28.8	28.9	28.9	28.9
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
609	Predicted	20.3	20.3	24.5	29	29.6	29.7	29.7	29.7
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
610	Predicted	23.3	23.3	27.4	31.9	32.5	32.6	32.6	32.6

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
611	Predicted	23.4	23.4	27.6	32	32.7	32.8	32.8	32.8
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
612	Predicted	20.8	20.8	25.1	29.6	30.2	30.2	30.2	30.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
613	Predicted	21	21	25.3	29.8	30.4	30.4	30.4	30.4
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
614	Predicted	22.9	22.9	27.1	31.6	32.2	32.2	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
615	Predicted	23.2	23.2	27.3	31.8	32.5	32.5	32.5	32.5
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
616	Predicted	23.6	23.6	27.8	32.2	32.9	32.9	32.9	32.9
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
617	Predicted	23.9	23.9	28	32.5	33.2	33.2	33.2	33.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
618	Predicted	24.7	24.7	28.9	33.4	34	34.1	34.1	34.1
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
619	Predicted	23.9	23.9	28.1	32.6	33.2	33.3	33.3	33.3
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
620	Predicted	23.8	23.8	28	32.4	33.1	33.2	33.2	33.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
621	Predicted	23	23	27.1	31.6	32.2	32.3	32.3	32.3
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
622	Predicted	23.3	23.3	27.4	31.9	32.6	32.6	32.6	32.6
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
623	Predicted	23	23	27.1	31.6	32.2	32.3	32.3	32.3
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
624	Predicted	22.9	22.9	27	31.5	32.2	32.2	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
625	Predicted	21.9	21.9	26.0	30.5	31.2	31.2	31.2	31.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
626	Predicted	21.7	21.7	25.9	30.3	31	31	31	31
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
627	Predicted	20.4	20.4	24.7	29.2	29.8	29.8	29.9	29.9
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
628	Predicted	20.3	20.3	24.6	29	29.7	29.7	29.7	29.7
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
629	Predicted	19.8	19.8	24.1	28.6	29.2	29.2	29.2	29.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
630	Predicted	19.2	19.2	23.5	28	28.6	28.7	28.7	28.7
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
631	Predicted	22.5	22.5	26.6	31.1	31.8	31.8	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
632	Predicted	22	22	26.1	30.6	31.3	31.3	31.3	31.3
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
633	Predicted	21.7	21.7	25.8	30.3	31	31	31.1	31.1
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
634	Predicted	21.7	21.7	25.9	30.4	31	31.1	31.1	31.1
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
635	Predicted	20.5	20.5	24.7	29.2	29.9	29.9	29.9	29.9
	Daytime Criterion	40	40	40	45	45	45	45	46.8

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
636	Predicted	20.2	20.2	24.5	29	29.6	29.6	29.6	29.6
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
637	Predicted	19.9	19.9	24.2	28.7	29.3	29.4	29.4	29.4
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
638	Predicted	20	20	24.2	28.7	29.4	29.4	29.4	29.4
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
639	Predicted	19.6	19.6	24	28.5	29.1	29.1	29.1	29.1
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
640	Predicted	21.4	21.4	25.5	30	30.6	30.7	30.7	30.7
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
641	Predicted	26.1	26.1	30.3	34.8	35.4	35.5	35.5	35.5
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
642	Predicted	27.7	27.7	32	36.4	37.1	37.1	37.1	37.1
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
643	Predicted	30.2	30.2	34.6	39	39.6	39.7	39.7	39.7
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Excess	--	--	--	--	--	--	--	--
644	Predicted	28	28	32.3	36.8	37.4	37.4	37.5	37.5
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
645	Predicted	27.8	27.8	32	36.5	37.1	37.2	37.2	37.2
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
646	Predicted	28.5	28.5	32.8	37.3	37.9	38	38	38
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
647	Predicted	25.6	25.6	29.7	34.2	34.9	34.9	35	35
	Daytime Criterion	40	40	40	45	45	45	45	46.8
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
648	Predicted	30.1	30.1	34.4	38.8	39.5	39.5	39.5	39.5
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
649	Predicted	31.4	31.4	35.6	40.1	40.7	40.8	40.8	40.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
650	Predicted	29.9	29.9	34.1	38.6	39.3	39.3	39.3	39.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
651	Predicted	29.3	29.3	33.5	38	38.6	38.7	38.7	38.7
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
652	Predicted	29.5	29.5	33.8	38.2	38.9	38.9	38.9	38.9

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
653	Predicted	29.9	29.9	34.1	38.6	39.2	39.3	39.3	39.3
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
654	Predicted	24.6	24.6	27.9	31.9	33.1	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
700	Predicted	33.7	33.7	35.7	40	41.2	41.6	41.6	41.6
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
701	Predicted	29.4	29.4	31.7	35.8	36.9	37.3	37.4	37.4
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
702	Predicted	27.3	27.3	30.7	35	35.8	36	36	36
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
703	Predicted	29.8	29.8	34	38.5	39.2	39.2	39.2	39.2
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
704	Predicted	30.1	30.1	34.3	38.8	39.4	39.5	39.5	39.5
	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
705	Predicted	25.5	25.5	28.8	33	34.3	34.7	34.9	34.9
	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--

NSL Ref.	Parameter Description	dB L _{A90} Turbine Noise Limit at Standardised 10 m Height Wind Speed (m/s)							
		3	4	5	6	7	8	9	10
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	29.8	29.8	33.8	38.2	39.2	39.4	39.6	39.6
706	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	29.3	29.3	33.4	37.8	38.8	39.1	39.3	39.3
707	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.8	30.8	34.9	39.4	40.2	40.3	40.4	40.4
708	Daytime Criterion	55	55	55	55	55	55	55	55
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	55	55	55	55	55	55	55	55
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	27	27	30.5	34.8	36.4	36.9	37.3	37.3
709	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.2	30.2	34.3	38.8	39.5	39.6	39.6	39.6
710	Daytime Criterion	40	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--	--
	Predicted	30.2	30.2	34.3	38.8	39.5	39.6	39.6	39.6