


Our Case Number: ACP-323980-25

Planning Authority Reference Number:



An
Coimisiún
Pleanála

Garrett O'Neill
33 Pembroke Road
Dublin 4

Date: 04 March 2026

Re: Proposed Water Supply Project for the Eastern and Midlands Region
in the counties of Clare, Limerick, Tipperary, Offaly, Kildare, and Dublin.

Dear Sir / Madam,

An Coimisiún Pleanála has received your recent submission in relation to the above mentioned proposed development and will take it into consideration in its determination of the matter. Please accept this letter as a receipt for the fee of €50 that you have paid.

The Commission will revert to you in due course with regard to the matter.

Please be advised that copies of all submissions / observations received in relation to the application will be made available for public inspection at the offices of the local authority and at the offices of An Coimisiún Pleanála when they have been processed by the Commission.

More detailed information in relation to strategic infrastructure development can be viewed on the Commission's website: www.pleanala.ie.

If you have any queries in the meantime please contact the undersigned officer of the Commission. Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,


Eimear Reilly
Executive Officer
Direct Line: 01-8737184

PA04

Teil (01) 858 8100
Glaó Áitiúil 1890 275 175
Facs (01) 872 2684
Láithreán Gréasáin www.pleanala.ie
Riomhphost communications@pleanala.ie

Tel (01) 858 8100
LoCall 1890 275 175
Fax (01) 872 2684
Website www.pleanala.ie
Email communications@pleanala.ie

64 Sráid Maoilbhríde 64 Marlborough Street
Baile Átha Cliath 1 Dublin 1
D01 V902 D01 V902

GARRETT O'NEILL

33 PEMBROKE ROAD

DUBLIN 4

6yewpoint@gmail.com

25th February 2026

TO COIMISIUN PLEANALA

64 MARLBORO STREET

DUBLIN 1

RE CASE NO 323980

WATER SUPPLY PROJECT FOR EASTERN AND MIDLANDS REGION

COUNTIES CLARE, LIMERICK TIPPERARY, OFFALY AND DUBLIN

Dear Sir or Madam

I request that in assessing the above proposal, that it should be permitted only if it is compatible with the eventual decommissioning of the Ardnacrusha dam and the constant maintenance of minimum water levels on the upper reaches.

I enclose payment of €50.

Your sincerely

Garrett O'Neill