


Our Case Number: ACP-324033-26



**An
Coimisiún
Pleanála**

Geological Survey Ireland
Tom Johnson House
Beggars Bush
Haddington Road
Dublin
Dublin 4
D04 K7X4

Date: 04 September 2026

Re: Proposed development of a soil recovery facility
in the townland Kilmartin, Coyne's Cross, Co. Wicklow

Dear Sir / Madam,

An Coimisiún Pleanála has received your submission in relation to the above-mentioned proposed development and will take it into consideration in its determination of the matter.

The Commission will revert to you in due course in respect of this matter.

Please be advised that a copy of all submissions / observations received in relation to the application will be made available for inspection on the Commission's website at the following link:
[324033 | An Coimisiún Pleanála -](#)

More detailed information in relation to strategic infrastructure development can be viewed on the Commission's website: www.pleanala.ie.

If you have any queries in the meantime, please contact the undersigned officer of the Commission. Please quote the above mentioned An Coimisiún Pleanála reference number in any correspondence or telephone contact with the Commission.

Yours faithfully,

Óran Holland
Executive Officer
Direct Line: 01-8049342

PA09

Teil	Tel	(01) 858 8100
Glaao Áitiúil	LoCall	1800 275 175
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	communications@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902

Teil
Glaó Áitiúil
Facs
Láithreán Gréasáin
Riomhphost

Tel
LoCall
Fax
Website
Email

(01) 858 8100
1800 275 175
(01) 872 2684
www.pleanala.ie
communications@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

FW: ACP-324033-26 [26/217] Soil Recovery Facility at Kilmartin, near Coyne's Cross, Co. Wicklow

From SIDS <sids@pleanala.ie>

Date Thu 20/08/2026 15:41

To Óran Holland <oran.holland@pleanala.ie>

 1 attachment (319 KB)

26_217 SRF Kilmartin Co Wicklow.pdf;

From: DCEE GSI Planning <GSIPlanning@GSI.ie>

Sent: Thursday, August 20, 2026 8:41 AM

To: SIDS <sids@pleanala.ie>

Cc: DCEE GSI Planning <GSIPlanning@GSI.ie>; DCEE Planning Advisory <PlanningAdvisory@dcee.gov.ie>

Subject: ACP-324033-26 [26/217] Soil Recovery Facility at Kilmartin, near Coyne's Cross, Co. Wicklow

You don't often get email from gsiplanning@gsi.ie. [Learn why this is important](#)

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Re: SID application for a proposed Soil Recovery Facility at Kilmartin, near Coyne's Cross, Co. Wicklow - significant additional information

Your Ref: ACP-324033-26

Our Ref: 26/217 [c.f. 23/127]

Dear Sir/Madam,

Please find attached response from Geological Survey Ireland

Your sincerely,

Trish Smullen

Trish Smullen



Geological Survey Ireland, Tom Johnson House, Beggars Bush, Haddington Road, Dublin 4, D04 K7X4. Suirbhéireacht Gheolaíochta Éireann, Teach Thomáis Uí Eolusa, Tor an Bhacaigh, Bóthar Haddington, Baile Átha Cliath 4, D04 K7X4.

Email: trish.smullen@gsi.ie www.gsi.ie

A part of the Department of Climate, Energy and the Environment

From: Agirtas, Efsun <Efsun.Agirtas@wsp.com>

Sent: Friday 7 August 2026 15:26

To: DCEE Customer Service <Customer.Service@dcee.gov.ie>; Notifications@dcee.gov.ie.

Cc: Llewellyn, Rhian <rhian.llewellyn@wsp.com>; Cleary, Lisa <Lisa.Cleary@wsp.com>

Subject: Strategic Infrastructure Development (SID) application for a proposed Soil Recovery Facility

at Kilmartin, near Coyne's Cross, Co. Wicklow (An Coimisiún Pleanála Case Reference: ACP-324033-26).

CAUTION: This eMail originated from outside your organisation and the BTS Managed Desktop service. Do not click on any links or open any attachments unless you recognise the sender or are expecting the email and know that the content is safe. If you are in any doubt, please contact the OGCIO IT Service Desk.

Dear Sir/ Madam

Re: Strategic Infrastructure Development (SID) application for a proposed Soil Recovery Facility at Kilmartin, near Coyne's Cross, Co. Wicklow (An Coimisiún Pleanála Case Reference: ACP-324033-26).

We are writing you on behalf of Kilmartin Junction 14 Limited (the Applicant) who have been instructed by An Coimisiún Pleanála to notify Minister for Climate, Energy and Environment that significant additional information has been submitted with respect to SID application ACP-324033-26. The Applicant has also been instructed to provide copies of the significant additional information at this time.

The Applicant proposes to provide documents relating to the significant additional information in digital format by USB stick with a printed copy of the notification letter. **If you require additional digital copies and or print copy/copies we request that you advise us of your requirements by Wednesday 12 August 2026.**

We note that documents relating to the significant additional information are available on the dedicated project website at this time: [Kilmartin Soil Recovery Facility](#). The significant additional information prepared in response to the ACP further information request (ACP letter dated 31 July 2026) comprises a letter with the following provided as attachments:

- Updated Non-Technical Summary of EIAR (WSP file ref: 40000103.R01.02).
- Updated Table of Contents (TOC) for EIAR (WSP file ref: 40000103.R02.00.02).
- Updated Environmental Impact Assessment Report (EIAR) chapter - Chapter 3.0: Project Description (WSP file ref: 40000103.R02.03.02), including:
 - Updated proposed restoration plan provided in Appendix 3C.
- Updated EIAR chapter - Chapter 6.0: Ecology and Biodiversity (WSP file ref: 40000103.R02.06.02), including:
 - Bat survey of Trees (WSP, 2026) provided in Appendix 6D, and,
 - Badger mitigation strategy (WSP, 2026) provided in Appendix 6E.
- Updated EIAR chapter - Chapter 8.0: Water (WSP file ref: 40000103.R02.08.02).
- Updated EIAR chapter – Chapter 16.0: Mitigation and Monitoring Measures (WSP file ref: 40000103.R02.16.02).
- Updated Appropriate Assessment Screening ('AAS') Report (WSP file ref: AAS IE-40000103.R03.02).

Kind regards,

Efsun Agirtas

Environmental Consultant

T +353 45 810 200

WSP

Town Centre House,
Naas, Co. Kildare
W91 TD0P Ireland



An Roinn Aeráide,
Fuinnimh agus Comhshaoil
Department of Climate,
Energy and the Environment



Geological Survey
Suirbhéireacht Gheolaíochta
Ireland | Éireann

An Coimisiún Pleanála
64 Marlborough St
Dublin 1, D01 V902

20 August 2026

Re: SID application for a proposed Soil Recovery Facility at Kilmartin, near Coyne's Cross, Co. Wicklow - significant additional information

Your Ref: ACP-324033-26

Our Ref: 26/217 [c.f. 23/127]

Dear Sir/Madam,

With reference to the email received on the 10 August 2026, from WSP, concerning the SID application for a proposed Soil Recovery Facility at Kilmartin, near Coyne's Cross, Co. Wicklow - significant additional information, we have no further comments or observations to make since our last response 23/217 to WSP.

If we can be of any further help, please do not hesitate to contact me Clare Glanville, or my colleague Trish Smullen at GSIPlanning@gsi.ie.

Yours sincerely,

Dr. Clare Glanville
Senior Geologist
Geoheritage and Planning Programme
Geological Survey Ireland

Trish Smullen
Geologist
Geoheritage and Planning Programme
Geological Survey Ireland