

Lauren Murphy

From: Aine Rowan(C) <aine.rowan@water.ie>
Sent: Thursday 30 July 2026 16:55
To: SIDS; Bord
Subject: Uisce eireann observation SID-ACP-324083-26
Attachments: UE Response ACP-324083-26.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Categories: Lauren

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Dear Sir/Madam,

In response to An Coimisiún Pleanála - Case reference: SID-ACP-324083-26 [324083 | An Coimisiún Pleanála](#) -

Please find attached Uisce Éireann's observations.

I hope you find this information helpful. If you have any queries, please do not hesitate to contact me.

Aine Rowan

Planning Application Specialist

Uisce Éireann

Teach Colvill, 24–26 Sráid Thalbóid, Baile Átha Cliath 1, D01 NP86, Éire

Uisce Éireann

Colvill House, 24–26 Talbot Street, Dublin 1, D01 NP86, Ireland

www.water.ie

[Facebook](#) | [Twitter](#) | [LinkedIn](#)

Is don duine amháin nó don eintiteas amháin ainmnithe ar an seoladh an fhaisnéis agus d'fhéadfadh ábhar faoi rún, faoi phribhléid nó ábhar atá íogair ó thaobh na tráchtála de a bheith mar chuid den fhaisnéis. Tá toirmeasc ar aon daoine nó aon eititis; nach dóibh siúd an fhaisnéis- aon athbhreithniú a dhéanamh, aon atarchur a dhéanamh nó aon athdháileadh a dhéanamh, nó aon úsáid eile a bhaint

as an bhfaisnéis, nó aon ghníomh a bhraitheadh ar an bhfaisnéis seo a dhéanamh agus d'fhéadfaí an dlí a shárú dá ndéanfaí sin. Séanann Uisce Éireann dliteanas as aon ghníomh agus as aon iarmhairt bunaithe ar úsáid neamhúdaraíthe na faisnéise seo. Séanann Uisce Éireann dliteanas maidir le seachadadh iomlán agus ceart na faisnéise sa chumarsáid seo agus séanann Uisce Éireann dliteanas maidir le haon mhoill a bhaineann leis an bhfaisnéis a fháil. Má tá an ríomh-phost seo faighte agat trí dhearmad, déan teagmháil leis an seoltóir más é do thoil é agus scríos an t-ábhar ó gach aon ríomhaire. D'fhéadfadh ríomhphost a bheith so-ghabhálach i leith truaillithe, idircheaptha agus i leith leasuithe neamhúdaraíthe. Séanann Uisce Éireann aon fhreagracht as athruithe nó as idircheapadh a rinneadh ar an ríomhphost seo nó as aon dochar do chórais na bhfaighteoirí déanta ag an teachtaireacht seo nó ag a ceangaltáin tar éis a sheolta. Tabhair faoi deara go bhféadfadh monatóireacht a bheith á dhéanamh ar theachtairreachtaí chuig Uisce Éireann agus ó Uisce Éireann d'fhonn ár ngnó a chosaint agus chun a chinntiú go bhfuiltear ag teacht le beartais agus le caighdeáin Uisce Éireann. Is cuideachta gníomhaíochta ainmnithe é Uisce Éireann atá faoi theorainn scaireanna, a bunaíodh de bhun fhorálacha na n-Achtanna um Sheirbhísí Uisce 2007-2022, a bhfuil a bpríomh-ionad gnó ag Teach Colvill, 24-26 Sráid na Talbóide, BÁC 1.

Go raibh maith agat as d'aird a thabhairt.

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential, commercially sensitive and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited and may be unlawful. Uisce Éireann accepts no liability for actions or effects based on the prohibited usage of this information. Uisce Éireann is neither liable for the proper and complete transmission of the information contained in this communication nor for any delay in its receipt. If you received this in error, please contact the sender and delete the material from any computer. E-Mail may be susceptible to data corruption, interception and unauthorised amendment. Uisce Éireann accepts no responsibility for changes to or interception of this e-mail after it was sent or for any damage to the recipients systems or data caused by this message or its attachments. Please also note that messages to or from Uisce Éireann may be monitored to ensure compliance with Uisce Éireann's policies and standards and to protect our business. Uisce Éireann is a designated activity company limited by shares, established pursuant to the Water Services Acts 2007-2022, having its principal place of business at Colvill House, 24-26 Talbot Street, Dublin 1.

Thank you for your attention.

Uisce Éireann's Ref: PN26000044466

Planning Ref: SID-ACP-324083-26

Planning Authority: An Coimisiún Pleanála

Issue Date: 30 July 2026

Uisce Éireann
Bosca OP 448
Oifig Sheachadta na
Cathrach Theas
Cathair Chorcaí

Uisce Éireann
PO Box 448
South City
Delivery Office
Cork City

www.water.ie

Development Location: located at Shankill and Ballygorteen, County Kilkenny and Lacken, Moanmore and Baunreagh, County Carlow

Development Description: Alter the already permitted 110kV Electricity Substation and Approximately 8.8km of underground Electricity Line (ABP-322078-25),

A Chara,

Uisce Éireann (UE) has reviewed the plans and particulars submitted with the application including the EIAR and has the following observations;

Service Connections

There is no connections to Uisce Éireann infrastructure proposed.

Uisce Éireann Assets

The proposed cabling associated with the White Hill windfarm crosses the Zone of Contribution (ZOC) for the Gowran-Goresbridge-Paulstown Water Supply. The abstraction is a spring source located 7.5km from where the cabling crosses the ZOC. The proposed substation is not located within the ZOC or surface water catchment. Given the distance and the limited nature of the construction activity associated with the cabling, the risk is be considered low. The EIAR includes sufficient mitigation measures to ensure no impact to the public drinking water source.

The proposed cabling route does not interact with any Uisce Éireann existing water or sewer infrastructure.

Queries relating to the terms and observations above should be directed to planning@water.ie

Yours sincerely,



Dermot Phelan
Connections and Developer Services