

OBSERVATION/SUBMISSION TO PLANNING APPLICATION

Case Reference: 324113

Caroline Freeney

Castlelambert

Athenry

Galway

H65 WK29

To: An Coimisiún Pleanála

64 Marlborough Street

Dublin 1

D01 V902

Date: 17 April 2026

Re: Observation to the proposed development of open-cycle gas turbine (OCGT) and generator with ancillary equipment.

Location: Pollnagroagh and Rathmorrissy (Townlands), Athenry, Co. Galway

Applicant: Bord Gáis Energy Limited

Dear Sir/Madam,

My residence is 1.52km from the proposed site of the Cashla Peaker Plant (Athenry).

If this site goes ahead, I will see it from my front door, not only am I concerned about the visual impact on the landscape but more importantly I am very worried about the health implications for not just myself and my 3 kids but the generation's that will follow.

I honestly thought we had moved away from this kind of power plant and I was very proud that my country had moved to forward thinking with solar farms and windmills. I would think this kind of plant moves us backwards and is not compliant with our E.U. obligations for cleaner energy commitments.

Cumulative Health Impacts Over Time

I have serious concerns about how this proposed peaker plant would operate over time. Although it would run intermittently, it would do so at extremely high intensity, and the potential use of diesel adds to these concerns, as it could result in repeated short-term spikes in air pollution. While individual emission events

may be brief, the fact that they could occur repeatedly over many years—potentially up to 2050—raises concerns about ongoing exposure and cumulative health impacts.

Pollutants such as nitrogen oxides and fine particulate matter are known to worsen asthma, trigger respiratory symptoms, and contribute to long-term conditions including chronic respiratory and cardiovascular disease. This is particularly concerning for nearby residents, especially vulnerable groups such as children, older people, and those with existing health conditions. There is still uncertainty regarding whether the lasting and cumulative effects of these emissions have been fully studied, which leads to real concerns that continued exposure during the development's lifetime could affect public health and wellbeing in the future.

Long-Term Accumulation of Pollutants and Chemical Residues

I am particularly concerned about the risk of pollution to soil and groundwater from this proposed development. The inclusion of diesel storage tanks, hardstanding areas, drainage systems, and other infrastructure increases the likelihood that pollutants could gradually enter the ground over time, potentially up to 2050. Substances such as hydrocarbons from diesel and gas, along with other chemical residues, may build up slowly, particularly where there are repeated small leaks, routine operational losses, or occasional spills, with impacts accumulating over time.

What is especially worrying is that this type of pollution may not be immediately visible but could result in long-term damage to groundwater quality and soil health. This has implications not only for environmental protection but also for local agriculture, which depends on clean soil and water. Overall, there is significant concern that these long-term and cumulative risks have not been fully addressed and could have lasting consequences for the local environment and livelihoods.

Dependence on Groundwater for Domestic and Agricultural Use

I am concerned about the potential risk to groundwater from this proposed development. The area depends heavily on clean groundwater for essential needs, including drinking water, farming, and livestock, making it a vital resource for the community. The introduction of an industrial facility involving the storage and handling of fuels creates an ongoing risk to this resource, and any contamination, even if accidental, could have serious and long-lasting consequences for water quality, livestock health, and agricultural productivity.

What is particularly worrying is that once groundwater becomes contaminated, the damage can be extremely difficult—if not impossible—to reverse. This raises serious concerns about whether this type of development is appropriate for this location. To sum up, significant worries persist that the dangers to groundwater have not been fully assessed, and any consequences could be permanent.

Derogation Limits

As a derogation farmer, I operate under strict environmental limits and take compliance very seriously, but there is concern that this proposed development could make it much harder to remain within those limits. Additional environmental pressure from nearby industrial activity, including emissions or contamination linked to diesel use, could increase nitrate levels in the area, which is entirely outside my control. This could result in penalties, reduced stocking levels, or even the loss of derogation status, despite full compliance with regulations, leading to serious financial and operational consequences. Overall, this creates an unfair situation where farmers may be penalised for environmental impacts arising from a development beyond their control.

Cumulative Impact on Child's Development

As a parent in the area, I am concerned about the impact of fine particulate matter over time. These

pollutants can travel long distances and accumulate, meaning children may be exposed not only during peak pollution events but also through ongoing low-level exposure. The cumulative effect of this is particularly worrying, as repeated exposure during key stages of growth and development could have lasting impacts on lung development and overall health. From a community perspective, this raises serious concerns about the long-term safety of this development for children, and it is not clear that these cumulative impacts have been fully considered.

Increased Heavy Traffic and Diesel Transport Risks

As someone who lives locally and uses this road, I am concerned about road safety in relation to the proposed entrance on the L3103. This stretch of road is already extremely narrow, with no hard shoulder, making it difficult for two heavy goods vehicles to pass safely and leaving no margin for error. Visibility is also poor due to blind dips and sharp bends, meaning drivers often cannot see oncoming traffic in time. The proposed development would increase traffic levels, including heavy goods vehicles, construction traffic, and fuel deliveries such as diesel tankers, all of which require space and clear sightlines that this road does not provide.

Given that these rural roads are used by residents, farm machinery, and school-related traffic, the addition of significant industrial traffic would increase the risk of accidents and create a more hazardous environment. Overall, there is strong concern that the existing road infrastructure is not suitable for this level of traffic and that the associated safety risks have not been adequately addressed.

Risk of Fire and Explosion from Fuel Storage

As someone living in the area, I am very concerned about the safety risks associated with this proposed development. The project involves the storage, handling, and use of highly flammable fuels such as natural gas and diesel, which carry an inherent risk of fire or explosion. In the event of equipment malfunctions, leaks, or operational challenges, these substances may pose an ignition risk, potentially resulting in significant incidents. Considering the intermittent yet high-intensity operation of a peaker plant, the likelihood of such occurrences warrants careful consideration.

The potential consequences are particularly worrying, as any incident could have serious impacts on nearby homes, residents, farmland, and livestock. This raises significant concerns about whether the risks have been fully assessed and whether this location is appropriate for a development of this nature.

Impact on Residential Amenity and Long-Term Visual Change

There are concerns that the proposed development will be clearly visible from surrounding homes, roads, and farmland, resulting in a permanent change to the visual environment. This has the potential to impact residential amenity, reduce enjoyment of the area, and alter the overall character of the landscape, with a large and visually prominent industrial facility introduced into what is currently a rural setting. Given the long operational lifespan of the development, potentially extending to at least 2050, these impacts would be long-lasting and not easily mitigated. The addition of industrial structures, lighting, and ongoing activity represents a significant and enduring change that requires careful consideration.

Conflict with National and EU Climate Targets

There are serious concerns regarding Ireland's legally binding obligations to reduce greenhouse gas emissions under the Climate Action and Low Carbon Development (Amendment) Act 2021, as well as wider EU climate frameworks. The continued development of gas-fired generation, including peaker plants, will result in additional carbon dioxide emissions over the lifetime of the project, raising questions about alignment

with national carbon budgets and emissions reduction targets. In this context, there is concern that the proposal may undermine the State's ability to meet its climate commitments and transition to a low-carbon energy system.

Lack of Clear, Accessible, and Effective Communication

There are concerns that community engagement in relation to this project has been insufficient and ineffective. Many residents did not receive any direct communication or notification about the proposed development, and while some individuals report receiving a flyer or attending an information event, the material provided was highly technical and difficult to understand without specialist knowledge. This limits meaningful public participation, as effective consultation requires information to be accessible, clearly explained, and actively communicated to all affected members of the community. In this case, the complexity and level of technical detail in the documentation creates a barrier to understanding, meaning that many people cannot fully assess the potential impacts of the development.

Absence of Worst-Case Scenario Assessment

There are concerns that the Environmental Impact Assessment relies on assumed or typical operating scenarios rather than fully assessing worst-case conditions. As a demand-led facility, a peaker plant may operate more frequently, for longer periods, or at higher intensity than predicted, and this may include the use of diesel during start-up, testing, or operational phases. As a result, actual emissions and environmental impacts could be significantly greater than those modelled. A comprehensive evaluation of worst-case scenarios is essential to ensure the reliability of the assessment. Without such an analysis, it is not possible to affirm with confidence that major negative environmental impacts will be avoided, and this omission constitutes a critical limitation.

Diesel Use Not Fully Assessed or Limited

Diesel is used beyond emergencies, including routine tests and operations. This leads to extra emissions, odours, and environmental risks not fully covered by the Environmental Impact Assessment. The frequency and impact of diesel use are unclear, making the total environmental effect uncertain.

Conclusion

Due to the concerns mentioned—such as uncertainty about how often operations will occur, overall environmental impacts, and risks related to diesel use—this project is not viewed as proper or sustainable development. There has also been insufficient consideration of the possibility that the actual impacts could be greater than those evaluated. Therefore, we respectfully ask that approval for this application be refused.

Yours Sincerely,

C. Freaney

Name: Caroline Freaney

Date: 17 April 2026