

OBSERVATION/SUBMISSION TO PLANNING APPLICATION

Case Reference: 324113

Fiona Sheridan

Castlelambert

Castlelambert

Athenry

Galway

H65XE04

To: An Coimisiún Pleanála

64 Marlborough Street

Dublin 1

D01 V902

Date: 22 April 2026

Re: Observation to the proposed development of open-cycle gas turbine (OCGT) and generator with ancillary equipment.

Location: Pollnagroagh and Rathmorrissy (Townlands), Athenry, Co. Galway

Applicant: Bord Gáis Energy Limited

Dear Sir/Madam,

Family living over 25 years in this area.

Public Health Protection

There is significant concern within the community about the potential impact of air pollution from this proposed peaker plant on human health, particularly during periods when it is operating at full capacity and emissions are highest. The possible use of diesel is especially worrying, as it introduces additional harmful pollutants that can travel long distances and accumulate in the environment.

There is ongoing uncertainty concerning the operational frequency of the plant, its emission rates, and the extent of public exposure to pollutants through 2050. Because these issues remain unresolved, it is difficult to verify that all risks have been considered. Given these unknowns, it is wise to adopt a careful strategy to protect public health; unless definitive evidence proves no harm, any dangers to residents should be

considered as part of the planning process.

Dependence on Groundwater for Domestic and Agricultural Use

I am concerned about the potential risk to groundwater from this proposed development. The area depends heavily on clean groundwater for essential needs, including drinking water, farming, and livestock, making it a vital resource for the community. The introduction of an industrial facility involving the storage and handling of fuels creates an ongoing risk to this resource, and any contamination, even if accidental, could have serious and long-lasting consequences for water quality, livestock health, and agricultural productivity.

What is particularly worrying is that once groundwater becomes contaminated, the damage can be extremely difficult—if not impossible—to reverse. This raises serious concerns about whether this type of development is appropriate for this location. To sum up, significant worries persist that the dangers to groundwater have not been fully assessed, and any consequences could be permanent.

ACRES Compliance

As a local farmer, I am very concerned about how this proposed development could affect my ability to meet environmental standards. Farmers in this area already operate under strict requirements, including schemes such as ACRES and nitrates regulations, and we take these responsibilities seriously. However, emissions, airborne pollution, or runoff from this peaker plant—particularly linked to diesel use—could increase nitrate levels or environmental pressure, potentially pushing farms out of compliance through no fault of their own.

As an ACRES participant, any increase in pollution associated with this development could directly impact compliance with scheme requirements, leading to penalties, financial loss, or exclusion from essential programmes. This creates an unfair situation where farmers may be held responsible for environmental impacts arising from an industrial activity outside their control, placing an unjust burden on the farming community.

Protection of Agricultural Livelihoods

Farmers work diligently within stringent environmental guidelines and uphold rigorous standards of environmental stewardship, fully recognising the importance of these obligations. There is concern that an industrial development of this nature—particularly one involving diesel use and long-term emissions, potentially until 2050—could introduce risks that undermine that work by affecting land quality and increasing environmental pressures. This situation presents significant challenges for farmers, who should not face penalties for problems caused by factors beyond their control. There are concerns that agricultural risks remain overlooked and the development may affect local farming long-term.

Vulnerability to Diesel-Related Air Pollution

As a parent living in the area, I am particularly concerned about the potential impact of this proposed development on children's health. Children are particularly susceptible to the effects of air pollution because of their developing respiratory systems, elevated respiration rates, and greater exposure to outdoor environments. Although peaker plants do not function on a continuous basis, they can produce significantly elevated levels of output during initial start-up phases or times of peak energy demand. This may lead to brief yet significant emissions of pollutants, particularly when diesel fuel is utilised. These emissions contain fine particles and nitrogen oxides that can penetrate deep into the lungs, which may affect lung development and increase the risk of respiratory conditions such as asthma. Overall, this raises serious concerns about the health and wellbeing of children and whether these risks have been fully considered.

Cumulative Impact on Child's Development

As a parent in the area, I am concerned about the impact of fine particulate matter over time. These pollutants can travel long distances and accumulate, meaning children may be exposed not only during peak pollution events but also through ongoing low-level exposure. The cumulative effect of this is particularly worrying, as repeated exposure during key stages of growth and development could have lasting impacts on lung development and overall health. From a community perspective, this raises serious concerns about the long-term safety of this development for children, and it is not clear that these cumulative impacts have been fully considered.

Need for Precaution Due to Uncertainty

There is significant concern regarding the insufficient assessment of long-term health impacts on children, particularly with respect to repeated exposure associated with intermittent plant operation and diesel utilisation. Since children are especially susceptible to air pollution, uncertainty surrounding these effects warrants scrutiny. It is inadequate to presume minimal risk without substantial, transparent evidence. Given these circumstances, it is recommended that a precautionary approach be adopted to prioritise the health and wellbeing of children and to ensure that all potential risks are thoroughly evaluated and mitigated.

Increased Heavy Traffic and Diesel Transport Risks

As someone who lives locally and uses this road, I am concerned about road safety in relation to the proposed entrance on the L3103. This stretch of road is already extremely narrow, with no hard shoulder, making it difficult for two heavy goods vehicles to pass safely and leaving no margin for error. Visibility is also poor due to blind dips and sharp bends, meaning drivers often cannot see oncoming traffic in time. The proposed development would increase traffic levels, including heavy goods vehicles, construction traffic, and fuel deliveries such as diesel tankers, all of which require space and clear sightlines that this road does not provide.

Given that these rural roads are used by residents, farm machinery, and school-related traffic, the addition of significant industrial traffic would increase the risk of accidents and create a more hazardous environment. Overall, there is strong concern that the existing road infrastructure is not suitable for this level of traffic and that the associated safety risks have not been adequately addressed.

School Safety and Peak-Time Risks

As someone who lives locally and extensively uses this road, I am concerned about the proposed location of the site entrance on the L3103. This section of road is already extremely dangerous, as it is narrow, has no hard shoulder, and does not provide sufficient space for two heavy goods vehicles to pass safely. Visibility is also poor due to blind dips and sharp bends, meaning drivers often cannot see oncoming traffic in time, and introducing a site entrance at this location would significantly increase the risk to all road users.

There are strong concerns that adding traffic—particularly large vehicles—would worsen these existing hazards, especially near homes and schools during busy periods such as morning and afternoon times. The interaction between heavy goods vehicles, farm machinery, and everyday local traffic creates a higher risk of accidents, particularly for children and other vulnerable road users. Overall, this is not a suitable location for this level of traffic, and the associated safety risks for the community are a critical concern.

Inadequate Assessment of Traffic Impacts

The placement of a site entrance at this hazardous location on the L3103 raises serious safety concerns. The road is already constrained by its narrow width, the absence of a hard shoulder, and extremely poor visibility due to blind dips and sharp corners, yet the Environmental Impact Assessment does not appear to fully

address the safety implications of introducing an access point at this location. There are also concerns that the cumulative impact of additional traffic has not been properly assessed, including construction traffic, ongoing operational traffic, and fuel deliveries, and the interaction between heavy goods vehicles and existing road users—such as local traffic, school-related movements, and agricultural machinery—has not been examined in sufficient detail. Overall, the lack of a thorough and robust traffic safety assessment creates significant uncertainty as to whether the local road network can safely accommodate this development.

Risk of Fire and Explosion from Fuel Storage

As someone living in the area, I am very concerned about the safety risks associated with this proposed development. The project involves the storage, handling, and use of highly flammable fuels such as natural gas and diesel, which carry an inherent risk of fire or explosion. In the event of equipment malfunctions, leaks, or operational challenges, these substances may pose an ignition risk, potentially resulting in significant incidents. Considering the intermittent yet high-intensity operation of a peaker plant, the likelihood of such occurrences warrants careful consideration.

The potential consequences are particularly worrying, as any incident could have serious impacts on nearby homes, residents, farmland, and livestock. This raises significant concerns about whether the risks have been fully assessed and whether this location is appropriate for a development of this nature.

Landscape Character and Policy Conflict

There are serious concerns that the proposed development would represent a significant industrial intrusion into a rural landscape characterised by agricultural land use and dispersed residential development. The scale, height, and industrial nature of the plant—including buildings, stacks, lighting, and fuel storage—would fundamentally alter the character of the area, introducing a visually dominant feature into what is currently a quiet rural setting. This type of development does not appear consistent with the existing landscape, nor does the area have the capacity to absorb such change without significant adverse effects. These concerns are particularly relevant in the context of the Galway County Development Plan, specifically Policies LCM1, LCM2, and LCM3, which seek to protect landscape character, recognise landscape sensitivity, and ensure that development is appropriate to its setting.

Scale, Integration, and Rural Context

There are serious concerns that the scale and industrial nature of the proposed development are not in keeping with the surrounding rural environment. Building large-scale plants, structures, and infrastructure would result in a prominent addition to the landscape that does not match the area's current appearance. There is no evidence showing this development could blend into its environment or that its visual effects could be properly reduced. This raises concerns in relation to the Galway County Development Plan, particularly Policy GB1, which requires that developments be designed and located in a manner that allows them to integrate effectively into the landscape.

Cumulative Visual Impact of Industrial Infrastructure

It is noted that the visual impact of the proposed development appears to have been evaluated independently, rather than within the context of its overall effects. The project includes multiple elements, such as plant structures, fuel storage areas, electrical infrastructure, security fencing, lighting, and access roads, which together would create a substantial industrial presence within a rural setting. The cumulative visual impact of these components does not appear to have been fully assessed, and as a result, the overall level of visual intrusion may be significantly greater than that identified in the Environmental Impact Assessment.

Impact on Residential Amenity and Long-Term Visual Change

There are concerns that the proposed development will be clearly visible from surrounding homes, roads, and farmland, resulting in a permanent change to the visual environment. This has the potential to impact residential amenity, reduce enjoyment of the area, and alter the overall character of the landscape, with a large and visually prominent industrial facility introduced into what is currently a rural setting. Given the long operational lifespan of the development, potentially extending to at least 2050, these impacts would be long-lasting and not easily mitigated. The addition of industrial structures, lighting, and ongoing activity represents a significant and enduring change that requires careful consideration.

Availability of Cleaner Alternatives

Although cleaner and more sustainable alternatives to fossil fuels—such as renewable energy, energy storage, demand response, and grid flexibility measures—are available, building new gas infrastructure may lessen the urgency to invest in these solutions. Given the climate crisis, emphasis should be placed on low-carbon and renewable options instead of furthering dependence on fossil fuels; this proposal could delay the shift toward a more sustainable energy system.

Lack of Clear, Accessible, and Effective Communication

There are concerns that community engagement in relation to this project has been insufficient and ineffective. Many residents did not receive any direct communication or notification about the proposed development, and while some individuals report receiving a flyer or attending an information event, the material provided was highly technical and difficult to understand without specialist knowledge. This limits meaningful public participation, as effective consultation requires information to be accessible, clearly explained, and actively communicated to all affected members of the community. In this case, the complexity and level of technical detail in the documentation creates a barrier to understanding, meaning that many people cannot fully assess the potential impacts of the development.

Failure to Meet Aarhus Convention Standards

There are concerns that the consultation process for this development does not meet the standards set out under the Aarhus Convention, which provides for the public's right to access environmental information and to participate effectively in environmental decision-making. This requires not only that information is made available, but that it is understandable, accessible, and provided in a timely manner. In this case, the complexity of the Environmental Impact Assessment documentation, combined with limited direct communication, appears to have restricted meaningful public participation. This raises serious concerns regarding transparency, accessibility, and the overall effectiveness of public engagement in the decision-making process.

Ineffective Engagement and Limited Opportunity to Participate

There are concerns that, while documentation has been made available, the approach to community engagement has not ensured meaningful or effective participation. Many residents were not directly informed of the development, and engagement appears to have relied on passive methods rather than proactive outreach. Opportunities to engage were limited and may not have reached all affected individuals, particularly those without the time, resources, or technical background to interpret the material. Effective consultation requires early, inclusive, and accessible engagement with the community, and it does not appear that this standard has been achieved in this case.

Lack of Transparency, Inclusiveness, and Early Engagement

There are concerns that consultation in relation to this development has not been clear, inclusive, or effective. For a project of this scale and potential impact, there should have been proactive, transparent, and early engagement with the local community, including clear communication, accessible information, and adequate time for people to understand and respond to the proposal. The lack of meaningful engagement raises issues around fairness, transparency, and the overall integrity of the planning process, and creates concern that communities may be placed at a disadvantage due to inaccessible information and limited consultation.

Failure to Properly Assess Cumulative and Long-Term Impacts

There are concerns that the Environmental Impact Assessment does not adequately assess cumulative impacts, including the combined effects of emissions, noise, traffic, diesel use, and ongoing environmental disturbance over time. These impacts may interact and intensify, particularly during peak operational periods, yet this interaction has not been fully examined. The long-term nature of the development, potentially extending to at least 2050, further increases the importance of understanding these cumulative effects. Without a comprehensive assessment, it is difficult to fully understand the overall environmental burden of the project, and this represents a significant gap in the evaluation.

Diesel Use Not Fully Assessed or Limited

Diesel is used beyond emergencies, including routine tests and operations. This leads to extra emissions, odours, and environmental risks not fully covered by the Environmental Impact Assessment. The frequency and impact of diesel use are unclear, making the total environmental effect uncertain.

Conclusion

This proposal presents important concerns regarding people, public health, agriculture, and the surrounding environment. Because the documentation is complex and community engagement has been limited, many individuals have found it challenging to take part in the decision-making process. Communities should not face uncertain or potentially substantial environmental risks. Therefore, it is strongly recommended that planning permission be refused.

Yours Sincerely,

A handwritten signature in black ink, appearing to read 'Fiona Sheridan'. The signature is written in a cursive, flowing style with a long horizontal tail stroke extending to the right.

Name: Fiona Sheridan

Date: 22 April 2026