

OBSERVATION/SUBMISSION TO PLANNING APPLICATION

Case Reference: 324113

Susanne Helberg ,Mark Cook, Eva Cook, Jamie Cook

Rathmorrissy

Athenry

Galway

H65W893

To: An Coimisiún Pleanála

64 Marlborough Street

Dublin 1

D01 V902

Date: 24 April 2026

Re: Observation to the proposed development of open-cycle gas turbine (OCGT) and generator with ancillary equipment.

Location: Pollnagroagh and Rathmorrissy (Townlands), Athenry, Co. Galway

Applicant: Bord Gáis Energy Limited

Dear Sir/Madam,

My residence is 710m from the proposed site of the Cashla Peaker Plant (Athenry).

25 years ago the townland of Rathmorrissy was just fields, hedges and a track up through those fields. We were the first household in Rathmorrissy and started the now residential footprint of 6 houses. At that time there was no inkling as to what was to come in the next 2 decades as follows, within 1-2 km of our house as follows...

- 1 x High Voltage power lines to Cashla Electricity substation
- The M17 motorway
- The M6 motorway
- the motorway intersection of those 2 roads
- the Gas pipeline from the Corrib Gas field

We understand that countries need infrastructure like roads and power networks. We didn't object to any of these projects. Where once our Townland was a rural, you could say remote location, it is now dominated by

national infrastructure. It bears little resemblance now to the place it was when we started our home here.

So this provides some context to the following objections we have for the proposed development

- 1) The public road section to Rathmorrissy ends about halfway up the residents houses. The rest is private and we are required to repair and maintain this section in good order. I organised a Local Improvement Scheme over 10 years ago and again my neighbour did so recently so the road is currently in good order. We do not want that ruined by construction traffic again as happened before when drivers contracted for the above infrastructure projects were less than sympathetic to our concerns and complaints.
- 2) The narrative surrounding the working times of the plant states 100 hours per year. However it has been reported other plants working times have been multiples of that. As there is no limit legally to the output, the plant can run as often as it wants without any recourse.
- 3) Spending millions on a polluting, fossil fuel driven plant contradicts much of the green policy agenda the government professes. The burning of fossil fuels and their dirty emissions need to be reduced not increased. Is it really worth the investment with such a short life span as it is widely known the Corrib Gas Field has a limited shelf life.
- 4) 2 of our household are Asthmatic and the plants pollutions will compromise their safety and quality of life
- 5) Finally the disaster risk is significant based on the storage requirements of diesel which is a highly flammable substance. Siting the plant in close proximity to a busy motorway interchange, residential developments and the town of Athenry seems to us to be reckless in the extreme given the emergency services situation around County Galway. Is there disaster planning in place with the fire brigade in Athenry etc... do they have the necessary equipment and materials to suppress a potential fire of this size?

High-Intensity Emissions and Diesel Impacts

I am concerned about the potential impact of air pollution from this proposed development. Pollutants such as nitrogen oxides (NO_x) and fine particulate matter (PM_{2.5} and PM₁₀) are known to damage air quality, irritate the lungs, and contribute to long-term harm to both human health and the environment. Although the plant would not operate continuously, it may run at extremely high output when required, leading to short but intense bursts of pollution, particularly during start-up and peak demand periods. The possible use of diesel during these times is especially worrying, as it produces higher levels of harmful emissions, including nitrogen oxides, sulphur dioxide, and particulate matter.

These pollutants can penetrate deep into the lungs and enter the bloodstream, increasing the risk of respiratory and cardiovascular illness, particularly for vulnerable groups such as children, older people, and those with existing health conditions. Fine particulate matter can also travel long distances and accumulate over time, meaning the impacts may extend beyond the immediate area and persist in the long term. In summary, I have reservations regarding the thoroughness of the assessment of these emissions. This issue presents significant implications for public health and environmental protection, especially in relation to EU air quality standards established by Directive 2008/50/EC.

Cumulative Health Impacts Over Time

I have serious concerns about how this proposed peaker plant would operate over time. Although it would run intermittently, it would do so at extremely high intensity, and the potential use of diesel adds to these

concerns, as it could result in repeated short-term spikes in air pollution. While individual emission events may be brief, the fact that they could occur repeatedly over many years—potentially up to 2050—raises concerns about ongoing exposure and cumulative health impacts.

Pollutants such as nitrogen oxides and fine particulate matter are known to worsen asthma, trigger respiratory symptoms, and contribute to long-term conditions including chronic respiratory and cardiovascular disease. This is particularly concerning for nearby residents, especially vulnerable groups such as children, older people, and those with existing health conditions. There is still uncertainty regarding whether the lasting and cumulative effects of these emissions have been fully studied, which leads to real concerns that continued exposure during the development's lifetime could affect public health and wellbeing in the future.

Risk of Groundwater Contamination from Fuel Storage and Handling

I am concerned about the risks of soil and groundwater contamination from this proposed peaker plant. The development would involve the storage and handling of fuels such as diesel, along with lubricating oils and other chemicals, all of which could pose a risk to the surrounding environment. There is a real possibility that these substances could leak, spill, or enter the ground through surface runoff over the long lifetime of the facility, potentially up to 2050, and even small but repeated incidents could lead to a gradual build-up of pollution in soil and groundwater.

This is particularly worrying because once groundwater becomes contaminated, it is extremely difficult and costly to remediate, and the impacts can persist for decades. This raises serious concerns about the long-term protection of local water resources and the surrounding environment. There remains uncertainty about whether these risks have been adequately managed, raising substantial worries that the project might cause permanent damage to water quality. This would violate the obligations under EU Directive 2000/60/EC, which mandates the protection of water bodies and prohibits their deterioration.

Dependence on Groundwater for Domestic and Agricultural Use

I am concerned about the potential risk to groundwater from this proposed development. The area depends heavily on clean groundwater for essential needs, including drinking water, farming, and livestock, making it a vital resource for the community. The introduction of an industrial facility involving the storage and handling of fuels creates an ongoing risk to this resource, and any contamination, even if accidental, could have serious and long-lasting consequences for water quality, livestock health, and agricultural productivity.

What is particularly worrying is that once groundwater becomes contaminated, the damage can be extremely difficult—if not impossible—to reverse. This raises serious concerns about whether this type of development is appropriate for this location. To sum up, significant worries persist that the dangers to groundwater have not been fully assessed, and any consequences could be permanent.

Protection of Agricultural Livelihoods

Farmers work diligently within stringent environmental guidelines and uphold rigorous standards of environmental stewardship, fully recognising the importance of these obligations. There is concern that an industrial development of this nature—particularly one involving diesel use and long-term emissions, potentially until 2050—could introduce risks that undermine that work by affecting land quality and increasing environmental pressures. This situation presents significant challenges for farmers, who should not face penalties for problems caused by factors beyond their control. There are concerns that agricultural risks remain overlooked and the development may affect local farming long-term.

Exposure During Daily Activities and School Times

As a parent in the area, I am concerned that children living nearby or attending local schools will be exposed to higher levels of air pollution when the plant is operating at peak times, particularly when they are outdoors during school drop-off, break times, and after-school activities. During physical activity, children breathe more rapidly, increasing their intake of pollutants and making them more vulnerable to harmful effects. What is especially worrying is the potential for repeated exposure during key stages of development, which could have lasting impacts on their health and wellbeing. Overall, this raises serious concerns as to whether these risks have been fully considered.

Cumulative Impact on Child's Development

As a parent in the area, I am concerned about the impact of fine particulate matter over time. These pollutants can travel long distances and accumulate, meaning children may be exposed not only during peak pollution events but also through ongoing low-level exposure. The cumulative effect of this is particularly worrying, as repeated exposure during key stages of growth and development could have lasting impacts on lung development and overall health. From a community perspective, this raises serious concerns about the long-term safety of this development for children, and it is not clear that these cumulative impacts have been fully considered.

Increased Heavy Traffic and Diesel Transport Risks

As someone who lives locally and uses this road, I am concerned about road safety in relation to the proposed entrance on the L3103. This stretch of road is already extremely narrow, with no hard shoulder, making it difficult for two heavy goods vehicles to pass safely and leaving no margin for error. Visibility is also poor due to blind dips and sharp bends, meaning drivers often cannot see oncoming traffic in time. The proposed development would increase traffic levels, including heavy goods vehicles, construction traffic, and fuel deliveries such as diesel tankers, all of which require space and clear sightlines that this road does not provide.

Given that these rural roads are used by residents, farm machinery, and school-related traffic, the addition of significant industrial traffic would increase the risk of accidents and create a more hazardous environment. Overall, there is strong concern that the existing road infrastructure is not suitable for this level of traffic and that the associated safety risks have not been adequately addressed.

Unsuitability of Rural Road Network

There are serious concerns about the proposed site entrance on the L3103, which is an exceptionally dangerous stretch of road where introducing an access point would create an unacceptable level of risk. The road is extremely narrow and cannot safely accommodate two heavy goods vehicles passing at the same time, there is no hard shoulder to allow for safe manoeuvring or recovery, and visibility is severely limited due to blind dips and sharp corners. These are significant existing hazards that already pose a real danger to road users, and the addition of a site entrance would further increase that risk.

There are also concerns regarding the suitability of local roads for this type of traffic. Rural roads are not built to support continuous industrial activity, and when heavy trucks, farm equipment, and regular local vehicles share these routes, it often leads to difficult and dangerous traffic conditions. The introduction of additional industrial traffic, including construction vehicles and diesel deliveries, would further increase the risk and make these roads more dangerous for all users.

Risk of Fire and Explosion from Fuel Storage

As someone living in the area, I am very concerned about the safety risks associated with this proposed development. The project involves the storage, handling, and use of highly flammable fuels such as natural gas and diesel, which carry an inherent risk of fire or explosion. In the event of equipment malfunctions, leaks, or operational challenges, these substances may pose an ignition risk, potentially resulting in significant incidents. Considering the intermittent yet high-intensity operation of a peaker plant, the likelihood of such occurrences warrants careful consideration.

The potential consequences are particularly worrying, as any incident could have serious impacts on nearby homes, residents, farmland, and livestock. This raises significant concerns about whether the risks have been fully assessed and whether this location is appropriate for a development of this nature.

Emergency Response and Adequacy of Assessment

There are serious concerns about the lack of clear information on emergency response planning for this proposed development, including how a major incident would be managed, evacuation procedures, coordination with local emergency services, and the overall effectiveness of any response. This is particularly concerning in a rural area where the road network is already limited and constrained, which could make access and evacuation more difficult in an emergency and increase risks to nearby residents. When considered alongside the absence of detailed worst-case scenario analysis, it is not clear that risks to human health and safety have been reduced to an acceptable level, creating significant concern about the preparedness of the development to respond to a major incident.

Landscape Character and Policy Conflict

There are serious concerns that the proposed development would represent a significant industrial intrusion into a rural landscape characterised by agricultural land use and dispersed residential development. The scale, height, and industrial nature of the plant—including buildings, stacks, lighting, and fuel storage—would fundamentally alter the character of the area, introducing a visually dominant feature into what is currently a quiet rural setting. This type of development does not appear consistent with the existing landscape, nor does the area have the capacity to absorb such change without significant adverse effects. These concerns are particularly relevant in the context of the Galway County Development Plan, specifically Policies LCM1, LCM2, and LCM3, which seek to protect landscape character, recognise landscape sensitivity, and ensure that development is appropriate to its setting.

Impact on Residential Amenity and Long-Term Visual Change

There are concerns that the proposed development will be clearly visible from surrounding homes, roads, and farmland, resulting in a permanent change to the visual environment. This has the potential to impact residential amenity, reduce enjoyment of the area, and alter the overall character of the landscape, with a large and visually prominent industrial facility introduced into what is currently a rural setting. Given the long operational lifespan of the development, potentially extending to at least 2050, these impacts would be long-lasting and not easily mitigated. The addition of industrial structures, lighting, and ongoing activity represents a significant and enduring change that requires careful consideration.

Lock-in of Fossil Fuel Infrastructure

There are serious concerns that the proposed development represents new fossil fuel infrastructure with a long operational lifespan, potentially extending to at least 2050, which risks locking in carbon-intensive energy generation at a time when national and EU policy require rapid decarbonisation. Investment in gas-fired infrastructure of this nature may delay or displace the development of renewable energy and energy storage

solutions, leading to continued reliance on fossil fuels over the long term. Overall, there is concern that the proposal is not aligned with current climate objectives and may undermine the transition to a low-carbon energy system.

Conflict with National and EU Climate Targets

There are serious concerns regarding Ireland's legally binding obligations to reduce greenhouse gas emissions under the Climate Action and Low Carbon Development (Amendment) Act 2021, as well as wider EU climate frameworks. The continued development of gas-fired generation, including peaker plants, will result in additional carbon dioxide emissions over the lifetime of the project, raising questions about alignment with national carbon budgets and emissions reduction targets. In this context, there is concern that the proposal may undermine the State's ability to meet its climate commitments and transition to a low-carbon energy system.

Underestimation of Operational Emissions

There are concerns that the Environmental Impact Assessment may underestimate the emissions associated with the proposed development by relying on assumed operating patterns. As a demand-led facility, the plant may operate more frequently or for longer periods than predicted, particularly during times of pressure on the energy system. This creates uncertainty around the total level of greenhouse gas emissions over the lifetime of the project and raises concerns that the full climate impact of the development has not been adequately assessed.

Availability of Cleaner Alternatives

Although cleaner and more sustainable alternatives to fossil fuels—such as renewable energy, energy storage, demand response, and grid flexibility measures—are available, building new gas infrastructure may lessen the urgency to invest in these solutions. Given the climate crisis, emphasis should be placed on low-carbon and renewable options instead of furthering dependence on fossil fuels; this proposal could delay the shift toward a more sustainable energy system.

Ineffective Engagement and Limited Opportunity to Participate

There are concerns that, while documentation has been made available, the approach to community engagement has not ensured meaningful or effective participation. Many residents were not directly informed of the development, and engagement appears to have relied on passive methods rather than proactive outreach. Opportunities to engage were limited and may not have reached all affected individuals, particularly those without the time, resources, or technical background to interpret the material. Effective consultation requires early, inclusive, and accessible engagement with the community, and it does not appear that this standard has been achieved in this case.

Lack of Transparency, Inclusiveness, and Early Engagement

There are concerns that consultation in relation to this development has not been clear, inclusive, or effective. For a project of this scale and potential impact, there should have been proactive, transparent, and early engagement with the local community, including clear communication, accessible information, and adequate time for people to understand and respond to the proposal. The lack of meaningful engagement raises issues around fairness, transparency, and the overall integrity of the planning process, and creates concern that communities may be placed at a disadvantage due to inaccessible information and limited consultation.

Absence of Worst-Case Scenario Assessment

There are concerns that the Environmental Impact Assessment relies on assumed or typical operating scenarios rather than fully assessing worst-case conditions. As a demand-led facility, a peaker plant may operate more frequently, for longer periods, or at higher intensity than predicted, and this may include the use of diesel during start-up, testing, or operational phases. As a result, actual emissions and environmental impacts could be significantly greater than those modelled. A comprehensive evaluation of worst-case scenarios is essential to ensure the reliability of the assessment. Without such an analysis, it is not possible to affirm with confidence that major negative environmental impacts will be avoided, and this omission constitutes a critical limitation.

Failure to Properly Assess Cumulative and Long-Term Impacts

There are concerns that the Environmental Impact Assessment does not adequately assess cumulative impacts, including the combined effects of emissions, noise, traffic, diesel use, and ongoing environmental disturbance over time. These impacts may interact and intensify, particularly during peak operational periods, yet this interaction has not been fully examined. The long-term nature of the development, potentially extending to at least 2050, further increases the importance of understanding these cumulative effects. Without a comprehensive assessment, it is difficult to fully understand the overall environmental burden of the project, and this represents a significant gap in the evaluation.

Operational Uncertainty and Lack of Enforceable Limits

There are concerns that the Environmental Impact Assessment relies on assumed operational scenarios rather than fully assessing worst-case conditions. As the plant will operate in response to electricity demand, there is uncertainty regarding how frequently or intensively it may run, including periods when diesel will be used, potentially resulting in higher emissions than those modelled. Without a thorough evaluation of the worst-case scenario, it is not possible to confidently rule out the possibility of major environmental impacts.

Conclusion

Due to the concerns mentioned—such as uncertainty about how often operations will occur, overall environmental impacts, and risks related to diesel use—this project is not viewed as proper or sustainable development. There has also been insufficient consideration of the possibility that the actual impacts could be greater than those evaluated. Therefore, we respectfully ask that approval for this application be refused.

Yours Sincerely,

A handwritten signature in black ink, appearing to read "Susanne Helberg". The signature is written in a cursive style with a large, prominent loop at the end.

Name: Susanne Helberg ,Mark Cook, Eva Cook, Jamie Cook
Date: 24 April 2026