

OBSERVATION/SUBMISSION TO PLANNING APPLICATION

Case Reference: 324162

Helen & johnny Harty

Lisheenkyle,

Athenry

Galway

H65PW83

To: An Coimisiún Pleanála

64 Marlborough Street

Dublin 1

D01 V902

Date: 25 May 2026

Re: Observation to the proposed development of a 220kV substation, telecommunications mast and underground electricity cable infrastructure with associated works.

Location: Rathmorrissey, Pollnagroagh, Moanbaun, Castlelambert, Knocknacreeva, Caraunduff, Caherbriskaun, Lisheenkyle East, Barrettspark and Cashla (Townlands), Athenry, Co. Galway

Applicant: Bord Gáis Energy Limited

Dear Sir/Madam,

We both live along the proposed cable route in Lisheenkyle. We would be both vulnerable persons and this road is of extreme importance to us as it is a key route to our only family who live in an adjacent townland of Castlelambert. No representative from Bord Gais Energy called to our home at any stage nor did any correspondence get delivered to us pertaining any of this proposed development. Thank god we are relying on the good nature of the community to assist us in what's going on and the communication needed. Our biggest fear is in the event of an emergency what would happen. The existing road infrastructure is not great and with a large national school near by we envisage is chaos. In addition to this a proposed connector box is located outside our house. There are large trees adjacent this and there is no doubt in my mind that these trees will be compromised during excavation and potentially fall on our house at the next weather event. This hasn't even been taken into account. The communication has been extremely poor with no regard to the locals in the area and what this will entail for them. In already exhausted infrastructure system, we are now adding to it, disrupting the local community with no regard for them or the area.

Having reviewed the application documentation, I have outlined my concerns regarding the proposed

development

Cumulative Construction Impact on Health and Wellbeing

I believe insufficient information has been provided regarding the cumulative impact of construction activity, heavy traffic movements, excavation works, noise and prolonged disruption on the health, wellbeing and quality of life of residents living close to the proposed infrastructure works.

Incompatible with Rural Character and Galway CDP

In my view, the scale, appearance and industrial nature of the proposed infrastructure are not compatible with the surrounding residential and agricultural landscape. I do not believe the proposal is consistent with the principles of proper planning and sustainable development or with the protection of rural character and landscape objectives contained within the Galway County Development Plan.

Disruption to Rural and Residential Communities Along Route

The proposed 8.1km underground cable route would pass through a number of established rural and residential communities, including Rathmorrissey, Castlelambert, Knocknacreeva, Caherbriskaun, Lisheenkyle East and Cashla. These are active farming and residential areas with homes, schools, farms and local businesses located along narrow rural roads. I am concerned about the level of disruption the proposed works would cause to residents, farms, local roads and daily community life.

Prolonged Trenching, Road Closures and HGV Traffic

I believe insufficient consideration has been given to the impact prolonged trenching works, excavation, road occupation, traffic management systems and heavy construction traffic would have on narrow rural roads and the communities that rely on them daily. The application documentation confirms significant road closures, stop/go traffic systems and substantial HGV movements during construction, which could result in serious disruption and ongoing inconvenience for local residents and road users.

Karst Geology and Constrained Road Network

The proposed cable route would involve major construction activity through established rural areas with ribbon development, homes, farms, schools and businesses located along the route. In my view, the cumulative impact of prolonged roadworks, rock-breaking, excavation activity and construction traffic has not been fully addressed within the application documentation, particularly given the sensitive karst limestone geology and constrained nature of the local road network.

Emergency Services and Limited Alternative Routes

I am concerned about the impact the proposed cable and construction works could have on emergency access and daily movement throughout the area. The affected rural roads are used daily by ambulances, emergency services, carers, school transport, farmers, local businesses and residents, and many of these roads have limited alternative access routes available.

Inadequate Assessment of Disruption to Communities

I believe insufficient consideration has been given to the effect prolonged trenching works, stop/go traffic systems, temporary road closures and traffic diversions would have on the normal functioning of local

communities. I do not believe adequate assessment has been provided regarding the likely impact of prolonged disruption on residents, emergency access, school transport, farms and daily community movement, particularly given the scale of the proposed construction activity and associated HGV traffic on local roads including the L3103.

Delays to Emergency Response and Defibrillator Access

The proposed works could cause significant delays and disruption for emergency vehicles, home-support services, school transport, agricultural traffic and daily commuters. I am also concerned about possible delays in accessing community defibrillators and emergency response assistance in rural areas where rapid access can be critical for medical emergencies.

Cumulative Impact on Community Access Routes

The roads affected by the proposed cable route are important community access routes serving homes, farms, schools and businesses across the wider Athenry area. In my view, the cumulative impact of prolonged construction activity, HGV traffic, road closures and disruption on daily community movement has not been adequately addressed within the application documentation.

Private Wells, Livestock Water and Agricultural Land

Many farms and rural homes in the area rely on private wells, groundwater supplies and established drainage networks. I am concerned that excavation, rock-breaking and underground cable installation works could interfere with wells, livestock drinking water supplies, drainage systems and agricultural land conditions during and after construction.

Protection and Reinstatement of Mature Trees and Hedgerows

I do not believe sufficient information has been provided regarding how mature trees, hedgerows and root systems would be protected during construction works or how damaged vegetation would be reinstated afterwards. In my view, the long-term maintenance, stability and safety implications for roadside trees and boundary vegetation have not been adequately addressed.

Narrow Roads, HGV Traffic and Increased Congestion

The roads surrounding Lisheenkyle National School are already heavily used by local traffic, school transport and agricultural vehicles. These roads are narrow, have restricted visibility and lack proper public hard shoulders. The only widened sections are private parking bays located outside newer houses, which remain the responsibility of homeowners and are not intended for pedestrian use or roadside safety. The introduction of heavy construction traffic, HGVs and stop/go traffic systems would significantly increase congestion and road safety risks for schoolchildren, residents and all road users.

Students Travelling Daily Along Affected Roads

Many students and school staff from surrounding rural areas travel daily along these local roads to schools in Athenry by bus, car, bicycle and on foot. The road network already experiences significant traffic volumes during school drop-off, collection and commuter periods, particularly within this expanding rural residential area characterised by substantial ribbon development.

Additional Safety Risks for Young People and Vulnerable Road Users

Children and teenagers regularly use these roads to travel to school, sports training and other local activities.

I am concerned that prolonged construction works, trenching activity, temporary road restrictions and increased heavy goods vehicle traffic associated with the proposed cable route would create additional safety risks for young people, cyclists, pedestrians and other vulnerable road users throughout the area.

Negative Effect on Residential Character and Quality of Life

The affected area forms part of a growing rural residential community within the wider Athenry area, where many families choose to live because of its rural character, agricultural setting and proximity to local towns, schools and employment centres. The area has experienced significant residential and commuter-related growth in recent years. I am concerned that the introduction of major energy infrastructure into this established rural environment would negatively affect the residential character, visual amenity and overall attractiveness of the area as a place to live and raise families, while also impacting the enjoyment and quality of life of existing residents and property owners.

Incompatibility with Ireland's Climate Obligations

In my view, insufficient consideration has been given to the long-term climate implications associated with infrastructure designed to support fossil fuel-based electricity generation. I believe the compatibility of the proposed development with Ireland's climate obligations, emissions reduction targets and broader sustainability objectives has not been adequately demonstrated within the application documentation.

Inadequate Consultation Across Connected Applications

I do not believe adequate consultation or engagement has taken place with residents and communities affected by the wider Cashla Peaker Project. Although the peaker plant, substation and cable route are being progressed through separate applications, they form part of one overall development with significant impacts on the surrounding area.

Insufficient Information on Cumulative Impact

In my view, local residents have not been provided with sufficient information regarding the cumulative impact of the wider project, including traffic disruption, prolonged construction activity, environmental impacts, road closures and long-term industrial infrastructure within established rural communities.

Residents and Landowners Not Individually Engaged

I am concerned that many residents, landowners and businesses affected by the proposed development were not individually engaged regarding the practical impact the project could have on homes, farms, local roads, property access and daily community life. No clear information appears to have been provided regarding issues such as noise, vibration, road closures, rock-breaking, groundwater impacts or future maintenance requirements.

Scale of Disruption and Infrastructure Pressure Underestimated

In my view, insufficient consideration has been given to the practical impact this development would have on local communities, rural roads, farms, traffic movement, groundwater conditions and the overall character of the surrounding area. Residents and road users would experience the development as a significant and prolonged infrastructure project rather than as isolated standalone works. I believe the scale of disruption and infrastructure pressure associated with the proposed development has been underestimated within the planning documentation.


Likely Scale and Duration of Disruption Not Fully Reflected

I am concerned that the application does not fully reflect the likely scale, duration and intensity of disruption associated with prolonged construction works, trenching activity, traffic management systems, road restrictions, rock-breaking and associated infrastructure works across multiple rural communities. Given the nature of the local road network and surrounding residential areas, I believe the likely impact during the construction phase has been significantly underestimated.

Conclusion

I believe the proposed development is not suitable for this rural location and would contribute to the long-term industrialisation of the surrounding countryside. The likely impacts on homes, farms, schools, local roads, biodiversity and community life have not been fully addressed or adequately mitigated within the application documentation. For these reasons, I do not believe the proposal is consistent with proper planning and sustainable development, and I respectfully request that permission be refused.

Yours Sincerely,

A handwritten signature in black ink that reads "John & Helen Harty". The signature is written in a cursive, flowing style. The "Harty" part has a large, stylized loop at the end.

Name: Helen & johnny Harty

Date: 25 May 2026