



**SECTION C-C**  
SCALE 1:25




**PLAN OF INTERCEPTOR DRAIN**  
SCALE 1:25




**FILTER DRAIN DETAIL**  
SCALE 1:10

300mm CROSS DRAINS TO BE LOCATED AS SHOWN ON DRAINAGE GENERAL ARRANGEMENT DRAWING. TYPICALLY PLACED AT 40 - 80m CENTRES OR AS REQUIRED.


STONE FILTRATION CHECKDAMS TO BE LOCATED DOWNSTREAM OF CROSS DRAINS AND WHERE SHOWN ON DRAINAGE GENERAL ARRANGEMENT DRAWING. FREQUENCY TYPICALLY 40 - 80m CENTRES OR AS REQUIRED.




**PLAN ON TRACK LAYOUT SHOWING DRAINAGE AT EXCAVATED LOCATIONS**  
SCALE 1:50



**SECTION A-A**  
SCALE 1:50




**SECTION B-B**  
SCALE 1:50




**SETTLEMENT POND - PLAN**  
SCALE 1:50

NOTE:  
Orientation varies as multiple instances on site, north point can be seen on Drg. No: 11303-2030 - 2032.



**SECTION D-D**  
SCALE 1:50



**DETAIL 1**  
SCALE 1:100

Rev	Date	Description	By	Chkd.
A	31.03.26	PLANNING ISSUE	MN	JD

Client: **RWE**

Project: **BALLINCOR WIND FARM PLANNING APPLICATION**

Title: **TRACK SWALES, DRAINS & SETTLEMENT POND DETAILS**

Scale @ A1: **As Shown**

Prepared by: **M. Nolan** | Checked by: **J. Dillon** | Date: **March 2026**

Drawing Status: **Planning**

**TOBIN**  
Tel: +353 (0)91 565 211  
Email: info@tobin.ie  
www.tobin.ie

Drawing No.: **11333-2034** | Revision: **A**