

Brian & Tracey Murray

Castletown
Carrowmore-Lacken

Ballina
County Mayo

F26C2NO

21st June 2026

The Secretary
An Coimisiún Pleanála
64 Marlborough Street
Dublin 1
D01 V902

**Re: Objection to the Proposed Tirawley Wind Farm Strategic Infrastructure
Development Objection Submission to An Coimisiún Pleanála**

Re: Planning permission for the construction of Tirawley Windfarm consisting of 16 no. wind turbines, a permanent 110kV substation, 110kV underground cable and grid connection, and ancillary development in the townlands of Ballymurphy, Ballynaleck, Barnhill Lower & Upper, Barroe, Billoos, Carn, Carrickanass, Carrowmore, Castlелacken Demesne, and other townlands in County Mayo.

Case Number: PAX16.324258

Dear Sir/Madam,

I am writing as a home owner of the area within proximity to the proposed Tirawley Wind Farm project, submitted by Constant Energy Limited, to formally lodge my objection to this Strategic Infrastructure Development application. This development poses significant and irreversible risks to the local environment, biodiversity and local residents. In particular the proposal threatens critical habitats for protected species such as the Hen Harrier, involves substantial habitat removal including over 4 km of hedgerow, and raises serious concerns regarding visual impact, traffic disruption, and inadequate community consultation. These issues, coupled with shortcomings in the Environmental Impact Assessment Report, justify a refusal of permission for this project.

I wish to object under the following grounds

1. Noise & Shadow Flicker

Our home is identified as **receptor H14** in the EIAR. We would like it noted that we have an issue with the term “receptor” as it appears to detach the development that it is home to an area that is home to so many people. The area is not a barren site it is our home and our community.

Our home is located approximately:

- **636 metres from turbine AT15 stated in Table 15.1**
- **710 metres from turbine AT16**

We are concerned that the EIAR assessment does not adequately address the real-world residential impact of having two large-scale turbines located within approximately one kilometre of our home.

Noise Impact Concerns

The proposed turbine AT16 is located only approximately **636 metres from my dwelling (H14)**. I consider this separation distance insufficient to protect residential amenity, particularly given the scale of modern turbines and the quiet rural environment in which my home is located.

The assessment relies heavily on predicted modelling. I request that An Coimisiún Pleanála carefully examine whether the modelling fully represents the actual conditions experienced at H14, including:

- night-time noise impacts when background noise levels are naturally low;
- periods with specific wind direction where turbines AT15 and AT16 may contribute simultaneously;
- amplitude modulation (“blade swish” or changing character of turbine noise);
- low-frequency noise impacts;
- the cumulative noise contribution from multiple turbines.

A predicted compliance with a numerical noise limit does not necessarily mean that there will be no significant loss of residential amenity. A change from the existing quiet rural soundscape to continuous operational turbine noise has the potential to materially affect my enjoyment of my home, garden and surrounding property.

I request that a more precautionary assessment be applied to H14 given its proximity to AT15 and the combined influence of three turbines.

Shadow Flicker

The EIAR identifies my dwelling, H14, as being approximately 636 metres from turbine AT14. Table 15.3 of Chapter 15 predicts that H14 will experience:

- 63 hours 38 minutes worst-case shadow flicker per year
- 08 hours 42 minutes expected shadow flicker per year
- 43 minutes maximum expected shadow flicker per day

This exceeds the 2006 Wind Energy Development Guidelines recommendation of no more than 30 minutes per day.

I consider this significant because the applicant’s own modelling confirms that my home is one of the receptors where the guideline threshold is exceeded. The issue is not a theoretical concern — the impact has already been identified within the EIAR.

While the EIAR refers to mitigation measures in **Section 15.2.9.3**, including turbine control measures/shadow flicker control systems, I do not consider reliance on future mitigation alone to be sufficient justification for permitting a development that is predicted to create an exceedance at my home.

The mitigation proposal effectively acknowledges that turbines have the potential to cause unacceptable shadow flicker impacts unless active intervention occurs. This raises concerns regarding:

- long-term reliability of control systems;
- monitoring and enforcement arrangements;
- responsibility if mitigation fails;
- whether shutdown will occur automatically or only after complaints;
- how compliance at H21 will be independently verified throughout the lifetime of the wind farm.

I further note that the Draft Revised Wind Energy Development Guidelines (2019) recognise that modern turbine technology can prevent shadow flicker and move towards a zero shadow flicker approach at sensitive receptors.

Given that H14 is already predicted to exceed the 2006 daily guideline, I submit that the appropriate standard should be prevention rather than management.

Table 11.16: Predicted Noise Levels as LA90 at Varying Wind Speeds from the Proposed Development

Table 11.16: Predicted Noise Levels as LA90 at Varying Wind Speeds from the Proposed Development

	ING	ING	4 m/s	5 m/s	6 m/s	7 m/s	8 m/s	9+ m/s
House ID	Easting	Northing	dBA	dBA	dBA	dBA	dBA	dBA
H1*	515110	837466	38.2	42.3	46.1	48.4	48.7	48.7
H2*	515526	833767	35.3	39.4	43.2	45.5	45.8	45.8
H3	516227	836339	34.4	38.5	42.3	44.6	44.9	44.9
H4	514628	834072	33.3	37.4	41.2	43.5	43.8	43.8
H5	516241	833804	30.4	34.5	38.3	40.6	40.9	40.9
H6	515489	833504	32.6	36.7	40.5	42.8	43.1	43.1
H7	517503	837983	31.2	35.3	39.1	41.4	41.7	41.7
H8*	515450	832962	33.3	37.4	41.2	43.5	43.8	43.8
H9	515080	831996	30.3	34.4	38.2	40.5	40.8	40.8
H10	515456	833467	32.6	36.7	40.5	42.8	43.1	43.1
H11	516561	837118	33.4	37.5	41.3	43.6	43.9	43.9
H12	515575	835060	31.8	35.9	39.7	42	42.3	42.3
H13	515019	834112	32.6	36.7	40.5	42.8	43.1	43.1
H14	517530	838028	30.6	34.7	38.5	40.8	41.1	41.1
H15	517553	837950	30.7	34.8	38.6	40.9	41.2	41.2
H16	517556	837865	31	35.1	38.9	41.2	41.5	41.5

Table 15.1: Properties within the Shadow Flicker Study Area

Current ID	House	Easting ITM	Northing ITM	Closest Turbine	Closest Distance to Turbine (m)
H1*		515110	837466	AT12	265
H2*		515526	833767	AT01	322
H3		516227	836339	AT08	555
H4		514628	834072	AT05	555
H5		516241	833804	AT01	559
H6		515489	833504	AT01	567
H7		517503	837983	AT15	601
H8		515450	832962	AT04	601
H9		515080	831996	AT02	602
H10		515456	833467	AT01	615
H11		516561	837118	AT16	624
H12		515575	835060	AT07	626
H13		515019	834112	AT05	634
H14		517530	838028	AT15	636

Table 15.3: Summary of Potential Shadow Flicker Listing for All Properties

Receptor ID	Specimen Turbine		
	Worst Case Shadow [h/year]	Expected Shadow [h/year]	Max. Expected Shadow [h/day]
H1*	109:11	16:33	00:59
H2*	55:32	06:48	00:34
H3	110:08	15:30	00:54
H4	04:42	00:43	00:18
H5	85:01	15:12	00:52
H6	57:21	06:45	00:41
H7	70:29	10:03	00:45
H8	142:45	22:34	00:48
H9	00:00	00:00	00:00
H10	64:39	07:42	00:44
H11	101:23	17:06	00:41
H12	08:08	01:04	00:25
H13	41:26	06:41	00:37
H14	63:38	08:42	00:43

2. Tourism cumulative impact

I am concerned about the cumulative impact the Tirawley wind farm will have on tourism in not only the Lacken Area but also in Ballycastle. Recently Glenora wind farm has been approved by An Coimisiún Pleanála for 22 turbines. The coast road from Lacken to Ballycastle is an extremely important part of the Wild Atlantic Way and is a extremely important economic asset to the area. The cumulative effect of

Tirawley, Glenora, Keerglen and potentially Clydagh will have on tourism in the area cannot be ignored. The communities involved have worked extremely hard over the years to promote the areas, and recently launched Failte Ireland and Mayo County Council tourism plan for the area is a significant boost for the area. This cumulative wind energy development that is planned for the north west coast of Mayo is eroding the future that our communities can have. The Lacken Ballycastle coastline is impressively historic with the Céide fields complex and down Patrick head, the future that residents could have will become negligible if ACP do not consider fully the cumulative impact of all projects in the area. I do not believe that the applicant has fully considered all the cumulative effect.

3. Site Suitability and Landscape Impact

The area includes sensitive landscapes, visible from the Wild Atlantic Way and other designated scenic routes, which would be adversely affected by this wind farm. The visual intrusion on the unique coastal and rural landscape is unacceptable and contrary to the policies outlined in the Mayo County Development Plan regarding landscape protection and visual amenities.

(Reference: Mayo County Council submission, EIAR Chapter 17 - Traffic and Transport, Pages 9-10; Planning Statement, Pages 69-71)

4. Environmental and Ecological Concerns

The Lacken area includes sensitive habitats such as blanket bogs and areas with ecological significance under the Habitats Directive. The large volumes of peat to be extracted and the disturbance to these habitats could have long-term detrimental effects on biodiversity and peatland restoration efforts.

(Reference: Appendix 1.6 Community Engagement Report, Pages 13-14; Planning Statement, Pages 69-71)

5. Impact on Hen Harrier Habitat

I am particularly concerned about the impact of the proposed development on the hen harrier, an Annex I protected species under the EU Birds Directive and one whose Irish population has declined significantly in recent years. The EIAR acknowledges that hen harriers are present within the study area and that the site provides suitable autumn and winter foraging habitat. The site contains a combination of blanket bog, scrub, wet grassland, semi-improved grassland and hedgerow networks, all of which are important habitats for foraging and roosting hen harriers.

Of particular concern is that a winter hen harrier roost was recorded within the study area, yet no comprehensive winter roost survey appears to have been undertaken across the wind farm site itself. The applicant's roost surveys focused primarily on areas outside the development footprint, despite evidence that hen harriers utilise habitats within the proposed development area. In the absence of a robust assessment of winter roosting activity, it is difficult to conclude that the impacts on this protected species have been fully assessed.

The development will result in the permanent loss and fragmentation of habitats used by hen harriers, including substantial hedgerow removal, loss of blanket bog habitat, forestry felling and the construction of extensive site roads and infrastructure. While mitigation is proposed, there remains uncertainty as to whether replacement habitats can adequately replicate the ecological value of the habitats being lost, particularly in the short to medium term.

I am also concerned about the cumulative effects of habitat loss, construction disturbance and operational displacement. Research has shown that hen harriers may

avoid otherwise suitable habitat in the vicinity of operational turbines, resulting in a reduction in available foraging area. The application does not appear to adequately assess or mitigate this displacement effect.

Given the conservation status of the species, the acknowledged presence of suitable habitat and recorded winter roosting activity within the study area, I do not believe sufficient scientific certainty has been provided to demonstrate that the proposed development will not adversely affect the hen harrier population using this landscape. The precautionary principle should therefore apply.

6. Traffic and Infrastructure Impact

The construction phase will bring significant disruption to the local road network due to the delivery of abnormal loads and turbine components. The existing roads will require widening and modifications that will impact local traffic flow and road safety. The scale of this impact has not been adequately mitigated in the proposal.

(Reference: EIAR Chapter 17 - Traffic and Transport, Pages 6-10; Appendix 1.6 Community Engagement Report, Pages 11-12)

I am concerned about the impact that the construction will have on my ability to get to work and other appointments as the amount of road works this will involve is significant. I do not consider that there have been sufficient surveys done on the Palmerstown Bridge and this needs to be assessed appropriately.

7. Community and Socio-Economic Issues

While I acknowledge the need for renewable energy and some regional economic benefits, the socio-economic impact on sustainable family farms and local amenities is concerning. The proposal does not sufficiently address the community's needs or provide clear, direct benefits to local residents. The proposed community benefit package remains vague and unconvincing.

(Reference: Appendix 1.6 Community Engagement Report, Pages 7-14)

8. Cumulative Impact and Strategic Considerations

The project overlaps with areas where other developments are planned or existing, increasing cumulative environmental, visual, and infrastructural pressures. The scale and height of modern turbines, as noted by Mayo County Council, raise questions about the suitability of this site compared to previous assessments.

(Reference: Mayo County Council submission, EIAR Chapter 17, Pages 9-10)

In conclusion, I respectfully submit that the proposed Tirawley Wind Farm project is not appropriate for this location due to the significant negative impacts on residential amenity, local landscape, ecology, infrastructure, and the community. I urge An Coimisiún Pleanála to refuse permission for this development in the interests of proper planning and sustainable development.

Thank you for considering my submission.

Yours faithfully,

Brian Murray

Tracey Murray