
RE: ACP-324280-26 - The proposed development of a new downstream underground high pressure gas pipeline various townlands within County Meath and County Offaly
(www.edenderrygaspipeline.ie)

From Shane McCormack <smccormack@jsapanning.ie>

Date Fri 6/5/2026 9:36 AM

To SIDS <sids@pleanala.ie>

Cc Luke Wymer <lwyrmer@jsapanning.ie>

 1 attachment (206 KB)

24067 - HSE DV2.pdf;

You don't often get email from smccormack@jsapanning.ie. [Learn why this is important](#)

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

Hi Ellen,

As requested, please see amended letter attached for your records. We can confirm that this was delivered to National Business Service Unit, National Environmental Health Service, HSE, 2nd Floor Oak House, Millennium Park, Naas, Co Kildare, W91 KDC2 along with a soft copy.

Kind regards,

Shane McCormack

Executive Planner

+353 87 196 3878 | +353 1 662 5803

smccormack@jsapanning.ie

jsapanning.ie | Find us on [LinkedIn](#)

39 Fitzwilliam Place, Dublin 2, D02 ND61



JSA Planning respects your right to disconnect. Please note that you are not expected to respond to this email outside of your working hours. The information in this email and any attachments is confidential and is designated solely for the attention and use of the intended recipient(s). This information may be subject to legal professional privilege, and copyright. If you are not an intended recipient of this email, you must not use, disclose, copy, distribute or retain this message or any part of it.

From: SIDS <sids@pleanala.ie>

Sent: Tuesday 2 June 2026 15:17

To: Luke Wymer <lwyrmer@jsaplanning.ie>

Subject: ACP-324280-26 - The proposed development of a new downstream underground high pressure gas pipeline various townlands within County Meath and County Offaly (www.edenderrygaspipeline.ie)

Dear Sir/Madam,

I have been asked by An Coimisiún Pleanála to refer to the above mentioned application.

It was noticed that the Health and Safety Executive (HSE) notification letter dated 12 May 2026 was issued to the incorrect address.

In this regard, the Commission requests that you reissue the correspondence to the following address: National Business Service Unit, National Environmental Health Service, HSE, 2nd Floor Oak House, Millennium Park, Naas, Co Kildare, W91 KDC2. Please allow for six weeks for any subsequent submission to the Commission.

Furthermore, please forward a copy of the reissued correspondence to the Commission for their records.

Yours faithfully,
Ellen Moss
Executive Officer

Fógra Rúin: Tá an ríomhphost seo agus aon chomhaid atá nasctha leis faoi rún agus dírithe amháin don seolaí. Má bhfuair tú an ríomhphost seo trí earráid, déan teagmháil le bainisteoir an chórais.

Tabhair faoi deara le dhoil: aon tuairimí nochtaithe san ríomhphost seo is iad tuairimí an tseoltóra féin agus níl sé intuigthe gurb iad tuairimí An Coimisiún Pleanála nó go gcloíonn siad le polasaithe ráite An Coimisiún.

Confidentiality Notice: This email and any files transmitted with it are confidential and intended solely for the addressee. If you have received this email in error please notify the system manager.

Please Note: any views expressed in this email are those of the individual sender and may not necessarily reflect the views or accord with the stated policies of An Coimisiún Pleanála.

National Business Service Unit,
National Environmental Health Service,
HSE,
2nd Floor Oak House,
Millennium Park, Naas,
Co Kildare,
W91 KDC2

Date: 4th June 2026

Ref.: LW/24067

Re: Application for permission / approval for a proposal for the provision of a downstream underground gas transmission pipeline connection between the existing Dublin to Galway high pressure gas pipeline and the Edenderry Power Plant, and associated development

Dear Sir / Madam,

SECTION 182C - STRATEGIC INFRASTRUCTURE DEVELOPMENT

We, JSA Planning, on behalf of the prospective applicant, Gas Networks Ireland, Gas Works Rd, Ballintemple, Cork, T12 RX96 wish to provide notification that Gas Networks Ireland intends to apply to An Coimisiún Pleanála for a Gas Transmission Development.

The proposed development constitutes Strategic Infrastructure Development (SID) pursuant to the Section 182 C of the Planning & Development Act 2000 (as amended).

The proposal comprises the provision of a downstream underground high pressure gas pipeline and associated development, including an above ground installation compound and offtake installation.

The proposed development is located within the following townlands in County Meath: Kilwarden, Aghnagillagh, Ardnamullen, Ticroghan, Park, Ballyboggan, Ballynakill, Harristown, Castlejordan, and Clongall, and in the following townlands in County Offaly: Clonmore, Roosk, Lenamarran, Jonestown, Mountwilson, Thornwell, Monasteroris, Rathmore, Drumcooly, Rathgreedan, Shean, Ballykilleen, and Esker More.

The proposed development is described as follows;

“The proposed development primarily comprises the provision of a new downstream underground high pressure gas pipeline, the provision of an offtake installation compound, and an above ground installation (AGI) compound and associated development, including associated access arrangements, landscaping and ancillary works.

The proposed development is located within the following townlands in County Meath: Kilwarden, Aghnagillagh, Ardnamullen, Ticroghan, Park, Ballyboggan, Ballynakill, Harristown, Castlejordan, and Clongall, and in the following townlands in County Offaly:

Clonmore, Roosk, Lenamarran, Jonestown, Mountwilson, Thornwell, Monasteroris, Rathmore, Drumcooly, Rathgreedan, Shean, Ballykilleen and Esker More., and Esker More.

The proposed 300mm steel underground gas transmission pipeline will cover a distance of c. 23.65km. The application site has an area of c. 243.4 hectares, including the pipeline route, temporary works areas, pipe storage / construction compounds, and the proposed offtake installation and AGI compounds. The proposed pipeline will be a strategic downstream gas pipeline.

The proposed development comprises an underground steel gas transmission pipeline extending south from the proposed offtake installation at the townland of Kilwarden. The pipeline continues south/southwest through the following townlands in County Meath, at Kilwarden, Aghnagillagh, Ardnamullen, Ticroghan, Park, Ballyboggan, Ballynakill, Harristown, Castlejordan, Clongall. From this point, the transmission pipeline enters County Offaly and proceeds southwards through the following townlands, Clonmore, Roosk, Lenamarran, Jonestown, Mountwilson, Thornwell, Monasteroris, Rathmore, Drumcooly, Rathgreedan, Shean, Ballykilleen. The pipeline runs to the west of the River Boyne and the settlement of Edenderry, and terminates at the proposed AGI at Ballykilleen.

Five temporary construction / pipe storage compounds are proposed. Temporary construction compound 1 is located at the townland of Kilwarden, adjacent to the proposed Kilwarden Offtake Installation. Temporary construction compound 2 is located at the townland of Ardnamullan, adjacent to the linear pipeline route. Temporary construction compound 3 is located within the townland of Monasteroris, positioned to the east of the pipeline corridor. Temporary construction compound 4 is located to the west of the pipeline terminus within the townland of Esker More. Temporary construction compound 5 is located in the townland of Ballykilleen, adjacent to the proposed Ballykilleen AGI. The compounds will accommodate site offices, crane and truck parking, pipe storage, secure lock up containers, car parking, material laydown areas, welfare facilities and material storage areas during the construction stage.

The proposed AGI compound is to be located on lands at Ballykilleen (within the Edenderry Power Station site) and will include a Pressure Reducing Skid (PRS) Kiosk (with a gross floor area (GFA) of c. 49 sq.m. with a parapet height of 3.15m and vent terminations 5.4m in height.), a Packaged Boiler Unit (PBU) Kiosk (with a GFA of c. 23.4 sq.m. with a parapet height of 3.7m and boiler flues extending to 5.67m in height), a Gas Analyser Kiosk (with a GFA of c. 7 sq.m and with a parapet height of c. 2.9m. and vent terminations extending to 3.5m in height) and an E&I Kiosk (with a GFA of c. 15.75 sq.m. and with a parapet height of c. 3m.). Solar PV panels are provided on the roof of the PBU Kiosk. The AGI compound will be enclosed by a 2.4m high palisade security fence, with a 1.2m high open mesh boundary fence.

The proposed Kilwarden Offtake Installation will be accessed off a laneway from the existing R161 Regional Road. The Kilwarden Offtake Installation will accommodate the live 'hot-tap' connection to the existing 750 mm Dublin-Galway pipeline (PTTW), enabling the new 300 mm transmission pipeline to be connected without interruption to the existing network. The Installation will include a below-ground isolation valve located within an access pit, and above-ground pipework and connection points for a temporary PIG (pipeline inspection gauging) trap to facilitate future inspection and maintenance of the proposed pipeline. The

compound will be enclosed by a 2.4 m high palisade security fence, with a 1.2 m stock-proof fence installed along the external boundary.

An Environmental Impact Assessment Report and a Natura Impact Statement have been prepared and will be submitted in respect of this application.”

The application will be accompanied by a Compulsory Purchase Order under the provisions of the Gas Act, 1976, as amended.

A copy of the application is enclosed for your information.

The planning application and the Environmental Impact Assessment Report and the Natura Impact Statement may be inspected free of charge or purchased on payment of a specified fee (which fee shall not exceed the reasonable cost of making such copy) during public opening hours **commencing on the 19th of May 2026** at the following locations:

- The Offices of An Coimisiún Pleanála, 64 Marlborough Street, Dublin 1.
- Offaly County Council, Áras an Chontae, Charleville Road, Tullamore, Co. Offaly, R35 F893
- Meath County Council Buvinda House, Dublin Road, Navan, Co. Meath, C15 Y291

The application may also be viewed/downloaded on the following website: www.edenderrygaspipeline.ie

Submissions or observations may be made only to An Coimisiún Pleanála ('the Commission'), 64 Marlborough Street, Dublin 1 during the above-mentioned period of seven weeks relating to –

- (i) the implications of the proposed development for proper planning and sustainable development, and
- (ii) the likely effects on the environment of the proposed development, and
- (iii) the likely significant effects of the proposed development on a European site, if carried out.

Any submissions/observations must be accompanied by a fee of €50 (except for certain prescribed bodies or any landowners affected by the associated CPO application) and must be received by the Commission in writing or online at www.pleanala.ie not later than 6 weeks from the date of this letter on **5.30 p.m. on the 16th of July 2026**. Such submissions/observations must also include the following information:

- The name of the person making the submission or observation, the name of the person acting on his or her behalf, if any, and the address to which any correspondence relating to the application should be sent,
- The subject matter of the submission or observation, and
- The reasons, considerations and arguments on which the submission or observation is based in full. (Article 217 of the Planning & Development Regulations refers).

Submissions that do not require a fee, can be made by hand, post, or email to sids@pleanala.ie. Submissions that require a fee can be made by hand, post, or by the Commissions online strategic infrastructure development submission portal: <https://online.pleanala.ie/en-ie/sid/observation>.

Any submissions or observations which do not comply with the above requirements cannot be considered by the Commission. The Commission may at its absolute discretion hold an oral hearing on the application. (For further details see 'A Guide to Public Participation in Strategic Infrastructure Development' on the Commission's website www.pleanala.ie).

The Commission may in respect of an application for permission/ approval decide to-

- (a) (i) grant the permission/approval, or
- (ii) make such modifications to the proposed development as it specifies in its decision and grant permission/approval in respect of the proposed development as so modified, or
- (iii) grant permission/approval in respect of part of the proposed development (with or without specified modifications of it of the foregoing kind),

and any of the above decisions may be subject to or without conditions, or

- (b) refuse to grant the permission/approval.

Any enquiries relating to the application process should be directed to the Strategic Infrastructure Development Section of An Coimisiún Pleanála (Tel. 01- 8588100).

A person may question the validity of any such decision of the Commission by way of an application for judicial review, under Order 84 of the Rule of the Superior Courts (S.I. No. 15 of 1986, as amended), in accordance with Section 50 of the Planning and Development Act 2000, as amended. Practical information on the review mechanism can be accessed on the Commission's website (www.pleanala.ie) under the following heading: Legal Notices – Judicial Review Notice. This information is also available on the Citizens Information Service website (www.citizensinformation.ie).

If you require any further information or clarification, please do not hesitate to contact us.

Yours sincerely,



JSA Planning

