

APPENDIX 9-7. PREDICTED CUMULATIVE NOISE LEVELS

Table 9-7-1 presents the cumulative predicted noise levels among the scenarios for each NSL and windspeed.

Table 9-7-1. Predicted Noise Levels at Noise-sensitive Locations

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0010	Predicted	24.7	25.3	28.7	30.9	31.6	31.9	31.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0011	Predicted	23.3	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0017	Predicted	24.2	24.6	28	30.2	30.9	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0018	Predicted	26.8	29.2	33	35.2	35.6	35.8	35.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0022	Predicted	25.8	26.9	30.4	32.6	33.3	33.5	33.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0024	Predicted	27.6	29.8	33.5	35.7	36.3	36.5	36.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0030	Predicted	29.3	31.6	35.2	37.4	38.2	38.4	38.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0034	Predicted	28.7	30.4	33.8	36.1	36.9	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0036	Predicted	23.6	24.1	27.4	29.7	30.4	30.6	30.6

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.1	24.6	27.9	30.2	30.9	31.1	31.1
H0042	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.5	23.9	27.3	29.5	30.2	30.4	30.4
H0044	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	32.4	34.2	37.5	39.9	40.8	41.1	41.1
H0046	Daytime Criterion	40	40	40	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.5	30.3	33.8	36	36.7	37	37
H0047	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.9	23.9	27.3	29.5	30.2	30.5	30.5
H0050	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.8	25.2	28.8	30.9	31.5	31.7	31.7
H0055	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.2	27.2	31	33.1	33.6	33.8	33.8
H0056	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.2	24.8	28.2	30.4	31.1	31.4	31.4
H0066	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.4	26.7	30.2	32.4	33	33.2	33.2
H0068	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H0071	Predicted	23.4	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0072	Predicted	23.5	24	27.3	29.6	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0074	Predicted	22.6	22.8	26.4	28.6	29	29.2	29.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0075	Predicted	24.3	24.9	28.3	30.5	31.2	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0077	Predicted	21.9	22.6	26	28.2	28.9	29.2	29.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0093	Predicted	23.3	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0094	Predicted	21.9	22.2	25.6	27.9	28.5	28.8	28.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0095	Predicted	19.5	20.1	23.7	25.8	26.4	26.6	26.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0101	Predicted	23.8	24.5	27.8	30.1	30.8	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0106	Predicted	23.3	23.6	27	29.3	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0107	Predicted	24	25.4	28.9	31.1	31.8	32	32
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0108	Predicted	22	22.1	25.6	27.8	28.4	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0110	Predicted	26.1	27.7	31.3	33.4	34	34.2	34.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0112	Predicted	21.4	22	25.5	27.7	28.3	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0121	Predicted	24	24.5	27.9	30.1	30.8	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0123	Predicted	24.1	24.8	28.2	30.4	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0128	Predicted	23.2	23.6	26.9	29.2	29.8	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0132	Predicted	29.2	31.5	35.2	37.3	37.8	38	38
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0133	Predicted	29.7	32	35.8	37.9	38.4	38.6	38.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0140	Predicted	25.9	27.2	30.8	32.9	33.6	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0147	Predicted	24	25.6	29.2	31.3	31.9	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0148	Predicted	31.2	33	36.1	38.5	39.5	39.8	39.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0155	Predicted	24.3	24.8	28.2	30.4	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0159	Predicted	23.2	23.5	26.9	29.2	29.8	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0161	Predicted	22.2	22.4	25.8	28.1	28.7	28.9	28.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0162	Predicted	23.5	25.3	29	31.2	31.7	31.9	31.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0170	Predicted	25.4	26.9	30.4	32.6	33.2	33.5	33.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0177	Predicted	20.4	21.1	24.6	26.8	27.4	27.6	27.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0180	Predicted	24.1	24.4	27.8	30	30.7	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0181	Predicted	24.4	24.8	28.2	30.4	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0182	Predicted	23.1	24.7	28.4	30.5	31	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0183	Predicted	23.3	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0184	Predicted	22	22.2	25.7	27.9	28.4	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0185	Predicted	22.2	22.9	26.1	28.4	29.2	29.5	29.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0186	Predicted	27.3	28.8	32.3	34.5	35.2	35.4	35.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0187	Predicted	25.8	26.7	30	32.3	33.1	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0188	Predicted	24.4	25.1	28.4	30.7	31.4	31.7	31.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0189	Predicted	24.4	24.9	28.4	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0190	Predicted	25.1	26	29.4	31.6	32.3	32.5	32.5

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25	26.1	29.6	31.8	32.4	32.7	32.7
H0191	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.7	20.5	24	26.2	26.7	26.9	26.9
H0192	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28	30.2	33.8	36	36.7	36.9	36.9
H0193	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.8	25.1	28.6	30.8	31.4	31.6	31.6
H0197	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.3	30.3	33.8	36.0	36.7	37.0	37.0
H0202	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.5	23.9	27.3	29.5	30.2	30.5	30.5
H0214	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.2	22.5	25.9	28.1	28.7	29	29
H0215	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.5	24	27.3	29.6	30.3	30.5	30.5
H0216	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.2	22.5	25.9	28.1	28.8	29	29
H0220	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H0221	Predicted	24	24.4	27.8	30	30.7	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0222	Predicted	23.3	23.7	27.1	29.3	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0223	Predicted	22	22.2	25.6	27.8	28.5	28.7	28.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0224	Predicted	22	22.3	25.7	27.9	28.5	28.7	28.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0228	Predicted	23.4	24.5	28	30.2	30.8	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0229	Predicted	23.8	24.7	28.4	30.5	31	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0232	Predicted	28.4	30.7	34.5	36.6	37.1	37.3	37.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0238	Predicted	24.8	25.5	28.8	31.1	31.8	32.1	32.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0239	Predicted	22.3	22.6	26	28.2	28.8	29	29
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0240	Predicted	24.2	24.7	28	30.3	31	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0241	Predicted	25	25.8	29.1	31.4	32.1	32.4	32.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0242	Predicted	23.4	24.2	27.8	29.9	30.4	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0245	Predicted	27.7	29.3	32.8	35	35.7	36	36
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0246	Predicted	20.4	20.8	24.3	26.5	27	27.2	27.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0250	Predicted	31.3	32.9	35.9	38.4	39.4	39.8	39.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0252	Predicted	23.5	23.9	27.3	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0253	Predicted	23.5	24.0	27.4	29.6	30.3	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0254	Predicted	22.1	22.5	25.8	28.1	28.8	29	29
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0255	Predicted	23	23.4	26.8	29	29.7	30	30
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0260	Predicted	23.4	23.9	27.3	29.5	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0261	Predicted	23.4	23.9	27.3	29.5	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0262	Predicted	23.5	23.9	27.3	29.5	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0263	Predicted	23.3	23.7	27.1	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0266	Predicted	25.3	26	29.3	31.6	32.4	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0268	Predicted	22.5	22.7	26.3	28.4	28.9	29.1	29.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0271	Predicted	25.6	26.6	30.1	32.3	33	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0291	Predicted	23.6	24.3	27.6	29.9	30.6	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0292	Predicted	28.2	30.6	34.2	36.4	37	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0296	Predicted	23.2	23.6	26.9	29.2	29.8	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0298	Predicted	23.4	23.8	27.1	29.4	30.1	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0300	Predicted	29.7	31.2	34.3	36.7	37.7	38.1	38.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0301	Predicted	22.9	23.3	26.5	28.9	29.6	29.9	29.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0302	Predicted	19.6	19.9	23.4	25.6	26.1	26.3	26.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0306	Predicted	24	24.5	27.8	30.1	30.8	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0307	Predicted	28.2	30.6	34.3	36.4	37	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0308	Predicted	22.9	23.2	26.8	29	29.4	29.6	29.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0309	Predicted	25.4	26.4	29.8	32	32.8	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0327	Predicted	24	24.5	27.8	30.1	30.8	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0329	Predicted	29.3	31.6	35.2	37.5	38.2	38.4	38.4

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22	22.3	25.6	27.9	28.5	28.8	28.8
H0330	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28	29.7	33.2	35.4	36.1	36.4	36.4
H0336	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.3	23.8	27.2	29.4	30.1	30.4	30.4
H0343	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.4	29	32.5	34.7	35.4	35.6	35.6
H0350	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.8	18.9	22.5	24.6	25.1	25.3	25.3
H0354	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	29.9	31.8	35.1	37.5	38.4	38.7	38.7
H0358	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
H0360	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.3	24.8	28.2	30.4	31.1	31.3	31.3
H0362	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.8	25.5	28.9	31.1	31.8	32.1	32.1
H0381	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H0383	Predicted	25	26.2	29.8	31.9	32.5	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0387	Predicted	20.4	20.8	24.2	26.4	27	27.3	27.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0390	Predicted	21.8	23.2	26.9	29	29.4	29.6	29.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0392	Predicted	23.2	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0395	Predicted	24.1	24.6	27.9	30.2	30.8	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0396	Predicted	24.4	25	28.4	30.6	31.3	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0399	Predicted	24.2	26.2	30	32.1	32.6	32.8	32.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0400	Predicted	23.2	23.8	27.4	29.5	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0402	Predicted	19.4	19.9	23.5	25.6	26.1	26.4	26.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0408	Predicted	17	17	20.5	22.7	23.2	23.4	23.4
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	25	28.4	30.6	31.2	31.5	31.5
H0409	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	24.9	28.3	30.6	31.2	31.5	31.5
H0412	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.1	22.2	25.7	27.9	28.4	28.6	28.6
H0415	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.2	26.2	29.8	31.9	32.5	32.8	32.8
H0417	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.8	24.9	28.4	30.6	31.2	31.4	31.4
H0420	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.3	22.6	26	28.2	28.9	29.2	29.2
H0426	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.7	24.4	27.7	30	30.7	31	31
H0431	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.7	24.4	27.7	30	30.7	31	31
H0432	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.5	29.8	33.5	35.6	36.2	36.4	36.4
H0434	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.5	29.8	33.5	35.6	36.2	36.4	36.4

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0440	Predicted	22.2	22.4	25.8	28	28.7	28.9	28.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0441	Predicted	22	22.2	25.6	27.8	28.4	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0445	Predicted	24.2	24.9	28.3	30.5	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0446	Predicted	25.5	26.2	29.5	31.8	32.6	32.9	32.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0448	Predicted	27.9	29.7	33.3	35.5	36.1	36.3	36.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0449	Predicted	22.8	24	27.6	29.8	30.3	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0452	Predicted	16.9	16.9	20.4	22.6	23	23.2	23.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0457	Predicted	25.2	26.2	29.6	31.8	32.4	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0460	Predicted	24.4	26.5	30.3	32.4	32.9	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0463	Predicted	23.3	23.7	27.1	29.3	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0464	Predicted	23.5	24	27.3	29.6	30.3	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0465	Predicted	23.2	23.5	26.8	29.1	29.8	30	30
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0466	Predicted	24.1	24.6	27.9	30.2	30.9	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0467	Predicted	18.6	18.7	22.3	24.4	24.9	25.1	25.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0474	Predicted	24.6	25.2	28.6	30.8	31.5	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0475	Predicted	28.9	31.1	34.8	36.9	37.5	37.7	37.7
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0493	Predicted	24.6	25.2	28.6	30.8	31.5	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0494	Predicted	23.6	24.1	27.5	29.7	30.4	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0498	Predicted	24.3	24.9	28.4	30.6	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0499	Predicted	22.6	23	26.4	28.6	29.2	29.4	29.4

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.8	28.6	32.2	34.4	34.9	35.1	35.1
H0500	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	30.4	32.2	35.4	37.9	38.8	39.2	39.2
H0501	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.1	18.6	22	24.2	24.9	25.1	25.1
H0502	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.7	30.4	33.6	36	36.8	37.1	37.1
H0503	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.9	24.5	28	30.2	30.8	31	31
H0511	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.3	24.8	28.2	30.4	31.1	31.4	31.4
H0512	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.3	22.5	25.9	28.1	28.8	29	29
H0514	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22	22.2	25.6	27.8	28.5	28.7	28.7
H0515	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.3	26.1	29.4	31.7	32.4	32.7	32.7
H0516	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H0518	Predicted	29.8	31.6	35	37.3	38.2	38.4	38.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0519	Predicted	28	30	33.5	35.7	36.4	36.7	36.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0528	Predicted	24.4	25	28.3	30.6	31.2	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0530	Predicted	25.1	26.2	29.6	31.8	32.4	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0533	Predicted	24.4	25	28.4	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0537	Predicted	25.7	27	30.6	32.8	33.4	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0540	Predicted	22.9	23.3	26.8	29	29.5	29.7	29.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0554	Predicted	23.4	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0557	Predicted	24.6	25.2	28.5	30.8	31.4	31.7	31.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0558	Predicted	23.3	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0565	Predicted	24.4	26.4	30.2	32.3	32.8	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0566	Predicted	23.2	24.9	28.6	30.7	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0573	Predicted	24.6	26.6	30.4	32.5	33	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0576	Predicted	22.3	22.6	26	28.2	28.8	29.1	29.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0577	Predicted	28.2	30.2	34	36.1	36.6	36.8	36.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0579	Predicted	23.9	25.7	29.4	31.5	32	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0586	Predicted	22.4	22.7	26	28.3	29	29.3	29.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0587	Predicted	21.9	22.2	25.6	27.8	28.5	28.7	28.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0590	Predicted	26.7	28.8	32.6	34.7	35.2	35.4	35.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0599	Predicted	24.2	24.6	27.9	30.2	30.8	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0600	Predicted	21.8	21.9	25.4	27.5	28.1	28.3	28.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0606	Predicted	24.2	24.6	28	30.3	30.9	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0610	Predicted	25.7	26.6	30.1	32.3	33	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0611	Predicted	29	31.2	34.7	37	37.8	38	38
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0623	Predicted	23.3	23.8	27.1	29.4	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0625	Predicted	23.5	24	27.4	29.6	30.3	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0629	Predicted	23.5	23.9	27.3	29.5	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0630	Predicted	22	22.2	25.6	27.8	28.4	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0632	Predicted	28.4	30.7	34.5	36.6	37.2	37.3	37.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0633	Predicted	25.6	27.1	30.7	32.8	33.4	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0637	Predicted	23.6	25.1	28.7	30.8	31.4	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0641	Predicted	19	19.2	22.7	24.9	25.4	25.6	25.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0643	Predicted	23	23.4	27	29.2	29.6	29.8	29.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0645	Predicted	23	23.4	27	29.1	29.6	29.8	29.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0648	Predicted	23.6	24.3	27.8	30	30.6	30.8	30.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0649	Predicted	23.6	24.1	27.5	29.7	30.4	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0650	Predicted	23.3	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0651	Predicted	25.4	26.6	30.2	32.3	32.9	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0657	Predicted	23.3	23.6	27	29.2	29.9	30.2	30.2

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23	23.6	27.2	29.3	29.8	30	30
H0658	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.7	22	25.4	27.6	28.2	28.4	28.4
H0659	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.8	25.5	28.8	31.1	31.8	32	32
H0669	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.8	27.2	29.4	30.1	30.4	30.4
H0670	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	24.9	28.2	30.5	31.2	31.4	31.4
H0671	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	30.2	31.9	34.9	37.4	38.5	38.8	38.8
H0675	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	24.9	28.3	30.5	31.2	31.5	31.5
H0676	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.9	29.5	32.9	35.1	35.9	36.2	36.2
H0677	Daytime Criterion	40	40	40	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.9	25.7	29	31.3	32	32.2	32.2
H0679	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H0680	Predicted	26.5	28.1	31.6	33.8	34.4	34.7	34.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0684	Predicted	22.6	23.6	27	29.2	29.9	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0686	Predicted	20.1	20.5	23.9	26.1	26.8	27	27
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0689	Predicted	23.1	23.6	27.2	29.3	29.8	30	30
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0698	Predicted	23	23.7	27.3	29.4	29.9	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0700	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0701	Predicted	23.4	23.8	27.1	29.4	30.1	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0703	Predicted	24.4	24.8	28.2	30.4	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0704	Predicted	24.4	24.9	28.3	30.6	31.2	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0706	Predicted	25.8	27.6	31.3	33.4	34	34.2	34.2
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0707	Predicted	23.2	23.6	27	29.2	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0710	Predicted	22	22.3	25.7	27.9	28.5	28.8	28.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0711	Predicted	22	22.2	25.7	27.9	28.4	28.7	28.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0712	Predicted	23.8	25.7	29.4	31.5	32	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0713	Predicted	20.8	21.8	25.3	27.4	28	28.3	28.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0714	Predicted	26.7	29	32.8	34.9	35.4	35.6	35.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0715	Predicted	25.2	26.3	29.8	32	32.6	32.8	32.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0717	Predicted	24.4	24.9	28.4	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0719	Predicted	25.6	26.6	30.1	32.3	33	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0730	Predicted	24.4	24.9	28.3	30.5	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0731	Predicted	17.6	17.6	21.1	23.3	23.8	24	24
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0732	Predicted	23.3	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0734	Predicted	24.5	25	28.4	30.6	31.3	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0735	Predicted	24.3	24.8	28.2	30.5	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0736	Predicted	23.7	24.4	27.8	30	30.7	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0740	Predicted	24.4	24.9	28.3	30.5	31.2	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0741	Predicted	19.7	20.4	23.9	26	26.6	26.9	26.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0742	Predicted	22.2	22.4	25.8	28	28.7	28.9	28.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0743	Predicted	22	22.2	25.6	27.9	28.5	28.8	28.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0744	Predicted	21.9	22.1	25.6	27.8	28.3	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0759	Predicted	29.5	30.7	33.8	36.2	37.2	37.5	37.5
	Daytime Criterion	40	40	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0761	Predicted	26.3	27.6	31.1	33.3	34	34.3	34.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0779	Predicted	23.4	24	27.3	29.6	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0780	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0781	Predicted	24.2	24.8	28.2	30.4	31.1	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0782	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0786	Predicted	22.2	22.3	25.9	28	28.5	28.7	28.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0789	Predicted	24.1	24.6	28	30.2	30.9	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0795	Predicted	26.9	29.2	32.9	35.1	35.6	35.8	35.8

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.4	26.6	30.1	32.3	32.9	33.2	33.2
H0802	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	24.8	28.2	30.4	31.1	31.3	31.3
H0803	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.9	30.5	33.8	36.2	37	37.3	37.3
H0805	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	24	27.3	29.6	30.2	30.5	30.5
H0806	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.3	23.8	27.1	29.4	30.1	30.3	30.3
H0809	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22	22.3	25.8	27.9	28.5	28.7	28.7
H0814	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.6	25.8	29.3	31.5	32	32.2	32.2
H0815	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.5	24.8	28.4	30.6	31.1	31.3	31.3
H0816	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	31.6	33.2	36.2	38.7	39.8	40.1	40.1
H0819	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H0828	Predicted	25	26.1	29.5	31.7	32.4	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0832	Predicted	24.5	25	28.4	30.6	31.3	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0833	Predicted	23.3	23.8	27.1	29.4	30.1	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0834	Predicted	23.3	23.6	27	29.2	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0835	Predicted	24.1	25	28.6	30.7	31.3	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0839	Predicted	25.2	26.5	30.1	32.2	32.7	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0840	Predicted	28.7	30.4	33.8	36.1	36.8	37.1	37.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0841	Predicted	23	23.3	26.6	28.9	29.6	29.9	29.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0842	Predicted	24.6	26	29.5	31.7	32.3	32.5	32.5
	Daytime Criterion	40	40	40	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0852	Predicted	23.8	24.5	27.8	30.1	30.8	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0853	Predicted	21.9	22.5	25.8	28.1	28.8	29	29
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0856	Predicted	30.6	32.2	35.1	37.7	38.7	39.1	39.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0857	Predicted	27.9	29.5	33	35.2	35.9	36.1	36.1
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0858	Predicted	30.9	32.5	35.4	38	39	39.4	39.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0868	Predicted	23.4	23.9	27.3	29.6	30.2	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0871	Predicted	23.7	24.4	27.7	30	30.7	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0872	Predicted	23.2	23.6	27	29.2	29.9	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0879	Predicted	22	22.2	25.7	27.8	28.4	28.6	28.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0883	Predicted	25.8	27.2	30.6	32.9	33.6	33.9	33.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H0884	Predicted	18.6	18.6	22.2	24.4	24.8	25	25
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0886	Predicted	25.4	26.4	29.9	32.1	32.8	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0891	Predicted	19.5	19.8	23.2	25.5	26.1	26.3	26.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0902	Predicted	24.3	24.7	28.1	30.4	31	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0904	Predicted	25.3	27.1	30.7	32.8	33.4	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0912	Predicted	25.5	26.3	29.7	32	32.6	32.9	32.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0920	Predicted	26.8	28.9	32.6	34.8	35.3	35.5	35.5
	Daytime Criterion	40	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0921	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0922	Predicted	26.9	29.1	32.9	35	35.5	35.7	35.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0924	Predicted	23.9	24.8	28.3	30.5	31	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0925	Predicted	24.9	25.8	29.3	31.5	32.1	32.3	32.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0926	Predicted	27.5	29.2	32.8	35	35.6	35.8	35.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0927	Predicted	20.3	20.6	24.1	26.3	26.9	27.1	27.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0929	Predicted	18.6	18.8	22.4	24.5	25	25.2	25.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0938	Predicted	23.6	25.1	28.6	30.8	31.4	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0947	Predicted	25.2	26.1	29.6	31.8	32.4	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0952	Predicted	21.9	23.5	27.2	29.3	29.8	30	30
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0962	Predicted	25.9	27.6	31.2	33.3	33.9	34.2	34.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0967	Predicted	22.4	23.9	27.6	29.7	30.3	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H0977	Predicted	23.3	23.8	27.1	29.4	30.1	30.3	30.3

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.3	23.7	27.1	29.3	30	30.2	30.2
H0983	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.2	28.1	31.8	34	34.5	34.7	34.7
H0985	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.6	28.8	32.6	34.7	35.2	35.4	35.4
H0987	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.9	27.2	29.5	30.2	30.5	30.5
H0988	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.4	23.8	27.4	29.6	30.1	30.3	30.3
H1007	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
H1012	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.2	24.8	28.1	30.4	31.1	31.4	31.4
H1017	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.6	22.9	26.6	28.7	29.2	29.4	29.4
H1022	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23	24.6	28.3	30.4	30.9	31.1	31.1
H1030	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H1031	Predicted	24.2	24.8	28.2	30.4	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1032	Predicted	23.4	23.8	27.1	29.4	30.0	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1039	Predicted	23.5	25	28.6	30.7	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1049	Predicted	23.2	23.7	27.3	29.4	29.9	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1050	Predicted	23.2	23.6	27	29.2	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1056	Predicted	24.6	25.1	28.5	30.7	31.4	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1061	Predicted	22.2	22.4	25.8	28	28.7	28.9	28.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1062	Predicted	24.4	26.5	30.2	32.3	32.8	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1081	Predicted	23.6	24.1	27.5	29.7	30.4	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1085	Predicted	25.3	26.3	29.8	32	32.6	32.8	32.8
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1087	Predicted	28.8	30.4	33.8	36.1	36.9	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1089	Predicted	23.9	25.5	29.1	31.3	31.8	32	32
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1090	Predicted	26.9	28.6	32.3	34.4	35	35.2	35.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1101	Predicted	20.6	21.5	25	27.2	27.8	28	28
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1107	Predicted	24	24.6	27.9	30.2	30.9	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1108	Predicted	23.3	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1113	Predicted	29.2	32.1	36	38.1	38.6	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1114	Predicted	23.2	23.7	27.2	29.4	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1115	Predicted	22.7	23	26.6	28.7	29.2	29.4	29.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H1128	Predicted	19.8	20.3	23.9	26	26.6	26.8	26.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1129	Predicted	23.4	24.9	28.6	30.7	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1134	Predicted	20.4	21.1	24.6	26.8	27.4	27.6	27.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1135	Predicted	21.9	22	25.5	27.7	28.3	28.5	28.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1137	Predicted	25.4	26.3	29.7	31.9	32.6	32.9	32.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1141	Predicted	25.4	26.6	30.1	32.3	33	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1142	Predicted	26	27.6	31.1	33.3	34	34.2	34.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1155	Predicted	23.2	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1158	Predicted	24.7	25.4	28.8	31	31.7	31.9	31.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1160	Predicted	24.3	24.8	28.1	30.4	31.1	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1162	Predicted	23.4	23.7	27.1	29.4	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1163	Predicted	24.1	26.2	29.9	32	32.5	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1184	Predicted	23.8	25.8	29.5	31.6	32.1	32.3	32.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1185	Predicted	29.2	30.6	33.7	36.1	37.1	37.4	37.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1187	Predicted	23.3	23.7	27.1	29.3	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1189	Predicted	23.3	23.8	27.1	29.4	30.1	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1190	Predicted	24.7	26.4	30	32.2	32.7	32.9	32.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1192	Predicted	24.2	24.6	28	30.3	30.9	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1193	Predicted	24.3	24.8	28.1	30.4	31	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1195	Predicted	28.9	31.3	35.1	37.2	37.7	37.9	37.9

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.3	30.6	34.2	36.4	37	37.3	37.3
H1196	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.8	23.8	27.2	29.5	30.2	30.4	30.4
H1197	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.5	28.5	32	34.2	34.9	35.1	35.1
H1198	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.7	25.3	28.9	31	31.6	31.8	31.8
H1199	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22	22.3	25.7	27.9	28.6	28.8	28.8
H1214	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.1	19.5	23	25.2	25.7	25.9	25.9
H1216	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.9	22.1	25.6	27.8	28.3	28.6	28.6
H1217	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.6	24.2	28	30.1	30.6	30.8	30.8
H1219	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.1	26.1	29.6	31.8	32.4	32.6	32.6
H1220	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H1223	Predicted	22.3	22.5	26	28.2	28.7	28.8	28.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1224	Predicted	24.1	24.7	28	30.2	31	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1227	Predicted	28.8	30.4	33.7	36	36.8	37.1	37.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1235	Predicted	23.4	23.8	27.2	29.4	30.1	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1239	Predicted	24.1	24.5	27.8	30.1	30.8	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1240	Predicted	23.4	23.9	27.2	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1241	Predicted	23.5	24	27.4	29.6	30.3	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1243	Predicted	22.3	22.5	25.9	28.2	28.8	29	29
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1245	Predicted	24.1	25.5	29	31.2	31.8	32.1	32.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1246	Predicted	23.1	24.8	28.6	30.7	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1248	Predicted	26.1	27.6	31.3	33.4	33.9	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1249	Predicted	17.9	18	21.6	23.7	24.2	24.4	24.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1254	Predicted	24.9	25.6	28.9	31.2	31.9	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1262	Predicted	26.6	28.1	31.6	33.8	34.5	34.7	34.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1268	Predicted	27.8	29.9	33.4	35.7	36.4	36.6	36.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1275	Predicted	21.6	21.8	25.3	27.5	27.9	28.1	28.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1286	Predicted	23.2	25	28.7	30.8	31.3	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1300	Predicted	23.2	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1301	Predicted	23.2	23.6	27	29.2	29.9	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H1302	Predicted	25.2	26.1	29.6	31.8	32.4	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1305	Predicted	22.9	23.2	26.6	28.9	29.5	29.7	29.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1306	Predicted	21.6	21.7	25.2	27.4	27.9	28.1	28.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1308	Predicted	27.5	29.6	33.3	35.4	35.9	36.1	36.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1315	Predicted	24.9	26.5	30.2	32.3	32.8	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1325	Predicted	23.4	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1332	Predicted	21.9	22.1	25.5	27.7	28.3	28.5	28.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1333	Predicted	24.4	25	28.4	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1334	Predicted	22.6	23.7	27.1	29.3	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1335	Predicted	24.1	25.4	28.8	31	31.8	32	32
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1347	Predicted	25.3	26.6	30	32.2	32.9	33.1	33.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1349	Predicted	22.5	22.8	26.2	28.4	29.1	29.4	29.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1351	Predicted	24.7	25.3	28.7	30.9	31.6	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1360	Predicted	24.9	26.3	29.8	32	32.6	32.9	32.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1368	Predicted	22.2	23	26.4	28.6	29.2	29.5	29.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1370	Predicted	30.2	32.6	36.4	38.5	39	39.2	39.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1373	Predicted	24.5	25	28.4	30.7	31.4	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1374	Predicted	26.5	28.7	32.5	34.6	35.2	35.3	35.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1377	Predicted	22	22.3	25.7	28	28.6	28.8	28.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1378	Predicted	25.2	26.7	30.3	32.4	33	33.3	33.3

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24	24.5	27.8	30.1	30.8	31.1	31.1
H1379	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.2	23.5	26.9	29.1	29.8	30.1	30.1
H1380	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	29.3	30.6	33.6	36.1	37	37.4	37.4
H1382	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.7	25.4	28.7	31	31.6	31.9	31.9
H1395	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	24.9	28.2	30.5	31.2	31.4	31.4
H1397	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.3	25	28.4	30.7	31.3	31.5	31.5
H1400	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.9	19	22.5	24.7	25.2	25.5	25.5
H1404	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.2	23.7	27.3	29.4	29.9	30.1	30.1
H1409	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.9	27.3	29.5	30.2	30.5	30.5
H1410	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H1413	Predicted	24.1	24.5	27.9	30.1	30.8	31	31
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1414	Predicted	24.5	25.1	28.4	30.7	31.4	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1415	Predicted	21.9	23.3	26.9	29	29.5	29.8	29.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1419	Predicted	23.4	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1420	Predicted	23.5	25	28.7	30.8	31.3	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1422	Predicted	24.4	25	28.4	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1430	Predicted	21.9	22.7	26.1	28.3	29	29.3	29.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1435	Predicted	21.8	23	26.6	28.7	29.3	29.5	29.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1436	Predicted	24.9	26	29.5	31.7	32.3	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1441	Predicted	23.2	23.7	27	29.3	30	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.1	22.3	25.8	28	28.5	28.8	28.8
H1442	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.9	25.9	29.6	31.7	32.2	32.4	32.4
H1443	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.4	22.8	26.5	28.6	29.1	29.3	29.3
H1444	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.8	27.3	29.5	30.1	30.3	30.3
H1445	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.7	28.2	31.6	33.8	34.5	34.8	34.8
H1446	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.4	30.5	34.2	36.3	36.8	37	37
H1447	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.4	23.7	27.2	29.4	30	30.2	30.2
H1454	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.6	24.7	28.2	30.4	31	31.3	31.3
H1456	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.2	23.6	26.9	29.2	29.9	30.2	30.2
H1459	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.2	23.6	26.9	29.2	29.9	30.2	30.2

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H1461	Predicted	23.8	24.6	27.9	30.2	30.9	31.1	31.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1462	Predicted	24.6	25.2	28.6	30.8	31.5	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1463	Predicted	24.6	25.2	28.5	30.8	31.4	31.7	31.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1467	Predicted	30.6	32.8	36.2	38.6	39.4	39.6	39.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1470	Predicted	22.1	22.2	25.7	27.9	28.5	28.7	28.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1471	Predicted	27.2	29.5	33.3	35.4	35.9	36.1	36.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1473	Predicted	24.2	24.9	28.3	30.5	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1479	Predicted	20.2	20.5	24	26.2	26.8	27	27
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1483	Predicted	24.4	25	28.4	30.6	31.2	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1485	Predicted	23.2	23.6	27	29.2	29.9	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1487	Predicted	26.5	27.7	31.2	33.4	34.1	34.3	34.3
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1489	Predicted	22.4	24.1	27.8	29.9	30.4	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1490	Predicted	22.6	23.8	27.5	29.6	30.1	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1492	Predicted	22.6	22.9	26.4	28.6	29	29.2	29.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1493	Predicted	24.4	25.1	28.5	30.7	31.3	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1494	Predicted	17.8	17.9	21.5	23.6	24.1	24.3	24.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1499	Predicted	25.2	26.5	30	32.2	32.7	33	33
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1507	Predicted	24.6	25.3	28.6	30.9	31.6	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1508	Predicted	23.5	23.9	27.3	29.5	30.2	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1511	Predicted	23.2	23.5	26.9	29.2	29.8	30.1	30.1

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.3	23.7	27.1	29.3	30	30.3	30.3
H1513	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.9	22.1	25.6	27.8	28.3	28.5	28.5
H1515	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.4	25.3	28.7	30.9	31.6	31.8	31.8
H1519	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.7	28.8	32.3	34.5	35.2	35.4	35.4
H1520	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.9	26	29.6	31.8	32.3	32.6	32.6
H1522	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.4	28.3	31.9	34	34.6	34.8	34.8
H1530	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	23.9	27.3	29.5	30.2	30.5	30.5
H1533	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.8	24.5	27.9	30.1	30.8	31.1	31.1
H1536	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.2	23.5	26.8	29.1	29.8	30	30
H1537	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H1540	Predicted	24.2	24.6	28	30.2	30.9	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1543	Predicted	22.2	22.5	25.9	28.1	28.7	29	29
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1545	Predicted	24.2	24.8	28.2	30.4	31	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1547	Predicted	22	22.9	26.4	28.5	29.1	29.4	29.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1560	Predicted	23.3	23.7	27.1	29.3	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1561	Predicted	23.4	23.8	27.2	29.4	30.1	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1564	Predicted	22.3	22.5	25.9	28.2	28.8	29	29
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1566	Predicted	24.4	24.9	28.2	30.5	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1567	Predicted	23.2	23.6	26.9	29.2	29.8	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1568	Predicted	22.8	23.4	27	29.1	29.6	29.8	29.8
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB L _{A90} , at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1573	Predicted	23.2	23.7	27	29.3	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1574	Predicted	26.2	28.1	31.7	33.9	34.5	34.8	34.8
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1576	Predicted	26.3	28.1	31.6	33.8	34.5	34.8	34.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1581	Predicted	28.8	30.4	33.8	36.1	36.9	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1585	Predicted	23.7	24	27.4	29.6	30.3	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1586	Predicted	24	24.3	27.7	30	30.6	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1587	Predicted	23.7	24.3	27.7	29.9	30.6	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1589	Predicted	24.2	24.6	28	30.2	30.9	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1590	Predicted	23.3	23.7	27	29.3	30	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
H1591	Predicted	23.3	24.7	28.4	30.5	31	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1593	Predicted	25.2	26.4	29.8	32	32.7	32.9	32.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1594	Predicted	27.7	29.8	33.3	35.6	36.3	36.6	36.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1595	Predicted	22.3	23.5	27.2	29.3	29.8	30	30
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1596	Predicted	25.3	26	29.4	31.6	32.4	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1597	Predicted	26	27.2	30.6	32.8	33.5	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1598	Predicted	23.9	24.4	27.8	30	30.6	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1599	Predicted	30.9	33.5	37.2	39.4	39.9	40.1	40.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1601	Predicted	25.5	27.5	31.1	33.3	33.9	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1604	Predicted	24.5	25.1	28.4	30.7	31.4	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90, at wind speed at standardised 10m height, m/s						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1605	Predicted	24.6	25.3	28.6	30.9	31.6	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1607	Predicted	28.7	31	34.8	36.9	37.4	37.6	37.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1610	Predicted	27	29.7	33.5	35.6	36.1	36.3	36.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1611	Predicted	23.6	24.9	28.5	30.6	31.2	31.4	31.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1612	Predicted	26.2	28.1	31.8	33.9	34.4	34.6	34.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1615	Predicted	25.4	27	30.7	32.8	33.3	33.5	33.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1616	Predicted	23.9	25.3	29	31.1	31.6	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1617	Predicted	22.4	22.7	26	28.3	29	29.2	29.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H1618	Predicted	28	30.2	33.8	36	36.6	36.9	36.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--